



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1431/2022-23

Date: 22-11-2022

Permission for Regularization of Poles
(already installed)

To,
M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization of poles (already installed).

- Ref :-** 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
2) M/s. Jio Digital Fibre Private Limited online application Dated: 21-05-2022
3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
4) Fee Demand Note letter No: 10-2022-1431, Date: 18-10-2022.
5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 31-10-2022.

*_*_*_*

With reference to your application for the regularization of poles already installed, we have pleasure to inform you that permission has been accorded for regularization of the poles installed details of which are as mentioned below.

SL No.	UniquePoleId.	Street Id	Landmark or address	Coordinates	Permissi onLetter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/2115/W-13/1	I0254	PL1002(Durga prasada hotel)	13.047691038 401846- 77.514233887 1956	2115	25/08/2021
2	EE/ OFC/pole/202 2-23/2115/W-13/2	I0254	PL1206(Sandeep clinic)	13.047751136 498583- 77.514070272 4457	2115	25/08/2021
3	EE/ OFC/pole/202 2-23/2115/W-13/3	I0254	PL0908(Jayamma nivasana)	13.047957560 28481- 77.513405084 60999	2115	25/08/2021
4	EE/ OFC/pole/202 2-23/2115/W-13/4	I0254,W0079	PL0806(gangadareshwar nilaya)	13.048064691 548978- 77.513120770	2115	25/08/2021

No: EE/OFC/PR/1431/2022-23, Dt: 22-11-2022


Executive Engineer (OFC), BBMP

				45442		
5	EE/ OFC/pole/202 2-23/2115/W-13/5	I0254,W0069	PL0808(Ragvendra gas agency)	13.048166596854726-77.51287937164308	2115	25/08/2021
6	EE/ OFC/pole/202 2-23/2115/W-13/6	I0254	PL0708(sapth agiri nilaya)	13.04819533936927-77.5127935409546	2115	25/08/2021
7	EE/ OFC/pole/202 2-23/2115/W-13/7	I0254,W0263	PL0502(BK stores)	13.048346890754313-77.51244753599167	2115	25/08/2021
8	EE/ OFC/pole/202 2-23/2115/W-13/8	I0254,W0243	PL0501(AI Amin provision store)	13.048568991754214-77.51190304756166	2115	25/08/2021
9	EE/ OFC/pole/202 2-23/2115/W-13/9	I1037	PL0504(Grap hics)	13.049120323962123-77.51178771257402	2115	25/08/2021
10	EE/ OFC/pole/202 2-23/2115/W-13/10	I1023	PL0401(#519)	13.0499721428706-77.51168847084045	2115	25/08/2021
11	EE/ OFC/pole/202 2-23/2115/W-13/11	W0237	PL0402(venk y nilaya)	13.049834963643434-77.511874884367	2115	25/08/2021
12	EE/ OFC/pole/202 2-23/2115/W-13/12	W0237	PL0403(Venk y nilaya)	13.049778785461784-77.51190707087518	2115	25/08/2021
13	EE/ OFC/pole/202 2-23/2115/W-13/13	W0243	PL0404(Matru sri nilaya)	13.049311068942073-77.51204922795296	2115	25/08/2021
14	EE/ OFC/pole/202 2-23/2115/W-13/14	W0243	PL0404(Colo r bldg)	13.049331972492574-77.51209750771524	2115	25/08/2021
15	EE/ OFC/pole/202 2-23/2115/W-13/15	W0243	PL0408(venk y nilaya)	13.049861093025907-77.5121833384037	2115	25/08/2021

16	EE/ OFC/pole/202 2-23/2115/W-13/16	W0253	PL0409(#1127)	13.049670348 47037- 77.512482404 70888	2115	25/08/2021
17	EE/ OFC/pole/202 2-23/2115/W-13/17	W0253	PL0410(krupa)	13.049607637 899413- 77.512505203 48549	2115	25/08/2021
18	EE/ OFC/pole/202 2-23/2115/W-13/18	W0261	PL0407(Marut hi nilaya)	13.049638993 186884- 77.512675523 75795	2115	25/08/2021
19	EE/ OFC/pole/202 2-23/2115/W-13/19	W0261	PL0406(ragvendra nilaya)	13.049611557 31056- 77.512688934 80302	2115	25/08/2021
20	EE/ OFC/pole/202 2-23/2115/W-13/20	W0265	PL0801(byra weshwara nilaya)	13.049496587 890973- 77.512958496 80902	2115	25/08/2021
21	EE/ OFC/pole/202 2-23/2115/W-13/21	W0269	PL0301(sheet home)	13.049474377 883302- 77.513238787 65106	2115	25/08/2021
22	EE/ OFC/pole/202 2-23/2115/W-13/22	W0269	PL0302(#41)	13.049465232 585439- 77.513276338 57728	2115	25/08/2021
23	EE/ OFC/pole/202 2-23/2115/W-13/23	W0271	PL0303(matru)	13.049420812 562474- 77.513547241 68779	2115	25/08/2021
24	EE/ OFC/pole/202 2-23/2115/W-13/24	W0271	PL0304(Nenapu)	13.049401215 490978- 77.513563334 94188	2115	25/08/2021
25	EE/ OFC/pole/202 2-23/2115/W-13/25	W0279	PL0306(#554)	13.049171276 402676- 77.514357268 81029	2115	25/08/2021
26	EE/ OFC/pole/202 2-23/2115/W-13/26	W0279	PL0307(M.nilaya)	13.049173889 348063- 77.514388114 21397	2115	25/08/2021
27	EE/ OFC/pole/202 2-23/2115/W-13/27	W0277	PL0305(ranganath nilaya)	13.049279713 613014- 77.514133304 35754	2115	25/08/2021

01	No of Poles	27
02	Ward No	13
03	Zone Name	Dasarahalli Zone

The locational details of poles are also given in the map enclosed with this permission letter.

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public

building, the agency shall be bound to do the same at its own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at its own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to poles and resultant losses, if any during performance of official duties by any employee of corporation.
13. **Any dispute** arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlined in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. If any dispute arise it will be settled as per the MOU.
14. Operational and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operational and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.

19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0


23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Dasarahalli** Zone) for information.
4. Copy to Zonal Chief Engineer (**Dasarahalli** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Dasarahalli** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Shettihalli** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

केनरा बैंक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP
 शाखा / Branch DC Extension

दिनांक / Date 31 10 2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.
 बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड नं.

1711-3-201110

नाम / Name Commissioner BMY

टेलिफोन / मोबाइल नं.
 Tel No. / Mobile No. NOV 2022 ₹ पै/P.

राशि / Amount 24400/- ₹

राशि शब्दों में / Rupees in words

चेक नं. / दिनांक तथा बैंक व शाखा का नाम Cheque No./Date / Name of Bank & Branch	₹	पै/P.
<u>206344 dt 19/11/22</u>	<u>24400</u>	<u>00</u>
<u>Canara Bank</u>		
TOTAL कुल / Total	24400	00

अधिकारी / रोकड़िया / Cashier/SWO
 एस डब्ल्यूओ
 केनरा बैंक टोल फ्री 24 घंटे कॉल सेंटर
 Canara Bank Toll Free No.
 1800 425 0018

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1431 /DD

Date: 25-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1431

With reference to your Demand Note bearing Pole-OFC-10-2022-1431 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0233 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1431	27	124400	206344	22356	124400
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,


for JIO DIGITAL FIBRE PRIVATE LIMITED

Ab

Authorized Signatory.

SDA

21/10



~~1057~~ 1431

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206344

19/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1431 /DD

Date: 25-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1431

With reference to your Demand Note bearing Pole-OFC-10-2022-1431 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0233

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1431	27	124400	206344	22356	124400
			Dated		
			19-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

206344

19/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH - Centralised Collection and Payment Hub (CCPH)

Valid Until: 18012023

DATE दिनांक

0	9	1	0	1	9	2	2	Y
---	---	---	---	---	---	---	---	---

Payee Negotiable

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मांगे जाने पर

RUPEES One Lac Twenty Four Thousand Four Hundred Only

रुपये

अदा करें

₹ 124,400.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206344

Client Reference 4200009020_40

For Axis Bank Ltd

Madhura...
55/10/2022
Authorised Signatory

Madhura...
Authorised Signatory
Rudresha B
No. 26182

Under CMS Arrangement,
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Please sign above

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1431 /DD

Date: 25-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1431

With reference to your Demand Note bearing Pole-OFC-10-2022-1431, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0233

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1431	27	124400	206344	22356	124400
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206344

19/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH - Centralised Collection and Payment Hub (CCPH)

Valid Until: 18012023

DATE	19	10	2022
दिनांक			

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर

RUPEES One Lac Twenty Four Thousand Four Hundred Only

रुपये

अदा करें ₹ 124,400.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206344

Client Reference 4200009020 40

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO:

For Axis Bank Ltd

[Signature]
557124006
Authorised Signatory

[Signature]
Rudresha B
557124006
Please sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-1431

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-1431

General Information

Segment ID

OFC/Pole/2022-23/10254/1425

Street ID

53108

Street Name

NA

Zone

Dasarahalli

Ward No.

13

Ward Name

Mallasandra

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

21/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC Pole regularisation

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

27

No.Junction Box


27



Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	28/05/2022

Date : 26/10/2022



20221026055551



Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1431

Date: 18/10/2022

Demand Notice
GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-1431, dated: 21/05/2022

Details of Poles added on BBMP GIS Map


(Pole Id:-OFC/Pole/2022-23/10254/1425)



Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/2115/W- 13/1	I0254	PL1002(Durg a prasad hotel)	13.047691038 401846- 77.514233887 1956	2115	25/08/2021
2	EE/ OFC/pole/202 2-23/2115/W- 13/2	I0254	PL1206(Sand eep clinic)	13.047751136 498583- 77.514070272 4457	2115	25/08/2021
3	EE/ OFC/pole/202 2-23/2115/W- 13/3	I0254	PL0908(Jaya mma nivasa)	13.047957560 28481- 77.513405084 60999	2115	25/08/2021
4	EE/ OFC/pole/202 2-23/2115/W- 13/4	I0254,W0079	PL0806(gang adareshwar nilaya)	13.048064691 548978- 77.513120770 45442	2115	25/08/2021
5	EE/ OFC/pole/202 2-23/2115/W- 13/5	I0254,W0069	PL0808(Ragv endra gas agency)	13.048166596 854726- 77.512879371 64308	2115	25/08/2021

6	EE/ OFC/pole/202 2-23/2115/W- 13/6	I0254	PL0708(sapth agiri nilaya)	13.048195339 36927- 77.512793540 9546	2115	25/08/2021
7	EE/ OFC/pole/202 2-23/2115/W- 13/7	I0254,W0263	PL0502(BK stores)	13.048346890 754313- 77.512447535 99167	2115	25/08/2021
8	EE/ OFC/pole/202 2-23/2115/W- 13/8	I0254,W0243	PL0501(AI Amin provision store)	13.048568991 754214- 77.511903047 56166	2115	25/08/2021
9	EE/ OFC/pole/202 2-23/2115/W- 13/9	I1037	PL0504(Grap hics)	13.049120323 962123- 77.511787712 57402	2115	25/08/2021
10	EE/ OFC/pole/202 2-23/2115/W- 13/10	I1023	PL0401(#519)	13.049972142 8706- 77.511688470 84045	2115	25/08/2021
11	EE/ OFC/pole/202 2-23/2115/W- 13/11	W0237	PL0402(venky nilaya)	13.049834963 643434- 77.511874884 367	2115	25/08/2021
12	EE/ OFC/pole/202 2-23/2115/W- 13/12	W0237	PL0403(Venky nilaya)	13.049778785 461784- 77.511907070 87518	2115	25/08/2021
13	EE/ OFC/pole/202 2-23/2115/W- 13/13	W0243	PL0404(Matru sri nilaya)	13.049311068 942073- 77.512049227 95296	2115	25/08/2021
14	EE/ OFC/pole/202 2-23/2115/W- 13/14	W0243	PL0404(Color bldg)	13.049331972 492574- 77.512097507 71524	2115	25/08/2021
15	EE/ OFC/pole/202 2-23/2115/W- 13/15	W0243	PL0408(venky nilaya)	13.049861093 025907- 77.512183338 4037	2115	25/08/2021
16	EE/ OFC/pole/202 2-23/2115/W- 13/16	W0253	PL0409(#112- 7)	13.049670348 47037- 77.512482404 70888	2115	25/08/2021
17	EE/ OFC/pole/202 2-23/2115/W- 13/17	W0253	PL0410(krupa)	13.049607637 899413- 77.512505203 48549	2115	25/08/2021
18	EE/ OFC/pole/202 2-23/2115/W- 13/18	W0261	PL0407(Marut hi nilaya)	13.049638993 186884- 77.512675523 75795	2115	25/08/2021
19	EE/ OFC/pole/202 2-23/2115/W- 13/19	W0261	PL0406(ragve ndra nilaya)	13.049611557 31056- 77.512688934 80302	2115	25/08/2021
20	EE/ OFC/pole/202 2-23/2115/W- 13/20	W0265	PL0801(byra weshwara nilaya)	13.049496587 890973- 77.512958496 80902	2115	25/08/2021
21	EE/ OFC/pole/202 2-23/2115/W- 13/21	W0269	PL0301(sheet home)	13.049474377 883302- 77.513238787 65106	2115	25/08/2021

22	EE/ OFC/pole/202 2-23/2115/W- 13/22	W0269	PL0302(#41)	13.049465232 585439- 77.513276338 57728	2115	25/08/2021
23	EE/ OFC/pole/202 2-23/2115/W- 13/23	W0271	PL0303(matru)	13.049420812 562474- 77.513547241 68779	2115	25/08/2021
24	EE/ OFC/pole/202 2-23/2115/W- 13/24	W0271	PL0304(Nena pu)	13.049401215 490978- 77.513563334 94188	2115	25/08/2021
25	EE/ OFC/pole/202 2-23/2115/W- 13/25	W0279	PL0306(#554)	13.049171276 402676- 77.514357268 81029	2115	25/08/2021
26	EE/ OFC/pole/202 2-23/2115/W- 13/26	W0279	PL0307(M.nil aya)	13.049173889 348063- 77.514388114 21397	2115	25/08/2021
27	EE/ OFC/pole/202 2-23/2115/W- 13/27	W0277	PL0305(ranga nath:nilaya)	13.049279713 613014- 77.514133304 35754	2115	25/08/2021



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No. of Poles 27

Pole Charges @ Rs 1500/- Pole	40,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	199.53
Junction Box Charges @ Rs 3000/- Pole	81,000	Total (C)	199.53
Supervision Charge @ Rs 100/- Pole	2,700		
Sub Total (A)	1,24,200	GST @ 18% (B)	22,356
Grand Total (A + B + C)	1,46,755.53		

Total Amount Payable Rs: 1,46,756 In words (Rupees One Lakh Forty-Six Thousand Seven Hundred and Fifty-Six Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

No.: 10-2022-1431

Copy to

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-1431

2/6

RE@RIL.COM

OFC/Pole/2022-23/W0308/1439 10-2022-1443 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

Pole Details



OFC/Pole/2022-23/W0028/1399 10-2022-1399 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

1. Jyoti 22/11
 ASSISTANT EXECUTIVE ENGINEER
 OFC CELL
 BRUHAT BENGALURU MAHANAGARA PALIKE
 BENGALURU

EXECUTIVE ENGINEER
 OFC CELL
 BRUHAT BENGALURU MAHANAGARA PALIKE
 BENGALURU