



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell ), 3<sup>rd</sup>Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1440/2022-23

Date: 20-10-2022

**158**  
**Permission for Regularization for Poles**

To,  
M/s. Jio Digital Fibre Private Limited ,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
  - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 21-05-2022
  - 3) Fee Demand Note letter No: 10-2022-1440, Date: 17-10-2022.
  - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
  - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 19-10-2022.

\*\_\*\_\*\_\*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from W.O.C Road via 7th Main Road	33 Poles
02	From W.O.C Road via 2nd Main, 1st 'F' Main, 6th Cross up to 1st Main Road.	
03	From 5th Cross via 11th Main	
04	From 12th Main via 9th 'A' Main	
05	From 9th 'A' Main via 2nd Main	
06	From Pushpanjali Theater Road via 1st 'C' Main	
07	From 8th Main via Street ID No-W0117	
08	From 1st Main via Street ID No-W0175 up to W0106.	
09	From 1st Main via Street ID No-W0203 up to W0106.	
10	From 2nd Main Road via 2nd cross, Street ID No-W0106 for total No of 33 Poles, in Ward No-107, West Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/1440/2022-23, Dt: 20-10-2022

Executive Engineer (OFC), BBMP

  
21/10/22

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.




13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlined in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be undertaken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exist, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

केनरा बैंक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP  
 शाखा/ Branch BCC Extension

दिनांक/ Date 20/10/2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.  
 बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

84013400010

नाम/Name Commissioner BBMP

टेलिफोन / मोबाइल नं  
 Tel No./Mobile No. ₹ पै/P.

राशि /Amount 1,52,044.00

राशि शब्दों में  
 Rupees in words One lakh fifty two thousand forty four rupees only

चेक नं. / दिनांक तथा बैंक व शाखा का नाम Cheque No./Date / Name of Bank & Branch	₹	₹/₹
<u>206253 Dt. 20/10/22</u>	<u>1,52,044.00</u>	

EXECUTIVE CASHIER  
20 OCT 2022  
 अधिकारी / रोकाडिया / Di  
 Officer/Cashier/SWO MAHAGARH DALUKE  
 Canara Bank Toll Free No  
 1800 425 0018

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1440 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1440


With reference to your Demand Note bearing Pole-OFC-10-2022-1440, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0425.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1440	33	152044	206253	27324	152044
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,  
Yours faithfully,  
for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



1440

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206253**

dated 18/10/2022

**PAYMENT REFERENCE**

---

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1440 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1440

With reference to your Demand Note bearing Pole-OFC-10-2022-1440 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0425 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1440	33	152044	206253	27324	152044
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.





MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206253**

dated 18/10/2022

**PAYMENT REFERENCE**

ISSUING BRANCH

- Centralised Collection and Payment Hub (COPH)

Valid Until: 17/10/2023

DATE	DD	MM	YY	YY	YY
दिनांक	18	10	20	22	

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौजे जाने पर

RUPEES One Lac Fifty Two Thousand Forty Four Only

रुपये

अदा करे

₹ 152,044.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206253

Client Reference 4200008920 117

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

For Axis Bank Ltd

*[Signature]*  
Authorized Signatory

*[Signature]*  
Authorized Signatory

**Rudresha B**  
SS. No. 25182  
Please Sign above

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1440 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1440

With reference to your Demand Note bearing Pole-OFC-10-2022-1440 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0425 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1440	33	152044	206253	27324	152044
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

1440

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE  
Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206253**

dated 18/10/2022

**PAYMENT REFERENCE**

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 12/01/2023

DATE	D	M	Y	0	2	0	7	2	1	2	2	Y
दिनांक												

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या नकद आदेश पर

माँगे जाने पर

RUPEES One Lac Fifty Two Thousand Forty Four Only

रुपये

अदा करे

₹ 152,044.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206253

Client Reference 4200008920 117

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

For Axis Bank Ltd

*[Signature]*  
Authorized Signatory

*[Signature]*  
Authorized Signatory

Rudresha B  
SS. No. 25182  
Stamp 25/10/2022



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT  
Pole Form

Application No. :10-2022-1440

PR Number(To be Assigned by AE/JE-  
OFC, BBMP)

CE-POLE-10-2022-1440

General Information

Segment ID

OFC/Pole/2022-23/W0094/1436

Street ID

18274

Street Name

NA

Zone

West

Ward No.

107

Ward Name

Shivanagara

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5  
Rasta, Ambawadi, Ahmedabad, Gujarat,  
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

21/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,  
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments

Pole Related Information


No.of Poles

33

No.Junction Box

33






**Status of My Application**

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	24/05/2022

Date : 17/10/2022

20221017073036





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -  
560002

No. : Pole-OFC-10-2022-1440

Date: 17/10/2022

### Demand Notice

**GST No.: 29AAALBI608FIZK**

To

Babu Veerabhadre


M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).  
2)Your request letter No. : 10-2022-1440, dated : 21/05/2022


Details of Poles added on BBMP GIS Map (Pole Id:-OFC/Pole/2022-23/W0094/1436)



Sr No.	Unique Poleid.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/4756/W- 107/230	W0094	PL5403	12.989789968 473238- 77.550322338 9643	4756	21/01/2022
2	EE/ OFC/pole/202 2-23/4756/W- 107/231	W0094	PL5402	12.989918590 366571- 77.549694702 03436	4756*	21/01/2022
3	EE/ OFC/pole/202 2-23/4756/W- 107/232	W0094	PL5404	12.989866678 19592- 77.549940794 71658	4756	21/01/2022
4	EE/ OFC/pole/202 2-23/4756/W- 107/233	W0088,W011 7	PL0903	12.989995317 976183- 77.549290359 03046	4756	21/01/2022
5	EE/ OFC/pole/202 2-23/4756/W- 107/234	W0117	PL0902	12.989799591 040288- 77.549263089 85092	4756	21/01/2022

6	EE/ OFC/pole/202 2-23/4756/W- 107/235	W0090,W011 7	PL0901	12.989611591 047803- 77.549228668 1771	4756	21/01/2022
7	EE/ OFC/pole/202 2-23/4756/W- 107/236	W0044	BGLBD03656 84	12.988314848 109644- 77.549960464 21013	4756	21/01/2022
8	EE/ OFC/pole/202 2-23/4756/W- 107/237	W0044	BGLRBD0387 623	12.988438183 829865- 77.549819312 9684	4756	21/01/2022
9	EE/ OFC/pole/202 2-23/4756/W- 107/238	W0044,W020 3	PL5902	12.988789611 514894- 77.549401894 1828	4756	21/01/2022
10	EE/ OFC/pole/202 2-23/4756/W- 107/239	W0044,W018 3	PL5703	12.988949279 708104- 77.549264430 97077	4756	21/01/2022
11	EE/ OFC/pole/202 2-23/4756/W- 107/240	W0044,W011 7	PL5701	12.989150339 991275- 77.549142837 29933	4756	21/01/2022
12	EE/ OFC/pole/202 2-23/4756/W- 107/241	W0044	PL6301	12.989460869 809184- 77.548830359 97979	4756	21/01/2022
13	EE/ OFC/pole/202 2-23/4756/W- 107/242	W0044,W010 9	PL6302	12.989603221 559946- 77.548592090 27246	4756	21/01/2022
14	EE/ OFC/pole/202 2-23/4756/W- 107/243	W0044	BGLRBD0313 609	12.989742053 529884- 77.548405676 99661	4756	21/01/2022
15	EE/ OFC/pole/202 2-23/4756/W- 107/244	W0081	PL6201	12.989872354 06204- 77.547980099 80392	4756	21/01/2022
16	EE/ OFC/pole/202 2-23/4756/W- 107/245	W0081	PL6203	12.989670696 451121- 77.547926455 62362	4756	21/01/2022
17	EE/ OFC/pole/202 2-23/4756/W- 107/246	W0072,W008 1	PL6204	12.989237250 035124- 77.547806650 23306	4756	21/01/2022
18	EE/ OFC/pole/202 2-23/4756/W- 107/247	W0072	PL6102	12.989291993 197384- 77.547631189 14356	4756	21/01/2022
19	EE/ OFC/pole/202 2-23/4756/W- 107/248	W0072,W014 3	PL6103	12.989407652 534064- 77.547262273 68026	4756	21/01/2022
20	EE/ OFC/pole/202 2-23/4756/W- 107/249	W0110,W014 3	PL6104	12.989308151 343545- 77.547233104 5114	4756	21/01/2022
21	EE/ OFC/pole/202 2-23/4756/W- 107/250	W0143	PL6105	12.989130476 281806- 77.547177672 13721	4756	21/01/2022

22	EE/ OFC/pole/202 2-23/4756/W- 107/251	W0143	BGLRBD0275 583	12.988908472 784926- 77.547122072 39734	4756	21/01/2022
23	EE/ OFC/pole/202 2-23/4756/W- 107/252	W0106	PL6001	12.988995286 781597- 77.547748535 74703	4756	21/01/2022
24	EE/ OFC/pole/202 2-23/4756/W- 107/253	W0106	PL6002	12.988899126 246931- 77.547955289 38588	4756	21/01/2022
25	EE/ OFC/pole/202 2-23/4756/W- 107/254	W0106	PL6003	12.988912532 196368- 77.548083476 66682	4756	21/01/2022
26	EE/ OFC/pole/202 2-23/4756/W- 107/255	W0106	PL6004	12.988886575 818743- 77.548196129 47999	4756	21/01/2022
27	EE/ OFC/pole/202 2-23/4756/W- 107/256	W0106,W010 7	PL6004	12.988871329 92654- 77.548254523 40201	4756	21/01/2022
28	EE/ OFC/pole/202 2-23/4756/W- 107/257	W0167	PL6005	12.988762276 455947- 77.548301517 94211	4756	21/01/2022
29	EE/ OFC/pole/202 2-23/4756/W- 107/258	W0106,W017 7	PL6007	12.988767626 335555- 77.548616230 348	4756	21/01/2022
30	EE/ OFC/pole/202 2-23/4756/W- 107/259	W0175	PL6005	12.988606654 030859- 77.548611983 58697	4756	21/01/2022
31	EE/ OFC/pole/202 2-23/4756/W- 107/260	W0106	BGLRBD0067 509	12.988729862 275198- 77.548821642 89768	4756	21/01/2022
32	EE/ OFC/pole/202 2-23/4756/W- 107/261	W0106	BGLRBD0067 509	12.988695450 634102- 77.548948153 72893	4756	21/01/2022
33	EE/ OFC/pole/202 2-23/4756/W- 107/262	W0106,W020 3	PL5901	12.988602988 158977- 77.549302875 83022	4756	21/01/2022



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form



of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

**Total No.of Poles 33**


Pole Charges @ Rs 1500/- Pole	49,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	243.87
Junction Box Charges @ Rs 3000/- Pole	99,000	Total (C)	243.87
Supervision Charge @ Rs 100/- Pole	3,300		
Sub Total (A)	1,51,800	GST @ 18% (B)	27,324
Grand Total (A + B + C)	1,79,367.87		

**Total Amount Payable Rs: 1,79,368 In words (Rupees One Lakh seventy-Nine Thousand Three Hundred and Sixty-Eight Only)**

**Note:**The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)  
Bruhat Bangalore Mahanagara Palike

**Copy to**

No.: 10-2022-1440

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

