



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell ), 3<sup>rd</sup>Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1443/2022-23

Date: 20-10-2022

**16) Permission for Regularization for Poles**

To,  
M/s. Jio Digital Fibre Private Limited ,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
  - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 21-05-2022
  - 3) Fee Demand Note letter No: 10-2022-1443, Date: 18-10-2022.
  - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
  - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 19-10-2022.

\*\_\*\_\*\_\*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 3rd Main Road via 1st Main Road, Street ID No-W0304, 1st Cross, 26th Main, 23rd Main, 1st Cross, Street ID No-W0197, 29th Main, 3rd Main, 26th Main back to 3rd Main Road.	22 Poles
02	From 1st Main Road via Street ID No-W0308	
03	From 1st Main Road via Street ID No-W0306	
04	From 1st Main Road via Street ID No-W0302	
05	From Street ID No-W0304 via 1st Main Road, Street ID No-W0310, 1st Cross Road up to Street ID No-W0304.	
06	From 26th Main Road via Street ID No-W0211	
07	From 26th Main Road via Street ID No-W0201	
08	From 29th Main Road via Street ID No-W0201	
09	From 29th Main Road via Street ID No-W0203.	
10	From 1st Cross Road via 29th Main Road for total No of 22 Poles, in Ward No-43, West Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

No: EE/OFC/PR/1443/2022-23, Dt: 20-10-2022

Executive Engineer (OFC), BBMP

*H. H. H. H.*  
21/10/22

**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

**Conditions for Regularization of Poles**

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**West Zone**) for information.
4. Copy to Zonal Chief Engineer (**West Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Mahalakshmi Layout Division**) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Mahalakshmi Layout Sub Division**) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

केनरा बैंक  Canara Bank

1443

जमा पत्ती / DEPOSIT / PAY IN SLIP

शाखा/ Branch

REC EXH-10

दिनांक/ Date

20 10 20 22

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

8401132000010

नाम/Name

Comm. Sp. over Stamp

टेलिफोन / मोबाइल नं

Tel No./Mobile No.

राशि /Amount

₹ 1,363.00/-

राशि शब्दों में

Rupees in words

One lakh one thousand three hundred sixty three only.

चेक नं. / दिनांक, तथा बैंक का शाखा व कर्मचारी Cheque No./Date & Name of Bank & Branch	₹	P	₹/P.
206288 Dt: 18/10/22	1,363	00	00/-

EXECUTIVE TOTAL ₹ 1,363.00/-

अधिकारी / रोकड़ि

DEC 02

केनरा बैंक टोल फ्री 24 घंटे कॉल सेंटर

Canara Bank Toll Free No.

BRUHAR BENGALURU MAHANAGARA PATIKE  
1800 425 0018  
BENGALURU

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1443 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1443

With reference to your Demand Note bearing Pole-OFC-10-2022-1443, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0477

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1443	22	101363	206288	18216	101363
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



1443

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206288**

dated 18/10/2022

PAYMENT REFERENCE

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1443 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1443

With reference to your Demand Note bearing Pole-OFC-10-2022-1443 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0477 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1443	22	101363	206288	18216	101363
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.





1443

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206288**

dated 18/10/2022

**PAYMENT REFERENCE**

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17/01/2023

DATE  
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौजे जाने पर

RUPEES One Lac One Thousand Three Hundred Sixty Three Only

रुपये

₹ 101,363.00  
अदा करे

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206288

Client Reference 4200008920 152

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

For Axis Bank Ltd

*[Signature]*  
Authorized Signatory

*[Signature]*  
Authorized Signatory

**Rudresha B**  
CC No. 24/10/2022

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1443 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1443

With reference to your Demand Note bearing Pole-OFC-10-2022-1443 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0477 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1443	22	101363	206288	18216	101363
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

1443

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206288**

dated 18/10/2022

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (COPH)

Valid Until 17/01/2023

DATE	17	80	01	2Y	07	2Y	2Y
दिनांक							

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर

RUPEES One Lac One Thousand Three Hundred Sixty Three Only

रुपये

अदा करे

₹ 101,363.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206288

Client Reference 4200008920 152

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

For Axis Bank Ltd

*[Signature]*  
Authorized Signatory

*[Signature]*  
Authorized Signatory

Rudresha B  
CC No. 2417



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT  
Pole Form

Application No. :10-2022-1443

PR Number(To be Assigned by AE/JE-  
OFC, BBMP)

CE-POLE-10-2022-1443

General Information

Segment ID

OFC/Pole/2022-23/W0308/1439

Street ID

19314

Street Name

NA

Zone

West

Ward No.

43

Ward Name

Nandini Layout

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5  
Rasta, Ambawadi, Ahmedabad, Gujarat,  
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

21/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,  
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

22

No.Junction Box


22



### Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	25/05/2022

Date : 17/10/2022



20221017072432



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -  
560002

No. : Pole-OFC-10-2022-1443

Date: 18/10/2022


**Demand Notice**  
**GST No.: 29AAALBI608FIZK**

**To**

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

**Sub:-** Permission for Poles(Regularization)

**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).  
2)Your request letter No. : 10-2022-1443, dated : 21/05/2022

Details of Poles added on BBMP GIS Map (Pole Id:-OFC/Pole/2022-23/W0308/1439)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/3943/W- 43/159	W0260	BGLR0477 NANDINI LAYOUT	13.012126083 091408- 77.529570758 34274	3943	28/12/2021
2	EE/ OFC/pole/202 2-23/3943/W- 43/160	W0260	BGLR0477 NANDINI LAYOUT	13.011966669 518737- 77.529742419 71971	3943	28/12/2021
3	EE/ OFC/pole/202 2-23/3943/W- 43/161	W0260	BGLR0477 NANDINI LAYOUT	13.011815095 86279- 77.529916763 30568	3943	28/12/2021
4	EE/ OFC/pole/202 2-23/3943/W- 43/162	W0260	BGLR0477 NANDINI LAYOUT	13.011624321 991686- 77.530128657 81785	3943	28/12/2021
5	EE/ OFC/pole/202 2-23/3943/W- 43/163	W0260	BGLR0477 NANDINI LAYOUT	13.011373441 061043- 77.530391514 30131	3943	28/12/2021

6	EE/ OFC/pole/202 2-23/3943/W- 43/164	W0260	BGLR0477 NANDINI LAYOUT	13.011122559 876553- 77.530654370 78477	3943	28/12/2021
7	EE/ OFC/pole/202 2-23/3943/W- 43/165	W0260	BGLR0477 NANDINI LAYOUT	13.010931785 472618- 77.530903816 22316	3943	28/12/2021
8	EE/ OFC/pole/202 2-23/3943/W- 43/166	W0278	BGLR0477 NANDINI LAYOUT	13.010727944 16649- 77.530986964 70262	3943	28/12/2021
9	EE/ OFC/pole/202 2-23/3943/W- 43/167	W0278	BGLR0477 NANDINI LAYOUT	13.010448315 435463- 77.530973553 65755	3943	28/12/2021
10	EE/ OFC/pole/202 2-23/3943/W- 43/168	W0278	BGLR0477 NANDINI LAYOUT	13.010194819 958214- 77.531035244 46489	3943	28/12/2021
11	EE/ OFC/pole/202 2-23/3943/W- 43/169	W0278	BGLR0477 NANDINI LAYOUT	13.009891670 387425- 77.531153261 66154	3943	28/12/2021
12	EE/ OFC/pole/202 2-23/3943/W- 43/170	W0278	BGLR0477 NANDINI LAYOUT	13.009565000 176485- 77.531314194 20244	3943	28/12/2021
13	EE/ OFC/pole/202 2-23/3943/W- 43/171	W0278	BGLR0477 NANDINI LAYOUT	13.009267076 568909- 77.531507313 25151	3943	28/12/2021
14	EE/ OFC/pole/202 2-23/3943/W- 43/172	W0278	BGLR0477 NANDINI LAYOUT	13.008990059 560054- 77.531729936 59975	3943	28/12/2021
15	EE/ OFC/pole/202 2-23/3943/W- 43/173	W0235	BGLR0477 NANDINI LAYOUT	13.008786216 657796- 77.531705796 71861	3943	28/12/2021
16	EE/ OFC/pole/202 2-23/3943/W- 43/174	W0235	BGLR0477 NANDINI LAYOUT	13.008498745 613458- 77.531630694 86618	3943	28/12/2021
17	EE/ OFC/pole/202 2-23/3943/W- 43/175	W0227	BGLR0477 NANDINI LAYOUT	13.008451704 865394- 77.531163990 4976	3943	28/12/2021
18	EE/ OFC/pole/202 2-23/3943/W- 43/176	W0235	BGLR0477 NANDINI LAYOUT	13.008294902 307385- 77.531550228 59575	3943	28/12/2021
19	EE/ OFC/pole/202 2-23/3943/W- 43/177	W0227	BGLR0477 NANDINI LAYOUT	13.008639867 804135- 77.531231045 72298	3943	28/12/2021
20	EE/ OFC/pole/202 2-23/3943/W- 43/178	W0227	BGLR0477 NANDINI LAYOUT	13.008807123 629847- 77.531338334 08357	3943	28/12/2021
21	EE/ OFC/pole/202 2-23/3943/W- 43/179	W0225,W028 0	BGLR0477 NANDINI LAYOUT	13.008976992 712363- 77.531359791 75568	3943	28/12/2021






Executive Engineer (OFC-Cell)  
Bruhat Bangalore Mahanagara Palike

**Copy to**

No.: 10-2022-1443

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.




# BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-1443 1/2 [Navigation icons] @RIL.COM

OFC/Pole/2022-23/W0122/1459 10-2022-1459 Pending ceofc01(ceofc01) Pole Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

## Pole Details

10-2022-1443



OFC/Pole/2022-23/W0147/1430 10-2022-1430 Pending ceofc01(ceofc01) Pole Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)