



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1458/2022-23

Date: 31-10-2022

356
Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 22-05-2022
 - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
 - 4) Fee Demand Note letter No: 10-2022-1458, Date: **18-10-2022**.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **27-10-2022**.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from junction of Street ID No-W0041 via 8 th Main Road, 6 th Main Road, W0034, W0023, W0018 up to junction of W0025.	20 Poles
02	From the junction of 6 th Main Road via W0004 up to junction of W0027.	
03	From the junction of 6 th Main Road via W0014 up to junction of W0027.	
04	From the junction of 6 th Main Road via W0018 up to junction of W0025.	
05	From the junction of 8 th Main Road via W0025 up to 1 st Cross Road.	
06	From the junction of Street ID No-W0025 via Street ID No-W0031 up to junction of W0037 (1 st Cross Road).	
07	From the junction of 1 st 'A' Cross Road via 7 th Main Road.	
08	From the junction of 1 st Cross Road via 7 th Main Road	
09	From the junction of 1 st Cross Road via Street ID No-W0020	
10	From the junction of 1 st Cross Road via Street ID No-W0004 for total No of 20 Poles , in Ward No-101, West Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

No: EE/OFC/PR/1458/2022-23, Dt: 31-10-2022


Executive Engineer (OFC), BBMP

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do the same at its own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at its own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to poles and resultant losses, if any during performance of official duties by any employee of corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlined in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. If any dispute arise it will be settled as per the MOU.
14. Operational and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operational and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**West Zone**) for information.
4. Copy to Zonal Chief Engineer (**West Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Rajaji Nagar Division**) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Rajaji Nagar Sub Division**) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1458 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1458

With reference to your Demand Note bearing Pole-OFC-10-2022-1458 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0737 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1458	20	92148	206546	16560	92148
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,


Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Ab

Authorized Signatory.

SOA
for ma
27/10



1498

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206546

19/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1458 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1458

With reference to your Demand Note bearing Pole-OFC-10-2022-1458 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0737 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1458	20	92148	206546	16560	92148
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Ab

Authorized Signatory.





AXIS BANK LTD

1458

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206546**
as per details mentioned below.

19/10/2022
dated

PAYMENT REFERENCE



AXIS BANK LTD

ISSUING BRANCH

IFS CODE - UTIB000274

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 18012023

DATE 10/10/2022
दिनांक 10/10/2022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौंगे जाने पर
RUPEES Ninety Two Thousand One Hundred Forty Eight Only

रुपये

₹ 92,148.00
अदा करे

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206546

Client Reference 4200009020_242

For Axis Bank Ltd
Authorized Signatory
Rudresha B

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Rudresha B
Please sign at 206546

206546 4002110711 999983 16

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1458 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1458

With reference to your Demand Note bearing Pole-OFC-10-2022-1458 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0737 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1458	20	92148	206546	16560	92148
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



AXIS BANK LTD

1498

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206546**
as per details mentioned below.

19/10/2022
dated

PAYMENT REFERENCE



AXIS BANK LTD

ISSUING BRANCH

IFS CODE - UTIB000274

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 18/01/2023

DATE 10/10/2022
दिनांक 10/10/2022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मांग जाने पर
RUPEES Ninety Two Thousand One Hundred Forty Eight Only

रुपये

₹ 92,148.00

अदा करे

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206546

Client Reference 4200009020_242

For Axis Bank Ltd

[Signature]
55/10/24/2022
Authorised Signatory

[Signature]
Authorised Signatory

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Rudresha B
Please sign at 206546

⑈ 206546 ⑈ 4002110711 ⑈ 999983 ⑈ 16



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-1458

PR Number(To be Assigned by AE/JE- OFC, BBMP) CE-POLE-10-2022-1458

General Information

Segment ID
OFC/Pole/2022-23/W0018/1457

Street ID
20162

Street Name
NA

Zone
West

Ward No.
101

Ward Name
Kamakshipalya

Service Provider Category
Telecom

Organization
M/s. Jio Digital Fibre Private Limited

Year of Incorporation
2009-10

Registered Office Address
101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code
380006

Official Phone No.
9845117017

Previous Relevant Exp.
10

Fax
08035485012

Official Phone No.
www.jio.com

Penalized Details
No

Vat Reg No.
0

GST
29AAECJ4213B1Z0

Turnover for Last 3 Years
60

TAN
AHMJ08610A

Application Submission Date
22/05/2022

Name of the Authorized Person
Babu Veerabhadre

Designation
DGM

Email ID
babu.veerabhadre@ril.com

Local Address
No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose
OFC

Phone No.
9845117017

Mobile No.


Attachments

9845117017

Pole Related Information

No.of Poles
20

No.Junction Box
20




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	25/05/2022

Date : 17/10/2022

20221017071304





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1458

Date: 18/10/2022

Demand Notice
GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-1458, dated : 22/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0018/1457)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/6417/W- 101/19	RI- S125,W0034	Juice Center	12.989767970 41301- 77.533307711 8317	6417	21/12/2022
2	EE/ OFC/pole/202 2-23/6417/W- 101/20	W0034	Vimala	12.989909182 091186- 77.533066255 2171	6417	21/12/2022
3	EE/ OFC/pole/202 2-23/6417/W- 101/21	W0034	Amruta nilaya	12.989935332 393133- 77.533017963 89417	6417	21/12/2018
4	EE/ OFC/pole/202 2-23/6417/W- 101/22	W0019	Inbetween Ravi Kiran & shreyas	12.990107924 317035- 77.532883821 3305	6417	21/12/2018
5	EE/ OFC/pole/202 2-23/6417/W- 101/23	W0019	sIRI nivasa	12.990719840 171698- 77.532969672 57127	6417	21/12/2018

6	EE/ OFC/pole/202 2-23/6417/W- 101/24	W0023	Anand G Katekar	12.990081774 033243- 77.533302346 12912	6417	21/12/2018
7	EE/ OFC/pole/202 2-23/6417/W- 101/25	W0023	Sri guru krupa nilaya	12.990489718 146799- 77.533382831 66732	6417	21/12/2018
8	EE/ OFC/pole/202 2-23/6417/W- 101/26	W0023	Rakasha Nilaya	12.990808750 896921- 77.533447220 09791	6417	21/12/2018
9	EE/ OFC/pole/202 2-23/6417/W- 101/27	W0025,W001 8	AshitA	12.991078453 835962- 77.533921716 4892	6417	21/12/2018
10	EE/ OFC/pole/202 2-23/6417/W- 101/28	W0018,W001 9	Pavan Kumar	12.991219664 76905- 77.533079301 1894	6417	21/12/2018
11	EE/ OFC/pole/202 2-23/6417/W- 101/29	W0018	Srinivasa Nivasa	12.991167364 432805- 77.533347586 31676	6417	21/12/2018
12	EE/ OFC/pole/202 2-23/6417/W- 101/30	W0019	Beside Padama Nilaya	12.991685137 276164- 77.533127592 51234	6417	21/12/2018
13	EE/ OFC/pole/202 2-23/6417/W- 101/31	W0004	Jyothi	12.991747897 547448- 77.534495846 66168	6417	21/12/2018
14	EE/ OFC/pole/202 2-23/6417/W- 101/32	W0004	Opp to #47	12.991706057 368361- 77.534855348 73232	6417	21/12/2018
15	EE/ OFC/pole/202 2-23/6417/W- 101/33	W0004,W003 7	#47	12.991653757 13457- 77.534860714 434847	6417	21/12/2018
16	EE/ OFC/pole/202 2-23/6417/W- 101/34	W0014,W002 9	Ashirvad	12.991324265 408434- 77.534511943 76933	6417	21/12/2018
17	EE/ OFC/pole/202 2-23/6417/W- 101/35	W0014	Beside Ashirvad	12.991339955 500553- 77.534426092 52856	6417	21/12/2018
18	EE/ OFC/pole/202 2-23/6417/W- 101/36	W0014,W002 9	Brindavan	12.991360875 621806- 77.534485115 2566	6417	21/12/2018
19	EE/ OFC/pole/202 2-23/6417/W- 101/37	W0037	ss Hrindi Expi	12.991256274 997841- 77.534758766 08647	6417	21/12/2018
20	EE/ OFC/pole/202 2-23/6417/W- 101/38	W0037	Sandya Deepa	12.991360875 621806- 77.534828520 21959	6417	21/12/2018



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 20


Pole Charges @ Rs 1500/- Pole	30,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	147.8
Junction Box Charges @ Rs 3000/- Pole	60,000	Total (C)	147.8
Supervision Charge @ Rs 100/- Pole	2,000		
Sub Total (A)	92,000	GST @ 18% (B)	16,560
Grand Total (A + B + C)	1,08,707.8		

Total Amount Payable Rs: 1,08,708 In words (Rupees One Lakh Eight Thousand Seven Hundred and Eight Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-1458

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

OFC/Pole/2022-23/W0005/1471 10-2022-1471 Pending ceofc01(ceofc01) Pole Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

Pole Details



10-2022-1458

OFC/Pole/2022-23/W0094/1436 10-2022-1440 Pending ceofc01(ceofc01) Pole Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

S. Y. J.
 ASSISTANT EXECUTIVE ENGINEER
 OFC CELL
 BRUHAT BENGALURU MAHANAGARA PALIKE

EXECUTIVE ENGINEER
 OFC CELL
 BRUHAT BENGALURU MAHANAGARA PALIKE
 BENGALURU