



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell), 3<sup>rd</sup> Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1461/2022-23

Date: 21-10-2022

**Permission for Regularization for Poles**

To,  
M/s. Jio Digital Fibre Private Limited,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
  - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 22-05-2022
  - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
  - 4) Fee Demand Note letter No: 10-2022-1461, Date: 17-10-2022.
  - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 21-10-2022.

\*\_\*\_\*\_\*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from Kathriguppe Main Road via 11th Cross	19 Poles
02	From Kathriguppe Main Road via 10th Cross	
03	From Kathriguppe Main Road via 9th Cross	
04	From Kathriguppe Main Road via 7th Cross	
05	From Kathriguppe Main Road via 13th Cross up to 7th Main.	
06	From 7th Main via 12th Cross	
07	From 7th Main via Street ID No-W0104 up to Kathriguppe Main Road	
08	From 7th Main via Street ID No-W0086	
09	From 7th Main via Street ID No-W0078 up to Kathriguppe Main Road	
10	From Kathriguppe Main Road via W0084 up to Road end for total No of 19 Poles, in Ward No-164, South Zone.	
Ref: As per drawing enclosed & demand note GIS co-ordinates.		

**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

**Conditions for Regularization of Poles**

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.



12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way (ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way (ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)


24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

**Copy to:-**

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**South Zone**) for information.
4. Copy to Zonal Chief Engineer (**South Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Basavanagudi** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Giri Nagar** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

केनरा बैंक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP

1461

शाखा/ Branch BCC Extension

दिनांक/ Date 21/10/2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.  
8401132000010

नाम/Name Commissioner BBMP

टेलिफोन / मोबाइल नं  
Tel No./Mobile No.

राशि /Amount ₹ 87,540.00 पैं/P.

राशि शब्दों में  
Rupees in words Eighty Seven thousand five hundred and forty only

चेक नं. / दिनांक / बैंक शाखा का नाम Cheque No. / Date / Name of Bank & Branch	₹	पैं/P.
<u>206254</u> <u>21/10/2022</u> <u>BCC Extension</u>	<u>87,540.00</u>	<u>001</u>
<u>EXECUTIVE</u>	<u>87,540.00</u>	<u>001</u>
<u>₹ 87,540.00</u>	<u>87,540.00</u>	<u>001</u>

एस डब्ल्यू  
Officer/Cashier/SWO

केनरा बैंक टोल फ्री 24 घंटे कॉल सेंटर  
Canara Bank Toll Free No.  
1800 425 0018



# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1461 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1461

With reference to your Demand Note bearing Pole-OFC-10-2022-1461, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0907

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1461	19	87540	206254	15732	87540
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



1461

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206254**

dated <sup>18/10/2022</sup>

**PAYMENT REFERENCE**

---

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1461 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1461

With reference to your Demand Note bearing Pole-OFC-10-2022-1461 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0907 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1461	19	87540	206254	15732	87540
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.







# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1461 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru – 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1461

With reference to your Demand Note bearing Pole-OFC-10-2022-1461 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0907 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1461	19	87540	206254	15732	87540
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

1461

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206254**

dated 18/10/2022

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17/10/2023

DATE	D	M	01	20	22
दिनांक					

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौजे जाने पर

RUPEES Eighty Seven Thousand Five Hundred Forty Only



रुपये

₹ 87,540.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206254

Client Reference 4200008920 118

For Axis Bank Ltd  
  
 Authorized Signatory  
  
 Authorized Signatory

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

Rudresha B  
SS. No. 26182





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

## BBMP ENGINEERING DEPARTMENT

### Pole Form

Application No. :10-2022-1461

PR Number(To be Assigned by AE/JE-  
OFC, BBMP)

CE-POLE-10-2022-1461

#### General Information

##### Segment ID

OFC/Pole/2022-23/W0104/1460

##### Street ID

30073

##### Street Name

NA

##### Zone

South

##### Ward No.

164

##### Ward Name

Vidyapeeta Ward

##### Service Provider Category

Telecom

##### Organization

M/s. Jio Digital Fibre Private Limited

##### Year of Incorporation

2009-10

##### Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5  
Rasta, Ambawadi, Ahmedabad, Gujarat,  
India

##### Pin Code

380006

##### Official Phone No.

9845117017

##### Previous Relevant Exp.

10

##### Fax

08035485012

##### Official Phone No.

www.jio.com

##### Penalized Details

No

##### Vat Reg No.

0

##### GST

29AAECJ4213B1Z0

##### Turnover for Last 3 Years

60

##### TAN

AHMJ08610A

##### Application Submission Date

22/05/2022

##### Name of the Authorized Person

Babu Veerabhadre

##### Designation

DGM

##### Email ID

babu.veerabhadre@ril.com

##### Local Address

No 51, RMZ Icon, Palace Cross Road,  
Vasanthanagar, Bangalore 560052

##### Purpose

ofc

##### Phone No.

9845117017

##### Mobile No.

9845117017

##### Attachments


#### Pole Related Information

##### No.of Poles

19

##### No.Junction Box

19




### Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	25/05/2022

Date : 19/10/2022

Time : 04:55:03

20221019045503





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -  
560002

No. : Pole-OFC-10-2022-1461

Date: 17/10/2022

### Demand Notice

**GST No.: 29AAALBI608FIZK**

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited


GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).  
2)Your request letter No. : 10-2022-1461, dated : 22/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0104/1460)



Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/6865/W- 164/226	W0106	W0106	12.935778796 486368- 77.561497678 13277	6865	19/04/2022
2	EE/ OFC/pole/202 2-23/6865/W- 164/227	W0106	W0106	12.935553980 44609- 77.561867934 03756	6865	19/04/2022
3	EE/ OFC/pole/202 2-23/6865/W- 164/228	W0104,W010 6	W0104,W010 6	12.935381447 068476- 77.562243555 97001	6865	19/04/2022
4	EE/ OFC/pole/202 2-23/6865/W- 164/229	W0104	W0104	12.935245511 595998- 77.562635275 98524	6865	19/04/2022
5	EE/ OFC/pole/202 2-23/6865/W- 164/230	W0104	W0104	12.935099119 465876- 77.563059192 16612	6865	19/04/2022



6	EE/ OFC/pole/202 2-23/6865/W- 164/231	W0094	W0094	12.935961786 137007- 77.561787443 62349	6865	19/04/2022
7	EE/ OFC/pole/202 2-23/6865/W- 164/232	W0094	W0094	12.935784024 763956- 77.562163065 55591	6865	19/04/2022
8	EE/ OFC/pole/202 2-23/6865/W- 164/233	W0094	W0094	12.935601034 982914- 77.562527955 43311	6865	19/04/2022
9	EE/ OFC/pole/202 2-23/6865/W- 164/234	W0092	W0092	12.935402360 211516- 77.562849917 08948	6865	19/04/2022
10	EE/ OFC/pole/202 2-23/6865/W- 164/235	W0092	W0092	12.935292566 191002- 77.563182610 80106	6865	19/04/2022
11	EE/ OFC/pole/202 2-23/6865/W- 164/236	W0088	W0088	12.935595806 701484- 77.563429448 07092	6865	19/04/2022
12	EE/ OFC/pole/202 2-23/6865/W- 164/237	W0088	W0088	12.935763111 652925- 77.562935773 53117	6865	19/04/2022
13	EE/ OFC/pole/202 2-23/6865/W- 164/238	W0090	W0090	12.935930416 492145- 77.562603079 81958	6865	19/04/2022
14	EE/ OFC/pole/202 2-23/6865/W- 164/239	W0090	W0090	12.936071579 862961- 77.562291850 21844	6865	19/04/2022
15	EE/ OFC/pole/202 2-23/6865/W- 164/240	W0090	W0090	12.936212743 153884- 77.561980620 61732	6865	19/04/2022
16	EE/ OFC/pole/202 2-23/6865/W- 164/241	W0086	W0086	12.936090750 377256- 77.562992920 05879	6865	19/04/2022
17	EE/ OFC/pole/202 2-23/6865/W- 164/242	W0086	W0086	12.935928673 920126- 77.563411470 21205	6865	19/04/2022
18	EE/ OFC/pole/202 2-23/6865/W- 164/243	W0078	W0078	12.936305109 400742- 77.563470496 51575	6865	19/04/2022
19	EE/ OFC/pole/202 2-23/6865/W- 164/244	W0078	W0078	12.936378305 122672- 77.563288051 57713	6865	19/04/2022



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

**Total No.of Poles 19**


Pole Charges @ Rs 1500/- Pole	28,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	140.41
Junction Box Charges @ Rs 3000/- Pole	57,000	Total (C)	140.41
Supervision Charge @ Rs 100/- Pole	1,900		
Sub Total (A)	87,400	GST @ 18% (B)	15,732
Grand Total (A + B + C)	1,03,272.41		

**Total Amount Payable Rs: 1,03,272 In words (Rupees One Lakh Three Thousand Two Hundred and seventy-Two Only)**

**Note:**The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)  
Bruhat Bangalore Mahanagara Palike

**Copy to**

No.: 10-2022-1461

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

