



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1471/2022-23

Date: 17-11-2022

529

Permission for Regularization of Poles
(already installed)

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization of poles (already installed).

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 22-05-2022
 - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 4) Fee Demand Note letter No: 10-2022-1471, Date: 19-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 27-10-2022.

*_*_*_*

With reference to your application for the regularization of poles already installed, we have pleasure to inform you that permission has been accorded for regularization of the poles installed details of which are as mentioned below.

SL No.	UniquePoleId.	Street Id	Landmark or address	Coordinates	Permissi onLetter No.	Permission Letter Date
01	EE/ OFC/pole/202 2-23/6485/W-196/132	W0001	anjanapur	12.885024492 216846- 77.567323572 92711	6485	19/04/2022
02	EE/ OFC/pole/202 2-23/6485/W-196/133	W0005	anjanapur	12.885087244 281396- 77.567645534 58345	6485	19/04/2022
03	EE/ OFC/pole/202 2-23/6485/W-196/134	W0008	anjanapur	12.884679355 580825- 77.566942584 96704	6485	19/04/2022
04	EE/ OFC/pole/202 2-23/6485/W-196/135	W0001	anjanapur	12.884893758 698556- 77.567328938 95469	6485	19/04/2022

No: EE/OFC/PR/1471/2022-23, Dt: 17-11-2022


Executive Engineer (OFC), BBMP

05	EE/ OFC/pole/202 2-23/6485/W-196/136	W0008	anjanapur	12.884647979 499425- 77.567157226 07129	6485	19/04/2022
06	EE/ OFC/pole/202 2-23/6485/W-196/137	W0008	anjanapur	12.884620089 512996- 77.567361234 91407	6485	19/04/2022
07	EE/ OFC/pole/202 2-23/6485/W-196/138	W0005, W000 8	anjanapur	12.884599172 120886- 77.567572750 37103	6485	19/04/2022
08	EE/ OFC/pole/202 2-23/6485/W-196/139	W0009, W000 8	anjanapur	12.884557337 331415- 77.567816904 62711	6485	19/04/2022
09	EE/ OFC/pole/202 2-23/6485/W-196/140	W0005	anjanapur	12.884805731 29147- 77.567602263 52287	6485	19/04/2022
10	EE/ OFC/pole/202 2-23/6485/W-196/141	W0008	anjanapur	12.884520731 884903- 77.568058375 86936	6485	19/04/2022
11	EE/ OFC/pole/202 2-23/6485/W-196/142	W0003	anjanapur	12.884353392 632693- 77.566867117 74087	6485	19/04/2022
12	EE/ OFC/pole/202 2-23/6485/W-196/143	W0003	anjanapur	12.884324631 187475- 77.567084355 74656	6485	19/04/2022
13	EE/ OFC/pole/202 2-23/6485/W-196/144	W0003	anjanapur	12.884264493 609495- 77.567229238 49192	6485	19/04/2022
14	EE/ OFC/pole/202 2-23/6485/W-196/145	W0003	anjanapur	12.883882750 386517- 77.567140699 03644	6485	19/04/2022
15	EE/ OFC/pole/202 2-23/6485/W-196/146	W0007	anjanapur	12.884257521 242139- 77.567643876 6015	6485	19/04/2022
16	EE/ OFC/pole/202 2-23/6485/W-196/147	W0007	anjanapur	12.883907154 186666- 77.567590216 32544	6485	19/04/2022
17	EE/ OFC/pole/202 2-23/6485/W-196/148	W0008	anjanapur	12.884152934 11272- 77.568030230 58914	6485	19/04/2022
18	EE/ OFC/pole/202 2-23/6485/W-196/149	W0003	anjanapur	12.883928071 636573- 77.566801410 26736	6485	19/04/2022

19	EE/ OFC/pole/202 2-23/6485/W-196/150	W0011	anjanapur	12.883786878 81583- 77.568362924 30071	6485	19/04/2022
20	EE/ OFC/pole/202 2-23/6485/W-196/151	W0007	anjanapur	12.883786878 81583- 77.567461431 66289	6485	19/04/2022
21	EE/ OFC/pole/202 2-23/6485/W-196/152	W0011, W001 0	anjanapur	12.884288897 372445- 77.568411218 54916	6485	19/04/2022
22	EE/ OFC/pole/202 2-23/6485/W-196/153	W0020, W002 6	anjanapur	12.883567245 380922- 77.566742383 9637	6485	19/04/2022
23	EE/ OFC/pole/202 2-23/6485/W-196/154	W0007, W001 8	anjanapur	12.883624768 442003- 77.567429235 49727	6485	19/04/2022
24	EE/ OFC/pole/202 2-23/6485/W-196/155	W0018	anjanapur	12.883473116 707012- 77.568266335 8038	6485	19/04/2022
25	EE/ OFC/pole/202 2-23/6485/W-196/156	W0020, W000 7	anjanapur	12.883410364 238086- 77.567370209 19358	6485	19/04/2022

01	No of Poles	25
02	Ward No	196
03	Zone Name	Bommanahalli Zone

The locational details of poles are also given in the map enclosed with this permission letter.

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.

2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do the same at its own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at its own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to poles and resultant losses, if any during performance of official duties by any employee of corporation.
13. **Any dispute** arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlined in the MOU i.e, all the disputes shall be settled at the level of BBMP competent

authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. If any dispute arise it will be settled as per the MOU.

14. Operational and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operational and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:

22. Right-of-way(ROW) for Electrical lines.-

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)


24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Bommanahalli** Zone) for information.
4. Copy to Zonal Chief Engineer (**Bommanahalli** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Bangalore South** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Anjanapura** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

केनरा बैंक  Canara Bank जमा पत्री / DEPOSIT / PAY IN SLIP

शाखा/ Branch BCC Extension

दिनांक/ Date 27/10/2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

बचत / चालू खाता / बीडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

8401132000000000

नाम/Name Commissioner SBMP

टेलिफोन / मोबाइल नं
Tel No. / Mobile No. _____

राशि / Amount 15185 ₹

राशि शब्दों में
Rupees in words One lakh fifteen thousand one hundred and eighty five only

चेक नं. / दिनांक / देसी बैंक / शाखा का नाम Cheque No./Date / Name of Bank & Branch	₹/₹	₹/₹	₹/₹	₹/₹	₹/₹	₹/₹	₹/₹	₹/₹	₹/₹
<u>206460 dt. 19/10/22</u>	<u>1</u>	<u>5</u>	<u>1</u>	<u>8</u>	<u>5</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>Axis Bank</u>									

EXCESS Total 15185.00

अधिकारी / रोकडिया /
Officer/Cashier/SWO
केनरा बैंक टोल फ्री 24 घंटे कॉल सेंटर
Canara Bank TOLL FREE
1800 425 0018

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1471 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1471

With reference to your Demand Note bearing Pole-OFC-10-2022-1471, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1048.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1471	25	115185	206460	20700	115185
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,


for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

S/O

27/10



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206460

19/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1471 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1471

With reference to your Demand Note bearing Pole-OFC-10-2022-1471 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1048 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1471	25	115185	206460	20700	115185
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206460**
as per details mentioned below.

19/10/2022
dated

PAYMENT REFERENCE

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 19/10/2022
दिनांक

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मांगे जाने पर
RUPEES One Lac Fifteen Thousand One Hundred Eighty Five Only
रुपये

अदा करें ₹ 115,185.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206460

Client Reference 4200009020_156

For Axis Bank Ltd
Authorised Signatory

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Signature
Please sign above
SS. No. 25182

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1471 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1471

With reference to your Demand Note bearing Pole-OFC-10-2022-1471 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1048 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1471	25	115185	206460	20700	115185
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206460**
as per details mentioned below.

19/10/2022
dated

PAYMENT REFERENCE

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 19/10/2022
दिनांक

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौजे जाने पर
RUPEES One Lac Fifteen Thousand One Hundred Eighty Five Only
रुपये

₹ 115,185.00
अदा करे

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206460

Client Reference 4200009020_156

For Axis Bank Ltd
Authorized Signatory
Rudresha B

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Rudresha B
Please sign above
SS. No. 26182



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-1471

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-1471

General Information

Segment ID

OFC/Pole/2022-23/W0005/1471

Street ID

84465

Street Name

NA

Zone

Bommanahalli

Ward No.

196

Ward Name

Anjanapura

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

22/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

ofc

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

25

No.Junction Box


25



Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	25/05/2022

Date : 26/10/2022



20221026012258



Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1471

Date: 19/10/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-1471, dated : 22/05/2022


Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0005/1471)


Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/6485/W- 196/132	W0001	anjanapur	12.885024492 216846- 77.567323572 92711	6485	19/04/2022
2	EE/ OFC/pole/202 2-23/6485/W- 196/133	W0005	anjanapur	12.885087244 281396- 77.567645534 58345	6485	19/04/2022
3	EE/ OFC/pole/202 2-23/6485/W- 196/134	W0008	anjanapur	12.884679355 580825- 77.566942584 96704	6485	19/04/2022
4	EE/ OFC/pole/202 2-23/6485/W- 196/135	W0001	anjanapur	12.884893758 698556- 77.567328938 95469	6485	19/04/2022
5	EE/ OFC/pole/202 2-23/6485/W- 196/136	W0008	anjanapur	12.884647979 499425- 77.567157226 07129	6485	19/04/2022

6	EE/ OFC/pole/202 2-23/6485/W- 196/137	W0008	anjanapur	12.884620089 512996- 77.567361234 91407	6485	19/04/2022
7	EE/ OFC/pole/202 2-23/6485/W- 196/138	W0005,W000 8	anjanapur	12.884599172 120886- 77.567572750 37103	6485	19/04/2022
8	EE/ OFC/pole/202 2-23/6485/W- 196/139	W0009,W000 8	anjanapur	12.884557337 331415- 77.567816904 62711	6485	19/04/2022
9	EE/ OFC/pole/202 2-23/6485/W- 196/140	W0005	anjanapur	12.884805731 29147- 77.567602263 52287	6485	19/04/2022
10	EE/ OFC/pole/202 2-23/6485/W- 196/141	W0008	anjanapur	12.884520731 884903- 77.568058375 86936	6485	19/04/2022
11	EE/ OFC/pole/202 2-23/6485/W- 196/142	W0003	anjanapur	12.884353392 632693- 77.566867117 74087	6485	19/04/2022
12	EE/ OFC/pole/202 2-23/6485/W- 196/143	W0003	anjanapur	12.884324631 187475- 77.567084355 74656	6485	19/04/2022
13	EE/ OFC/pole/202 2-23/6485/W- 196/144	W0003	anjanapur	12.884264493 609495- 77.567229238 49192	6485	19/04/2022
14	EE/ OFC/pole/202 2-23/6485/W- 196/145	W0003	anjanapur	12.883882750 386517- 77.567140699 03644	6485	19/04/2022
15	EE/ OFC/pole/202 2-23/6485/W- 196/146	W0007	anjanapur	12.884257521 242139- 77.567643876 6015	6485	19/04/2022
16	EE/ OFC/pole/202 2-23/6485/W- 196/147	W0007	anjanapur	12.883907154 186666- 77.567590216 32544	6485	19/04/2022
17	EE/ OFC/pole/202 2-23/6485/W- 196/148	W0008	anjanapur	12.884152934 11272- 77.568030230 58914	6485	19/04/2022
18	EE/ OFC/pole/202 2-23/6485/W- 196/149	W0003	anjanapur	12.883928071 636573- 77.566801410 26736	6485	19/04/2022
19	EE/ OFC/pole/202 2-23/6485/W- 196/150	W0011	anjanapur	12.883786878 81583- 77.568362924 30071	6485	19/04/2022
20	EE/ OFC/pole/202 2-23/6485/W- 196/151	W0007	anjanapur	12.883786878 81583- 77.567461431 66289	6485	19/04/2022
21	EE/ OFC/pole/202 2-23/6485/W- 196/152	W0011,W001 0	anjanapur	12.884288897 372445- 77.568411218 54916	6485	19/04/2022

22	EE/ OFC/pole/202 2-23/6485/W- 196/153	W0020,W002 6	anjanapur	12.883567245 380922- 77.566742383 9637	6485	19/04/2022
23	EE/ OFC/pole/202 2-23/6485/W- 196/154	W0007,W001 8	anjanapur	12.883624768 442003- 77.567429235 49727	6485	19/04/2022
24	EE/ OFC/pole/202 2-23/6485/W- 196/155	W0018	anjanapur	12.883473116 707012- 77.568266335 8038	6485	19/04/2022
25	EE/ OFC/pole/202 2-23/6485/W- 196/156	W0020,W000 7	anjanapur	12.883410364 238086- 77.567370209 19358	6485	19/04/2022



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.



Total No.of Poles 25

Pole Charges @ Rs 1500/- Pole	37,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	184.75
Junction Box Charges @ Rs 3000/- Pole	75,000	Total (C)	184.75
Supervision Charge @ Rs 100/- Pole	2,500		
Sub Total (A)	1,15,000	GST @ 18% (B)	20,700
Grand Total (A + B + C)	1,35,884.75		

Total Amount Payable Rs: 1,35,885 In words (Rupees One Lakh Thirty-Five Thousand Eight Hundred and Eighty-Five Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-1471

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-1471

1/2

RE@RIL.COM

OFC/Pole/2022-23/W0155/1480 10-2022-1480 Pending ceofc01(ceofc01) Pole Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

Pole Details



OFC/Pole/2022-23/W0018/1457 10-2022-1458 Pending ceofc01(ceofc01) Pole Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

S. Mohan
ASSISTANT EXECUTIVE ENGINEER
OFC CELL

EXECUTIVE ENGINEER
OFC CELL

BRUHAT BENGALURU MAHANAGARA PALIKA
BENGALURU

BRUHAT BENGALURU MAHANAGARA PALIKA
BENGALURU