



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rd Floor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1478/2022-23

Date: 20-10-2022

198
Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 22-05-2022
 - 3) Fee Demand Note letter No: 10-2022-1478, Date: 17-10-2022.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 19-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from junction of Dr.Rajkumar Road via 5 th Cross Road @ St. Theresa Hospital up to junction of 19 th Main Road.	36 Poles
02	From the junction of 12 th Main Road via 19 th 'B' Main Road up to junction of 16 th 'A' Cross Road.	
03	From the junction of 12 th Main Road via 19 th 'C' Main Road up to junction of 10 th 'A' Cross Road.	
04	From the junction of 12 th Main Road via 19 th 'D' Main Road up to junction of 10 th 'A' Cross Road.	
05	From the junction of 12 th Main Road via 19 th 'E' Main Road up to junction of 10 th 'A' Cross Road.	
06	From the junction of 12 th Main Road via 19 th 'G' Main Road	
07	From the junction of 12 th Main Road via 19 th 'H' Main Road	
08	From the junction of 12 th Main Road via 1 st 'A' Main Road up to junction of 11 th Cross Road .	
09	From the junction of 12 th Main Road via 1 st 'B' Main Road up to junction of 11 th Cross Road.	
10	From the junction of 1 st 'A' Main Road via 11 th Cross Road up to junction of 1 st 'B' Main Road.	

No: EE/OFC/PR/1478/2022-23, Dt: 20-10-2022


Executive Engineer (OFC), BBMP

11	From the junction of 10 th 'A' Cross Road via 19 th 'H' Main Road up to 11 th Cross Road.	36 Poles
12	From the junction of 10 th 'A' Cross Road via 19 th 'G' Main Road	
13	From the junction of 19 th 'B' Main Road via 10 th 'A' Cross Road up to junction of 19 th 'E' Main Road.	
14	From the junction of 19 th 'B' Main Road via 10 th 'A' Cross Road up to junction of 19 th 'C' Main Road.	
15	From the junction of 5 th Cross Road near St. Theresa Hospital via Street ID No-W0148, W0150 4 th Cross Road, 20 th Main Road up to junction of Street ID No-W0164.	
16	From the junction of Street ID No-W0148 via 4 th Cross Road up to junction of Street ID No-W0150.	
17	From the junction of 20 th Main Road via 6 th Cross Road up to junction of Dr. Rajkumar Road.	
18	From the junction of 20 th Main Road via 7 th Cross Road up to junction of Dr. Rajkumar Road.	
19	From the junction of 20 th Main Road via 9 th Cross Road for a length of 18.61 Mtr.	
20	From the junction of 7 th Cross Road via 19 th Main Road up to junction of 10 th 'A' Cross Road.	
21	From the junction of 7 th Cross Road via 19 th 'C' Main Road up to junction of 10 th 'A' Cross Road.	
22	From the junction of 7 th Cross Road via Street ID No-W0169 up to junction of 10 th 'A' Cross Road.	
23	From the junction of 7 th Cross Road via Street ID No-W0173 up to junction of 9 th Cross Road.	
24	From the junction of 19 th 'C' Main Road via 9 th Cross Road up to junction of Dr. Rajkumar Road.	
25	From the junction of Street ID No-W0173 via 8 th Cross Road up to 19 th 'D' Main Road.	
26	From the junction of 7 th Cross Road via W0157, W0074 up to St. Theresa Hospital Compound.	
27	From the junction of 6 th Cross Road via 19 th Main Road for total No of 36 Poles, in Ward No-67, West Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.

3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.

15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way (ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way (ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0


23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**West Zone**) for information.
4. Copy to Zonal Chief Engineer (**West Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Mahalakshmi Layout Division**) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Nagapura Sub Division**) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

केनरा बैंक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP
 शाखा/ Branch BCC Extension

दिनांक/ Date 20102022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.
 बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

8401132000010

नाम/Name Commissioner BBMP

टेलिफोन / मोबाइल नं
 Tel No./Mobile No. _____

राशि /Amount ₹ 1,65,866.00/-

राशि शब्दों में One lakh sixty five thousand eight hundred sixty six only
 Rupees in words

चेक नं. / दिनांक तथा बैंक शाखा का नाम Cheque No./Date/Name of Bank & Branch	₹	₹/P.
<u>206255</u> <u>20/10/22</u> <u>ARA BANK</u>	<u>1,65,866.00/-</u>	

20 OCT 2022
 EXECUTIVE ENGINEER
₹ 1,65,866.00/-

BR/काशी/रौतहटिया/काशी/केनरा बैंक टोल फ्री 24-घंटे कॉल सेंटर
 Officer/Cashier/SWO Canara Bank Tol Free No.
 एस डब्ल्यू ओ BENGALURU 1800 425 0018

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1478 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1478

With reference to your Demand Note bearing Pole-OFC-10-2022-1478 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0449

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1478	36	165866	206255	29808	165866
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



1478

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206255

dated 18/10/2022

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1478 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1478

With reference to your Demand Note bearing Pole-OFC-10-2022-1478 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0449 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1478	36	165866	206255	29808	165866
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
 GHANSOLITHANE BELAPUR ROAD, THANE
 Thane-400701

We are pleased to send to you Demand Draft No.
 as per details mentioned below.

206255

dated 18/10/2022

PAYMENT REFERENCE



IFS CODE - UTIB0000274

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until 17/01/2023

DATE	ID	DD	MM	YY	DD	MM	YY	YY
दिनांक								

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या वनके धारका पर

सौंरो जाने पर

RUPEES One Lac Sixty Five Thousand Eight Hundred Sixty Six Only

रुपये

अदा करे

₹ 165,866.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206255

Client Reference 4200008920 119

Under CMS Arrangement
 Centralised Collections & Payment Hub
 Mumbai.

CODE NO.

For Axis Bank Ltd

[Signature]
 Authorised Signatory

[Signature]
 Authorised Signatory
 Ruchshha B
 25/10/22
 SS. Not sign above

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1478 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1478

With reference to your Demand Note bearing Pole-OFC-10-2022-1478 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0449 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1478	36	165866	206255	29808	165866
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
 GHANSOLITHANE BELAPUR ROAD, THANE
 Thane-400701

We are pleased to send to you Demand Draft No.
 as per details mentioned below.

206255

dated 18/10/2022

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until 17/10/2023

DATE	D	M	Y	2	0	2	2	Y
दिनांक								

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या रुपये आपसे पर

मौगे जाये पर

RUPEES One Lac Sixty Five Thousand Eight Hundred Sixty Six Only

रुपये

अदा करे

₹ 165,866.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206255

Client Reference 4200008920 119

For Axis Bank Ltd
 [Signature]
 Authorized Signatory

Under CMS Arrangement
 Centralised Collections & Payment Hub
 Mumbai.

CODE NO.

Proforma E
 55. No. 26192
 (Sign above)



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-1478

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-1478

General Information

Segment ID

OFC/Pole/2022-23/W0155/1478

Street ID

18525

Street Name

NA

Zone

West

Ward No.

67

Ward Name

Nagapura

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

22/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017 *

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

36

No.Junction Box


36



Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	24/05/2022

Date : 17/10/2022



20221017071458



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1478

Date: 17/10/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited


GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-1478, dated : 22/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0155/1478)




Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/6529/W- 67/267	W0155	PL0606 #89/B Bhomika medicals	13.004984285 35455- 77.549766219 29194	6529	18/01/2019
2	EE/ OFC/pole/202 2-23/6529/W- 67/268	W0158	PL0605 #93 (19/1) Benaka	13.005052272 00486- 77.549441583 94915	6529	18/01/2019
3	EE/ OFC/pole/202 2-23/6529/W- 67/269	W0158	PL0604 #85 B Satya shruti	13.004974736 368283- 77.549277439 35556	6529	18/01/2019
4	EE/ OFC/pole/202 2-23/6529/W- 67/270	W0155	BGLRBD0068 374 #89/a sayee bike care	13.004791493 949817- 77.549801206 62462	6529	18/01/2019
5	EE/ OFC/pole/202 2-23/6529/W- 67/271	W0155	PL0506 # 81A near home tasty munch	13.004547604 427836- 77.549853342 53264	6529	18/01/2019

6	EE/ OFC/pole/202 2-23/6529/W- 67/272	W0155	BGLRBD0827 733 #83/12 R S Mart	13.004090000 683599- 77.549925781 82402	6529	18/01/2019
7	EE/ OFC/pole/202 2-23/6529/W- 67/273	W0155	BGLRBD0422 965 #173/A Vaidyanath nilaya	13.005133823 291386- 77.549796703 47508	6529	18/01/2019
8	EE/ OFC/pole/202 2-23/6529/W- 67/274	W0155	pl0801 #95/b kamalalaya	13.005401246 002444- 77.549694737 32581	6529	18/01/2019
9	EE/ OFC/pole/202 2-23/6529/W- 67/275	W0153	pl0603 opposite to bbmp park backside #94(100)	13.005800278 467449- 77.549336464 00424	6529	18/01/2019
10	EE/ OFC/pole/202 2-23/6529/W- 67/276	W0153	PL0705 #opposite to school. Electric pole 10000427619	13.006119997 696484- 77.549515299 74234	6529	18/01/2019
11	EE/ OFC/pole/202 2-23/6529/W- 67/277	W0155	PL0706 #140D Eshwar Nilaya	13.006138648 993279- 77.549643768 84612	6529	18/01/2019
12	EE/ OFC/pole/202 2-23/6529/W- 67/278	W0154	PL0804 #154 b'suraga	13.005879777 781958- 77.549724256 94763	6529	18/01/2019
13	EE/ OFC/pole/202 2-23/6529/W- 67/279	W0155	bglrbd014066 1-#98 pk trailas	13.005678433 319739- 77.549708159 32731	6529	18/01/2019
14	EE/ OFC/pole/202 2-23/6529/W- 67/280	W0150	pl0701 #140 laksmi nivas	13.006329980 040274- 77.550266362 05143	6529	18/01/2019
15	EE/ OFC/pole/202 2-23/6529/W- 67/281	W0148, W0150	PL0704 #138 kaveri	13.006379662 324738- 77.550470265 24196	6529	18/01/2019
16	EE/ OFC/pole/202 2-23/6529/W- 67/282	W0148	pl0702 #115 opposite near bbmp park jagapuresh	13.006497330 85352- 77.550746607 72382	6529	18/01/2019
17	EE/ OFC/pole/202 2-23/6529/W- 67/283	W0148	PL0701 #117b puttajja	13.006588850 781762- 77.550918315 67377	6529	18/01/2019
18	EE/ OFC/pole/202 2-23/6529/W- 67/284	W0157	PL5401 #134 shailaja	13.006290757 177101- 77.550902218 05344	6529	18/01/2019
19	EE/ OFC/pole/202 2-23/6529/W- 67/285	W0157	PL0806 #148/a	13.005901143 066- 77.550749290 66056	6529	18/01/2019
20	EE/ OFC/pole/202 2-23/6529/W- 67/286	W0154	PL0805 #148/A	13.005988117 95473- 77.550612861 4445	6529	18/01/2019

21	EE/ OFC/pole/202 2-23/6529/W- 67/287	W0156,W015 7	pl0802 #opposite to #169/a ELe Pole 10000303029	13.005629881 746891- 77.550647739 62181	6529	18/01/2019
22	EE/ OFC/pole/202 2-23/6529/W- 67/288	W0156	pl0803 #156 manjunath nilaya	13.005567124 985692- 77.550205055 06347	6529	18/01/2019
23	EE/ OFC/pole/202 2-23/6529/W- 67/289	W0157	PL0504 #76/c kanaka kayaka	13.005250399 633045- 77.550469520 24216	6529	18/01/2019
24	EE/ OFC/pole/202 2-23/6529/W- 67/290	W0158	PL0502 #76/c kanaka kayaka	13.005156264 341279- 77.550383666 26717	6529	18/01/2019
25	EE/ OFC/pole/202 2-23/6529/W- 67/291	W0158	pl0502 # jaga Jeevana vidya mandira	13.005077818 237568- 77.550115372 59546	6529	18/01/2019
26	EE/ OFC/pole/202 2-23/6529/W- 67/292	W0158	PL0502 # jaga jyoti vidya mandira	13.005088277 71948- 77.550118055 53217	6529	18/01/2019
27	EE/ OFC/pole/202 2-23/6529/W- 67/293	W0157	pl0507 # panchajanya vidyapeeta	13.004505928 646697- 77.550196781 63708	6529	18/01/2019
28	EE/ OFC/pole/202 2-23/6529/W- 67/294	W0161	PL0503 #13/1 shikara	13.005033321 838301- 77.550539319 20557	6529	18/01/2019
29	EE/ OFC/pole/202 2-23/6529/W- 67/295	W0158	PL5301 #206/b opposite	13.005203288 395556- 77.550643953 73755	6529	18/01/2019
30	EE/ OFC/pole/202 2-23/6529/W- 67/296	W0158	pl5302 #180 annapurnesw- ari.sagara	13.005294808 801212- 77.551435420 06914	6529	18/01/2019
31	EE/ OFC/pole/202 2-23/6529/W- 67/297	W0158	pl5303 #180 turumalai	13.005307016 35899- 77.551632746 33668	6529	18/01/2019
32	EE/ OFC/pole/202 2-23/6529/W- 67/298	W0161	pl0501 #832/b Bratashree	13.004736974 453387- 77.550556888 71305	6529	18/01/2019
33	EE/ OFC/pole/202 2-23/6529/W- 67/299	W0160	pl6001 #211 ram nilaya	13.004854643 761366- 77.550970060 96754	6529	18/01/2019
34	EE/ OFC/pole/202 2-23/6529/W- 67/300	W0160	pl6002 #opposie #16 shivachandar	13.004891251 979146- 77.551257135 19628	6529	18/01/2019
35	EE/ OFC/pole/202 2-23/6529/W- 67/301	W0166	bglrbd035416 7 # electric pole 1000042791	13.004482895 42374- 77.550730473 47285	6529	18/01/2019

36	EE/ OFC/pole/202 2-23/6529/W- 67/302	W0166	bglrbd001466 mukambika	13.004480280 546916- 77.551052425 87895	6529	18/01/2019
----	---	-------	---------------------------	--	------	------------



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No. of Poles 36

Pole Charges @ Rs 1500/- Pole	54,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	266.04
Junction Box Charges @ Rs 3000/- Pole	1,08,000	Total (C)	266.04
Supervision Charge @ Rs 100/- Pole	3,600		
Sub Total (A)	1,65,600	GST @ 18% (B)	29,808
Grand Total (A + B + C)	1,95,674.04		

Total Amount Payable Rs: 1,95,674 In words (Rupees One Lakh Ninety-Five Thousand Six Hundred and seventy-Four Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-1478

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.




BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

OFC/Pole/2022-23/W0245/1488 10-2022-1491 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

Pole Details

10-2022-1478



OFC/Pole/2022-23/I0129/1469 10-2022-1469 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

S. J. J.
 EXECUTIVE ENGINEER
 O&C CELL

CORPORATION OF BANGALURU
 BANGALURU