



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell), 3<sup>rd</sup> Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1479/2022-23

Date: 20-10-2022

162

**Permission for Regularization for Poles**

To,  
M/s. Jio Digital Fibre Private Limited,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
  - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 22-05-2022
  - 3) Fee Demand Note letter No: 10-2022-1479, Date: 17-10-2022.
  - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
  - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 19-10-2022.

\*\_\*\_\*\_\*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of poles
01	Permission for Regularization for poles from junction of 8 <sup>th</sup> Main Road via 1 <sup>st</sup> 'K' Cross Road up to 7 <sup>th</sup> Main Road.	50 Poles
02	From the junction of 'K' Cross Road via 7 <sup>th</sup> 'A' Main Road up to 1 <sup>st</sup> Cross Road.	
03	From the junction of 'K' Cross Road via 7 <sup>th</sup> 'B' Main Road up to 1 <sup>st</sup> Cross Road.	
04	From the junction of 'K' Cross Road via 7 <sup>th</sup> 'C' Main Road up to 1 <sup>st</sup> Cross Road.	
05	From the junction of 'K' Cross Road via 8 <sup>th</sup> Main Road up to 1 <sup>st</sup> Cross Road.	
06	From the junction of 1 <sup>st</sup> 'A' Cross Road via 8 <sup>th</sup> Main Road up to junction of 1 <sup>st</sup> 'H' Cross Road.	
07	From the junction of 8 <sup>th</sup> Main Road via 1 <sup>st</sup> 'A' Cross Road up to junction of 1 <sup>st</sup> Main Road.	
08	From the junction of 8 <sup>th</sup> Main Road via 1 <sup>st</sup> 'B' Cross Road up to 7 <sup>th</sup> Main Road.	
09	From the junction of 8 <sup>th</sup> Main Road via 1 <sup>st</sup> 'H' Cross Road, 7 <sup>th</sup> Main Road 1 <sup>st</sup> 'I' Cross Road up to junction of 8 <sup>th</sup> Main Road.	
10	From the junction of 1 <sup>st</sup> 'B' Cross Road via 7 <sup>th</sup> 'C' Main Road up to Road end.	
11	From the junction of 1 <sup>st</sup> 'B' Cross Road via 7 <sup>th</sup> 'B' Main Road up to 1 <sup>st</sup> 'H' Cross Road.	
12	From the junction of 1 <sup>st</sup> 'B' Cross Road via 7 <sup>th</sup> 'A' Main Road up to 1 <sup>st</sup> 'F' Cross Road.	

No: EE/OFC/PR/1479/2022-23, Dt: 20-10-2022

Executive Engineer (OFC), BBMP

  
21/10/22



13	From the junction of 80 feet Road via 8 <sup>th</sup> Main Road up to 1 <sup>st</sup> 'D' Cross Road.	<b>50 Poles</b>
14	From the junction of 1 <sup>st</sup> 'A' Cross Road via 7 <sup>th</sup> Main Road up to junction of 1 <sup>st</sup> 'F' Cross Road.	
15	From the junction of 1 <sup>st</sup> 'A' Cross Road via Street ID No-W0064 up to junction of 1 <sup>st</sup> 'F' Cross Road.	
16	From the junction of 1 <sup>st</sup> 'A' Cross Road via Street ID No-W0058 up to 1 <sup>st</sup> 'D' Cross Road.	
17	From the junction of Street ID No-W0064 via 1 <sup>st</sup> 'A' Cross Road up to Street ID No-W0054.	
18	From the junction of Street ID No-W0064 via 1 <sup>st</sup> 'C' Cross Road up to Street ID No-W0054.	
19	From the junction of Street ID No-W0064 via 1 <sup>st</sup> 'D' Cross Road up to 7 <sup>th</sup> Main Road	
20	From the junction of Street ID No-W0064 via 1 <sup>st</sup> 'E' Cross Road up to Street ID No-W0054.	
21	From the junction of 1 <sup>st</sup> Main Road via 1 <sup>st</sup> 'F' Cross Road up to 7 <sup>th</sup> 'B' Main Road.	
22	From the junction of 1 <sup>st</sup> Main Road via 1 <sup>st</sup> 'G' Cross Road up to 7 <sup>th</sup> 'B' Main Road.	
23	From the junction of 1 <sup>st</sup> 'H' Cross Road via W0059 up to 1 <sup>st</sup> 'K' Cross Road.	
24	From the junction of 1 <sup>st</sup> 'H' Cross Road via Street ID No-W0054 up to 1 <sup>st</sup> 'K' Cross Road.	
25	From the junction of Street ID No-W0056 via 1 <sup>st</sup> 'I' Cross Road up to Street ID No-W0059.	
26	From the junction of Street ID No-W0056 via 1 <sup>st</sup> 'J' Cross Road up to Street ID No-W0059.	
27	From the junction of 1 <sup>st</sup> 'G' Cross Road via 1 <sup>st</sup> 'H' Cross Road up to Street ID No-W0059.	
28	From the junction of 1 <sup>st</sup> 'D' Cross Road up to 1 <sup>st</sup> 'F' Cross Road, for total No of 50 Poles, in Ward No-101, West Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

**Conditions for Regularization of Poles**

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.



4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.



16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:

**22. Right-of-way (ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way (ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**West Zone**) for information.
4. Copy to Zonal Chief Engineer (**West Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Rajaji Nagar** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Rajaji Nagar** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy



# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1479 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1479

With reference to your Demand Note bearing Pole-OFC-10-2022-1479, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0737

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1479	50	230370	206298	41400	230370
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



1479

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206298**

dated 18/10/2022

PAYMENT REFERENCE



# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1479 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1479

With reference to your Demand Note bearing Pole-OFC-10-2022-1479 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0737 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1479	50	230370	206298	41400	230370
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



1679

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206298**

dated 18/10/2022

**PAYMENT REFERENCE**

ISSUING BRANCH - Centralised Collection and Payment Hub (CCPH)

Valid Until: 17/01/2023

DATE 18/10/2022  
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौगे जाने पर

RUPEES Two Lacs Thirty Thousand Three Hundred Seventy Only

रुपये

अदा करे

₹ 230,370.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206298


Client Reference 4200008920\_162

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

For Axis Bank Ltd

  
Authorised Signatory

  
Authorised Signatory

  
cc No. 206298

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1479 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1479

With reference to your Demand Note bearing Pole-OFC-10-2022-1479 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0737

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1479	50	230370	206298	41400	230370
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE  
Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206298**

dated 18/10/2022

**PAYMENT REFERENCE**

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE  
दिनांक 

D	M	Y	M	Y	Y
1	8	1	0	2	2

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौजे जाने पर

RUPEES Two Lacs Thirty Thousand Three Hundred Seventy Only  
रुपये

अदा करे ₹ 230,370.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206298

Client Reference 4200008920\_162

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

For Axis Bank Ltd

*[Signature]*  
Authorized Signatory

*[Signature]*  
Authorized Signatory

**Rudresh B**  
FC No. 26192



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT  
Pole Form

Application No. :10-2022-1479

PR Number(To be Assigned by AE/JE- OFC, BBMP) CE-POLE-10-2022-1479

General Information

Segment ID

OFC/Pole/2022-23/W0024/1479

Street ID

20118

Street Name

NA

Zone

West

Ward No.

101

Ward Name

Kamakshipalya

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5 Rasta, Ambawadi, Ahmedabad, Gujarat, India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

22/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

50

No.Junction Box

50




**Status of My Application**

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	24/05/2022

Date : 17/10/2022

20221017071124







Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -  
560002

No. : Pole-OFC-10-2022-1479

Date: 17/10/2022

### Demand Notice

**GST No.: 29AAALBI608FIZK**

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0


Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-1479, dated : 22/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0024/1479)



Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/6416/W- 101/73	W0045,W001 0	VLS international School	12.991128036 940985- 77.535706176 0593	6416	21/12/2018
2	EE/ OFC/pole/202 2-23/6416/W- 101/74	W0008	Venketeshwar nilaya	12.991598739 644978- 77.535588130 6033	6416	21/12/2018
3	EE/ OFC/pole/202 2-23/6416/W- 101/75	W0008	Guru Prasad	12.991483679 066393- 77.535995923 99685	6416	21/12/2018
4	EE/ OFC/pole/202 2-23/6416/W- 101/76	W0008	Akash Gange	12.991488733 982036- 77.536201827 63166	6416	21/12/2018
5	EE/ OFC/pole/202 2-23/6416/W- 101/77	W0008	Laxmi Nilaya	12.991420743 616455- 77.536609621 02519	6416	21/12/2018

6	EE/ OFC/pole/202 2-23/6416/W- 101/78	W0055,W000 8	Laxminarayan Nilaya	12.991321373 048697- 77.537156922 68494	6416	21/12/2018
7	EE/ OFC/pole/202 2-23/6416/W- 101/79	W0055,W000 8	Opp to Deepak	12.991368443 322589- 77.537189116 9002	6416	21/12/2018
8	EE/ OFC/pole/202 2-23/6416/W- 101/80	W0059	Guru Enterprise	12.991609024 583214- 77.537773978 47777	6416	21/12/2018
9	EE/ OFC/pole/202 2-23/6416/W- 101/81	W0059	Ananad Milan	12.991222002 441143- 77.537613007 40138	6416	21/12/2018
10	EE/ OFC/pole/202 2-23/6416/W- 101/82	W0059	GK Kiran	12.990876820 021812- 77.537521790 4581	6416	21/12/2018
11	EE/ OFC/pole/202 2-23/6416/W- 101/83	W0059,W002 4	Srinivasa krupa kara	12.990209428 660739- 77.537373929 57984	6416	21/12/2018
12	EE/ OFC/pole/202 2-23/6416/W- 101/84	W0024	Karibasaya	12.990266959 251871- 77.537314906 85185	6416	21/12/2018
13	EE/ OFC/pole/202 2-23/6416/W- 101/85	W0055,W002 4	Archana	12.990324489 829685- 77.536966136 1863	6416	21/12/2018
14	EE/ OFC/pole/202 2-23/6416/W- 101/86	W0055,W002 2	Ashwin	12.990617372 564632- 77.536998330 40159	6416	21/12/2018
15	EE/ OFC/pole/202 2-23/6416/W- 101/87	W0047	Madura	12.991051465 982903- 77.535989578 32284	6416	21/12/2018
16	EE/ OFC/pole/202 2-23/6416/W- 101/88	W0024	Dyamalamba Nilaya	12.990444780 99475- 77.536257863 45016	6416	21/12/2018
17	EE/ OFC/pole/202 2-23/6416/W- 101/89	W0051,W002 4	Chandra Nivasaa	12.990340179 984932- 77.536611999 81823	6416	21/12/2018
18	EE/ OFC/pole/202 2-23/6416/W- 101/90	W0047	H.no:#225	12.990847611 425439- 77.535963460 03305	6416	21/12/2018
19	EE/ OFC/pole/202 2-23/6416/W- 101/91	W0047	Lavanya Bekary	12.990554728 961998- 77.535850780 27956	6416	21/12/2018
20	EE/ OFC/pole/202 2-23/6416/W- 101/92	W0054	Shanti Nivasa	12.989900972 21733- 77.536821972 44049	6416	21/12/2018
21	EE/ OFC/pole/202 2-23/6416/W- 101/93	W0054	Play Resideny pre school	12.990005573 412102- 77.536478567 47749	6416	21/12/2018

22	EE/ OFC/pole/202 2-23/6416/W- 101/94	W0057,W005 8	Veertbhadres hwar swamy nilaya	12.989406147 286523- 77.536785431 24217	6416	21/12/2018
23	EE/ OFC/pole/202 2-23/6416/W- 101/95	W0058	Manasa Nilaya	12.989458447 993607- 77.536602997 35557	6416	21/12/2018
24	EE/ OFC/pole/202 2-23/6416/W- 101/96	W0058	Sreyas	12.989484598 343047- 77.536447391 98174	6416	21/12/2018
25	EE/ OFC/pole/202 2-23/6416/W- 101/97	W0058,W005 3	Gubbi chanabasave shwar	12.989521208 827595- 77.536501049 00721	6416	21/12/2018
26	EE/ OFC/pole/202 2-23/6416/W- 101/98	W0057	Srinivas	12.988993409 29671- 77.536579245 66853	6416	21/12/2018
27	EE/ OFC/pole/202 2-23/6416/W- 101/99	W0053	Venkateshwar nilaya	12.989030019 853658- 77.536268034 92082	6416	21/12/2018
28	EE/ OFC/pole/202 2-23/6416/W- 101/100	W0053	Radha Krishna	12.988663914 04129- 77.536053406 81894	6416	21/12/2018
29	EE/ OFC/pole/202 2-23/6416/W- 101/101	W0053	opp to radhakrishna	12.988653453 867288- 77.536096332 43931	6416	21/12/2018
30	EE/ OFC/pole/202 2-23/6416/W- 101/102	W0064,W005 7	Satya sai	12.988595922 90244- 77.536386080 37684	6416	21/12/2018
31	EE/ OFC/pole/202 2-23/6416/W- 101/103	W0059	Hanuma Nilaya	12.988517471 56524- 77.536992404 764587	6416	21/12/2018
32	EE/ OFC/pole/202 2-23/6416/W- 101/104	W0059	Maytri	12.988988179 216712- 77.537099718 81551	6416	21/12/2018
33	EE/ OFC/pole/202 2-23/6416/W- 101/105	W0051	Sai Krupa	12.988716214 904665- 77.535785121 69163	6416	21/12/2018
34	EE/ OFC/pole/202 2-23/6416/W- 101/106	W0051,W006 4	Ana Purna	12.988642993 692842- 77.535726098 9636	6416	21/12/2018
35	EE/ OFC/pole/202 2-23/6416/W- 101/107	W0064,W004 9	Bhavana	12.988695294 560646- 77.535404156 81083	6416	21/12/2018
36	EE/ OFC/pole/202 2-23/6416/W- 101/108	W0049	Manjunatah Bekery	12.988820816 598391- 77.535447082 4312	6416	21/12/2018
37	EE/ OFC/pole/202 2-23/6416/W- 101/109	W0047	Kesava nivas	12.988841736 931839- 77.535141237 38607	6416	21/12/2018



38	EE/ OFC/pole/202 2-23/6416/W- 101/110	W0047	Bilgiri	12.989082320 639952- 77.535232454 32936	6416	21/12/2018
39	EE/ OFC/pole/202 2-23/6416/W- 101/111	W0039	Sri Matha	12.989308767 553853- 77.534261255 51381	6416	21/12/2018
40	EE/ OFC/pole/202 2-23/6416/W- 101/112	W0035	#70	12.990072357 083417- 77.534239792 70362	6416	21/12/2018
41	EE/ OFC/pole/202 2-23/6416/W- 101/113	W0035	Rudra Krupa	12.989821314 209426- 77.534175404 27306	6416	21/12/2018
42	EE/ OFC/pole/202 2-23/6416/W- 101/114	W0039	#70	12.989978216 035407- 77.534540272 04621	6416	21/12/2018
43	EE/ OFC/pole/202 2-23/6416/W- 101/115	W0035	Srinivasa	12.989716712 937046- 77.534111015 84253	6416	21/12/2018
44	EE/ OFC/pole/202 2-23/6416/W- 101/116	W0035	Venkatadri	12.989235546 516717- 77.533907119 14575	6416	21/12/2018
45	EE/ OFC/pole/202 2-23/6416/W- 101/117	W0066,W003 5	Green Building	12.989225086 366787- 77.533885656 33554	6416	21/12/2018
46	EE/ OFC/pole/202 2-23/6416/W- 101/118	W0045	Rranti Nilata	12.988677106 779914- 77.534733103 36358	6416	21/12/2018
47	EE/ OFC/pole/202 2-23/6416/W- 101/119	W0045	Simshaker Nilaya	12.989294256 233272- 77.534990657 0858	6416	21/12/2018
48	EE/ OFC/pole/202 2-23/6416/W- 101/120	W0045	Ramachandra	12.989869563 664742- 77.535226747 99783	6416	21/12/2018
49	EE/ OFC/pole/202 2-23/6416/W- 101/121	W0045	Ganesh Krupa	12.990214747 484- 77.535387719 07421	6416	21/12/2018
50	EE/ OFC/pole/202 2-23/6416/W- 101/122	W0045	Vasant nilaya	12.990580851 010492- 77.535516495 93534	6416	21/12/2018



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

**Total No.of Poles 50**


Pole Charges @ Rs 1500/- Pole	75,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	369.5
Junction Box Charges @ Rs 3000/- Pole	1,50,000	Total (C)	369.5
Supervision Charge @ Rs 100/- Pole	5,000		
Sub Total (A)	2,30,000	GST @ 18% (B)	41,400
Grand Total (A + B + C)	2,71,769.5		

**Total Amount Payable Rs: 2,71,770 In words (Rupees Two Lakh seventy-One Thousand Seven Hundred and seventy Only)**

**Note:** The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)  
Bruhat Bangalore Mahanagara Palike

**Copy to**

No.: 10-2022-1479

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

# BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-1479

1/2

@RIL.COM

OFC/Pole/2022-23/W0094/1495    10-2022-1495    Pending    ceofc01(ceofc01)    Pole Work Created    [Demand Notice](#)    [Permission Letter](#)    [View/Submit](#)

## Pole Details

The map displays a grid of streets including 11th Cross Rd, 12th Cross Rd, 2nd Main Rd, 6th Main Rd, 7th B Main, 7th Main Rd, 4th Cross Rd, 6th Cross Rd, 7th Cross Rd, 8th Cross Rd, 1st E C, 1st, 1st A Cross Rd, 2nd Cross Rd, 2nd B Cross Rd, 2nd C Cross Rd, 2nd D Cross Rd, 5th Main Rd, and 2nd B Cross Rd. Numerous blue location pins are scattered across the map, indicating the positions of poles. Landmarks and businesses labeled include OM SREE Aquarium, Reliance Fresh, Sneha Sadan, Bangalore Fine, Monkey Park, The Kethamaranahalli House Building Co., Manjunatha Digital Services, Max clothing store, Nisarga, Pavithra Paradise, Florence School Ground, Government High School - Saneguruvanahalli, and National Academy for Learning. A yellow highlight is present on the top right of the map area with the ID 10-2022-1479.

OFC/Pole/2022-23/W1111/1468    10-2022-1470    Pending    ceofc01(ceofc01)    Pole Work Created    [Demand Notice](#)    [Permission Letter](#)    [View/Submit](#)

EXECUTIVE ENGINEER  
 OFC CELL  
 BANGALURU