



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1480/2022-23

Date: 20-10-2022

784
Permission for Regularization for Poles

To,

M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 22-05-2022
 - 3) Fee Demand Note letter No: 10-2022-1480, Date: 17-10-2022.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 19-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 80feet Road via 22nd Cross, 11th Main, 60th Cross, Rajaji Nagar Road, 64th Cross, 6th Cross, 1st Main	38 Poles
02	From 80feet Road via 6th Cross, Street ID No-W0170 up to W0155.	
03	From 80feet Road via 5th Cross	
04	From 80feet Road via 3rd Cross up to 1st Main Road.	
05	From 1st Main Road via 4th Cross	
06	From 1st Main Road via 5th Cross	
07	From 1st Main Road via 6th Cross up to Street ID No-W0170.	
08	From Street ID No-W01066 via Right /Left side 4th Cross	
09	From Street ID No-W01066 via Left/Right side 4th Cross for total No of 38 Poles, in Ward No-108, West Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/1480/2022-23, Dt: 20-10-2022


Executive Engineer (OFC), BBMP

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the

- agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
 15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
 16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
 17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
 18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
 19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
 20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
 21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
 22. **Right-of-way (ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way (ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0


23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**West Zone**) for information.
4. Copy to Zonal Chief Engineer (**West Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Rajaji Nagar** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Sri Rama Mandira** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

केनरा बैंक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP
शाखा/ Branch BCC Extension

दिनांक/ Date 20/10/2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.
बचत / बालू खाता / जोडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

8401132000010

नाम/Name Commissioner BBMP

टेलिफोन / मोबाइल नं
Tel No./Mobile No. _____

राशि /Amount ₹ 1,75,081.00/-

राशि शब्दों में
Rupees in words One Lakh seventy five thousand eighty one rupees only.

चेक नं. / दिनांक तथा बैंक व शाखा का नाम Cheque No./Date/Name of Bank & Branch	₹	₹/P.
<u>20629007</u> <u>20/10/2022</u> <u>RABA</u>	<u>1,75,081.00/-</u>	

20 OCT 2022
EXECUTIVE 75,081.00/-
अधिकारी / रोकीटिंग ऑफिसर
केनरा बैंक टोल फ्री: 24 घंटे कॉल सेंटर
Canara-Bank Toll Free No.

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1480 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1480

With reference to your Demand Note bearing Pole-OFC-10-2022-1480, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0431.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1480	38	175081	206290	31464	175081
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



1480

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206290

dated 18/10/2022

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1480 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1480

With reference to your Demand Note bearing Pole-OFC-10-2022-1480 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0431 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1480	38	175081	206290	31464	175081
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1480 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1480

With reference to your Demand Note bearing Pole-OFC-10-2022-1480 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0431 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1480	38	175081	206290	31464	175081
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

1480

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE
Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206290

dated 18/10/2022

PAYMENT REFERENCE

ISSUING BRANCH - Centralised Collection and Payment Hub (CCPH)

Valid Until 17012023

DATE 18 10 2022
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौगे जाने पर
RUPEES One Lac Seventy Five Thousand Eighty One Only

रुपये

अदा करे

₹ 175,081.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206290

Client Reference 4200008920 154

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

(Signature)
Authorized Signatory

(Signature)
Rudresha B
CS. No. 15182



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-1480

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-1480

General Information

Segment ID

OFC/Pole/2022-23/W0155/1480

Street ID

17985

Street Name

NA

Zone

West

Ward No.

108

Ward Name

Srirammandir

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

22/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OSP

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

38

No.Junction Box


38



Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	24/05/2022

Date : 17/10/2022



20221017073221



Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1480

Date: 17/10/2022

Demand Notice
GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre


M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-1480, dated : 22/05/2022

Details of Poles added on BBMP GIS Map (Pole Id:-OFC/Pole/2022-23/W0155/1480)




Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/4475/W- 108/245	W0166,W015 5	PL	12.981438389 360699- 77.558101415 63416	4475	29/01/2022
2*	EE/ OFC/pole/202 2-23/4475/W- 108/246	W0155	PL	12.981942825 1326- 77.558141648 76939	4475	29/01/2022
3	EE/ OFC/pole/202 2-23/4475/W- 108/247	W0098	PL	12.982426350 688653- 77.557892203 331	4475	29/01/2022
4	EE/ OFC/pole/202 2-23/4475/W- 108/248	W0153	PL	12.982144076 424275- 77.557650804 51967	4475	29/01/2022
5	EE/ OFC/pole/202 2-23/4475/W- 108/249	W0153	PL	12.981684073 23241- 77.557629346 84755	4475	29/01/2022

6	EE/ OFC/pole/202 2-23/4475/W- 108/250	W0098	PL	12.982462941 773536- 77.557331621 6469	4475	29/01/2022
7	EE/ OFC/pole/202 2-23/4475/W- 108/251	W0151	PL	12.982368850 401539- 77.557114362 71669	4475	29/01/2022
8	EE/ OFC/pole/202 2-23/4475/W- 108/252	W0151	PL	12.982049984 931571- 77.557082176 20851	4475	29/01/2022
9	EE/ OFC/pole/202 2-23/4475/W- 108/253	W0106,W014 7	PL	12.982358395 802454- 77.556706666 94641	4475	29/01/2022
10	EE/ OFC/pole/202 2-23/4475/W- 108/254	W0147	PL	12.982076121 460889- 77.556658387 18416	4475	29/01/2022
11	EE/ OFC/pole/202 2-23/4475/W- 108/255	W0147,W016 2	PL	12.981822597 010467- 77.556623518 46695	4475	29/01/2022
12	EE/ OFC/pole/202 2-23/4475/W- 108/256	W0170	PL	12.981472366 931905- 77.556784451 00786	4475	29/01/2022
13	EE/ OFC/pole/202 2-23/4475/W- 108/257	W0166	PL	12.981464525 95434- 77.557827830 31465	4475	29/01/2022
14	EE/ OFC/pole/202 2-23/4475/W- 108/258	W0147	PL	12.980497470 159134- 77.556368708 61055	4475	29/01/2022
15	EE/ OFC/pole/202 2-23/4475/W- 108/259	W0147,W017 2	PL	12.981359979 563285- 77.556556463 241597	4475	29/01/2022
16	EE/ OFC/pole/202 2-23/4475/W- 108/260	W0147	PL	12.981150886 649246- 77.556500136 85228	4475	29/01/2022
17	EE/ OFC/pole/202 2-23/4475/W- 108/261	W0147	PL	12.980839860 614184- 77.556449174 881	4475	29/01/2022
18	EE/ OFC/pole/202 2-23/4475/W- 108/262	W0151	PL	12.981229296 512623- 77.557023167 61018	4475	29/01/2022
19	EE/ OFC/pole/202 2-23/4475/W- 108/263	W0151	PL	12.980842474 279966- 77.556996345 52003	4475	29/01/2022
20	EE/ OFC/pole/202 2-23/4475/W- 108/264	W0151	PL	12.980510538 505783- 77.556977570 05693	4475	29/01/2022
21	EE/ OFC/pole/202 2-23/4475/W- 108/265	W0153	PL	12.981292024 385517- 77.557564973 83119	4475	29/01/2022

22	EE/ OFC/pole/202 2-23/4475/W- 108/266	W0153	PL	12.980991453 184089- 77.557554244 99513	4475	29/01/2022
23	EE/ OFC/pole/202 2-23/4475/W- 108/267	W0153	PL	12.980607244 249528- 77.557516694 06892	4475	29/01/2022
24	EE/ OFC/pole/202 2-23/4475/W- 108/268	W0145,W009 0	PL	12.982954307 248448- 77.556608766 31737	4475	29/01/2022
25	EE/ OFC/pole/202 2-23/4475/W- 108/269	W0090,W013 7	PL	12.982980443 682667- 77.556203752 75612	4475	29/01/2022
26	EE/ OFC/pole/202 2-23/4475/W- 108/270	W0127,W009 0	PL	12.982996125 541883- 77.555961012 84029	4475	29/01/2022
27	EE/ OFC/pole/202 2-23/4475/W- 108/271	W0082	PL	12.984282034 629642- 77.555306553 84065	4475	29/01/2022
28	EE/ OFC/pole/202 2-23/4475/W- 108/272	W0111	PL	12.984300330 036133- 77.554839849 47206	4475	29/01/2022
29	EE/ OFC/pole/202 2-23/4475/W- 108/273	W0084,W011 1	PL	12.983986694 309927- 77.554815709 59093	4475	29/01/2022
30	EE/ OFC/pole/202 2-23/4475/W- 108/274	W0086;W011 1	PL	12.983683512 731638- 77.554796934 12782	4475	29/01/2022
31	EE/ OFC/pole/202 2-23/4475/W- 108/275	W0111,W008 8	PL	12.983369876 22692- 77.554775476 4557	4475	29/01/2022
32	EE/ OFC/pole/202 2-23/4475/W- 108/276	W0110,W011 1	PL	12.982418509 741201- 77.554692327 97624	4475	29/01/2022
33	EE/ OFC/pole/202 2-23/4475/W- 108/277	W0118,W011 1	PL	12.982128394 511294- 77.554686963 5582	4475	29/01/2022
34	EE/ OFC/pole/202 2-23/4475/W- 108/278	W0111,W012 0	PL	12.981819983 35499- 77.554676234 72214	4475	29/01/2022
35	EE/ OFC/pole/202 2-23/4475/W- 108/279	W0130,W011 1	PL	12.981519412 792037- 77.554657459 25905	4475	29/01/2022
36	EE/ OFC/pole/202 2-23/4475/W- 108/280	W0132,W011 1	PL	12.981208387 218143- 77.554641366 00496	4475	29/01/2022
37	EE/ OFC/pole/202 2-23/4475/W- 108/281	W0111,W014 8	PL	12.980905202 250478- 77.554619908 33284	4475	29/01/2022

38	EE/ OFC/pole/202 2-23/4475/W- 108/282	10150,W0111	PL	12.980602016 91299- 77.554603815 07874	4475	29/01/2022
----	--	-------------	----	---	------	------------



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 38

Pole Charges @ Rs 1500/- Pole	57,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	280.82
Junction Box Charges @ Rs 3000/- Pole	1,14,000	Total (C)	280.82
Supervision Charge @ Rs 100/- Pole	3,800		
Sub Total (A)	1,74,800	GST @ 18% (B)	31,464
Grand Total (A + B + C)	2,06,544.82		

Total Amount Payable Rs: 2,06,545 In words (Rupees Two Lakh Six Thousand Five Hundred and Forty-Five Only)

Note: The company, which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-1480

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)


10-2022-1480

1/3

@RIL.COM

OFC/Pole/2022-23/W0230/1494 10-2022-1496 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

Pole Details



OFC/Pole/2022-23/W0005/1471 10-2022-1471 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

S. Singh
EXECUTIVE ENGINEER
OFC CELL

BENGALURU