



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1530/2022-23

Date: 31-10-2022

318

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 23-05-2022
 - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 4) Fee Demand Note letter No: 10-2022-1530, Date: 19-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 27-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

| Sl No | Name of the Road and Route | No of Poles |
|-------|---|-------------|
| 01 | Permission for Regularization for poles from 3rd Cross Road via 1st Main Road, 6th Cross Road up o Agara Main Road. | 31 Poles |
| 02 | From 3rd Cross Road via 1st Main Road, 2nd Cross Road | |
| 03 | From 1st Main Road via 3rd Cross Road, 2nd Main Road, 5th Cross Road | |
| 04 | From 2nd Main Road via 3rd Cross Road | |
| 05 | From 2nd Main Road via 4th Cross Road | |
| 06 | From 2nd Main Road via 5th Cross Road | |
| 07 | From 2nd Main Road via 2nd Cross Road | |
| 08 | From 2nd Main Road via Right Side 4th Cross | |
| 09 | From 7th Cross Road via 1st Main Road, 8th Cross Road | |
| 10 | From 1st Main Road via 7th Cross Road for total No of 31 Poles, in Ward No-25, Mahadevapura Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates. | |

No: EE/OFC/PR/1530/2022-23, Dt: 31-10-2022


Executive Engineer (OFC), BBMP

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do the same at its own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at its own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to poles and resultant losses, if any during performance of official duties by any employee of corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlined in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. If any dispute arise it will be settled as per the MOU.
14. Operational and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operational and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

| Sl No | Transmission Voltage | Width of the Right-of-way(ROW) in meters. |
|-------|----------------------|---|
| 01 | 11kV | 7.0 |
| 02 | 33kV | 15.0 |
| 03 | 66kV | 18.0 |
| 04 | 110kV | 22.0 |
| 05 | 132kV | 27.0 |
| 06 | 220kV | 35.0 |
| 07 | 400kV | 52.0 |

23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

| | | Vertically in m. | Horizontally in m. |
|-----|---|--|--|
| i | Low and medium voltage lines and service lines | 2.5 | 1.2 |
| ii | High voltage lines upto and including 33,000 V. | 3.7 | 2.0 |
| iii | Extra high voltage lines beyond 33000 v. | 3.7 (plus 0.3m for every additional 33,000 V. or part thereof) | 2.0 (plus 0.3m for every additional 13,000 V. or part thereof) |


24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Mahadevapura** Zone) for information.
4. Copy to Zonal Chief Engineer (**Mahadevapura** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**K.R.Pura** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Horamavu** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

केनरा बैंक  Canara Bank 1530 जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा/ Branch BCC Extension

दिनांक/ Date

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 2 | 5 | 1 | 0 | 2 | 0 | 2 | 2 |
|---|---|---|---|---|---|---|---|

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.
वचत / चालू खाता / ओडी / पीपी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|--|
| ₹ | 4 | 0 | 1 | ₹ | 2 | 0 | 0 | 0 | 1 | 0 | |
|---|---|---|---|---|---|---|---|---|---|---|--|

नाम/Name Commissioner BBMP

टेलिफोन / मोबाइल नं
Tel No./Mobile No.

राशि / Amount

| | | | |
|---|-----------|------|------|
| ₹ | 1,42,829. | ₹/P. | 00/- |
|---|-----------|------|------|

राशि शब्दों में
Rupees in words One lakh forty two thousand eight hundred twenty nine

| चेक नं. / दिनांक व बैंक व शाखा का नाम Cheque No. / Date / Name of Bank & Branch | ₹ | ₹/P. |
|--|------------------|-------------|
| <u>206654</u> <u>01/10/2022</u> <u>Canara Bank</u> | <u>1,42,829.</u> | <u>00/-</u> |
| | | |
| | | |
| | | |

EXECUTIVE MANAGER
अधिकारी / रोकर डिप्टी
Officer/Cashier
MAHANA BAHADUR
1800 425 0018

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1530 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1530

With reference to your Demand Note bearing Pole-OFC-10-2022-1530, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1429.

| Application No. | Poles | Poles Charges (Rs.) | DD No. | GST (through RCM) Rs. | Total Amount |
|-----------------|-------|---------------------|------------|-----------------------|--------------|
| 10-2022-1530 | 31 | 142829 | 206654 | 25668 | 142829 |
| | | | Dated | | |
| | | | 19-10-2022 | | |

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



1530

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206654

19/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1530 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1530

With reference to your Demand Note bearing Pole-OFC-10-2022-1530, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1429.

| Application No. | Poles | Poles Charges (Rs.) | DD No. | GST (through RCM) Rs. | Total Amount |
|-----------------|-------|---------------------|------------|-----------------------|--------------|
| 10-2022-1530 | 31 | 142829 | 206654 | 25668 | 142829 |
| | | | Dated | | |
| | | | 19-10-2022 | | |


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206654

19/10/2022
dated

PAYMENT REFERENCE

DATE 9 10 20 22 Y
दिनांक

Payee
Negotiable

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या अके आदेश पर

माँगे जाने पर

RUPEES One Lac Forty Two Thousand Eight Hundred Twenty Nine Only

रुपये

₹ 142,829.00
अदा करें

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206654

Client Reference 4200009020 350

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd


5510124004
Authorised Signatory


Authorised Signatory

Rudresha B
CC No. 2610

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1530 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1530

With reference to your Demand Note bearing Pole-OFC-10-2022-1530 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1429 .

| Application No. | Poles | Poles Charges (Rs.) | DD No. | GST (through RCM) Rs. | Total Amount |
|-----------------|-------|---------------------|------------|-----------------------|--------------|
| 10-2022-1530 | 31 | 142829 | 206654 | 25668 | 142829 |
| | | | Dated | | |
| | | | 19-10-2022 | | |

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206654

19/10/2022
dated

PAYMENT REFERENCE

DATE दिनांक 9 1 0 2 0 2 2 Y

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या अके खाते पर

पाँगे जाने पर

RUPEES One Lac Forty Two Thousand Eight Hundred Twenty Nine Only

रुपये

₹ 142,829.00
अदा करे

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206654

Client Reference 4200009020_350

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd


SSHB:24004
Authorised Signatory


Authorised Signatory

Rudresha B
CC No. 2610



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-1530

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-1530

General Information

Segment ID

OFC/Pole/2022-23/W1394/1528

Street ID

11332

Street Name

NA

Zone

Mahadevapura

Ward No.

25

Ward Name

Horamavu

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

23/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC LAYING

Phone No.

9845117017

Mobile No.

9845117017

Attachments

Pole Related Information

No.of Poles

31

No.Junction Box

31




Status of My Application

| Approver Name | Designation | Date |
|------------------|-------------|------------|
| ceofc01(ceofc01) | CE | 27/05/2022 |

Date : 19/10/2022

Time : 05:09:24

20221019050924





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1530

Date: 19/10/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-1530, dated : 23/05/2022


Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W1394/1528)

| Sr No. | Unique PoleId. | Street Id | Landmark or address | Coordinates | Permission Letter No. | Permission Letter Date |
|--------|---|-----------------|---------------------|--|-----------------------|------------------------|
| 1 | EE/ OFC/pole/202 2-23/2509/W- 25/574 | W1779,W110 8 | home | 13.027826510 954222- 77.652049490 67069 | 2509 | 21/12/2021 |
| 2 | EE/ OFC/pole/202 2-23/2509/W- 25/575 | W1781 | home | 13.027711531 410993- 77.652290961 91297 | 2509 | 21/12/2021 |
| 3 | EE/ OFC/pole/202 2-23/2509/W- 25/576 | W1781 | home | 13.027424082 319367- 77.652237301 63692 | 2509 | 21/12/2021 |
| 4 | EE/ OFC/pole/202 2-23/2509/W- 25/577 | W1769,W110 8 | home | 13.028019885 520157- 77.650573833 07905 | 2509 | 21/12/2021 |
| 5 | EE/ OFC/pole/202 2-23/2509/W- 25/578 | W1771 | home | 13.027967622 138842- 77.650890428 70781 | 2509 | 21/12/2021 |

| | | | | | | |
|----|---|-----------------|------|--|------|------------|
| 6 | EE/ OFC/pole/202 2-23/2509/W- 25/579 | W1773,W110 8 | home | 13.027962395 800106- 77.651196292 28136 | 2509 | 21/12/2021 |
| 7 | EE/ OFC/pole/202 2-23/2509/W- 25/580 | W1775 | home | 13.027894453 386489- 77.651486057 77208 | 2509 | 21/12/2021 |
| 8 | EE/ OFC/pole/202 2-23/2509/W- 25/581 | W1777 | home | 13.027836963 637316- 77.651786555 318 | 2509 | 21/12/2021 |
| 9 | EE/ OFC/pole/202 2-23/2509/W- 25/582 | W1769 | homw | 13.027842189 9787- 77.650520172 80298 | 2509 | 21/12/2021 |
| 10 | EE/ OFC/pole/202 2-23/2509/W- 25/583 | W1769 | home | 13.027397950 567217- 77.650423584 30605 | 2509 | 21/12/2021 |
| 11 | EE/ OFC/pole/202 2-23/2509/W- 25/584 | W1769,W112 6 | home | 13.026948483 998666- 77.650332361 83677 | 2509 | 21/12/2021 |
| 12 | EE/ OFC/pole/202 2-23/2509/W- 25/585 | W1769 | home | 13.026519922 092158- 77.650241139 36747 | 2509 | 21/12/2021 |
| 13 | EE/ OFC/pole/202 2-23/2509/W- 25/586 | W1771 | home | 13.027105274 754755- 77.650702617 74159 | 2509 | 21/12/2021 |
| 14 | EE/ OFC/pole/202 2-23/2509/W- 25/587 | W1771 | home | 13.027659267 964616- 77.650815304 3213 | 2509 | 21/12/2021 |
| 15 | EE/ OFC/pole/202 2-23/2509/W- 25/588 | W1773 | home | 13.026880541 306854- 77.650970919 1219 | 2509 | 21/12/2021 |
| 16 | EE/ OFC/pole/202 2-23/2509/W- 25/589 | W1773 | home | 13.027455440 418306- 77.651094337 7568 | 2509 | 21/12/2021 |
| 17 | EE/ OFC/pole/202 2-23/2509/W- 25/590 | W1773 | home | 13.027763794 846352- 77.651164096 1157 | 2509 | 21/12/2021 |
| 18 | EE/ OFC/pole/202 2-23/2509/W- 25/591 | W1775 | home | 13.026922352 196326- 77.651292880 77823 | 2509 | 21/12/2021 |
| 19 | EE/ OFC/pole/202 2-23/2509/W- 25/592 | W1775 | home | 13.027570420 080437- 77.651421665 44081 | 2509 | 21/12/2021 |
| 20 | EE/ OFC/pole/202 2-23/2509/W- 25/593 | W1771 | home | 13.026760334 960299- 77.650643591 4379 | 2509 | 21/12/2021 |
| 21 | EE/ OFC/pole/202 2-23/2509/W- 25/594 | W1126 | home | 13.026788208 7946- 77.651128433 01343 | 2509 | 21/12/2021 |

| | | | | | | |
|----|---|-----------------|------|--|------|------------|
| 22 | EE/ OFC/pole/202 2-23/2509/W- 25/595 | W1777 | home | 13.025889272 628428- 77.651412832 47652 | 2509 | 21/12/2021 |
| 23 | EE/ OFC/pole/202 2-23/2509/W- 25/596 | W1771 | home | 13.026181949 877966- 77.650527437 92153 | 2509 | 21/12/2021 |
| 24 | EE/ OFC/pole/202 2-23/2509/W- 25/597 | W1773 | home | 13.026521664 10889- 77.650903059 85397 | 2509 | 21/12/2021 |
| 25 | EE/ OFC/pole/202 2-23/2509/W- 25/598 | W1773 | home | 13.026119233 353608- 77.650833301 49508 | 2509 | 21/12/2021 |
| 26 | EE/ OFC/pole/202 2-23/2509/W- 25/599 | W1769 | home | 13.026166270 748364- 77.650173280 09955 | 2509 | 21/12/2021 |
| 27 | EE/ OFC/pole/202 2-23/2509/W- 25/600 | W1775 | home | 13.026077422 328555- 77.651139165 06864 | 2509 | 21/12/2021 |
| 28 | EE/ OFC/pole/202 2-23/2509/W- 25/601 | W1775 | home | 13.026579154 163407- 77.651246485 62075 | 2509 | 21/12/2021 |
| 29 | EE/ OFC/pole/202 2-23/2509/W- 25/602 | W1777,W112 6 | home | 13.026709813 328587- 77.651573813 30472 | 2509 | 21/12/2021 |
| 30 | EE/ OFC/pole/202 2-23/2509/W- 25/603 | W1777 | home | 13.027352655 417301- 77.651691865 91204 | 2509 | 21/12/2021 |
| 31 | EE/ OFC/pole/202 2-23/2509/W- 25/604 | W1777 | home | 13.026364872 983295- 77.651504054 94583 | 2509 | 21/12/2021 |



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 31

| | | | |
|---------------------------------------|-------------|---|--------|
| Pole Charges @ Rs 1500/- Pole | 46,500 | Worker Welfare Cess Amount @ Rs 7.39/- Pole | 229.09 |
| Junction Box Charges @ Rs 3000/- Pole | 93,000 | Total (C) | 229.09 |
| Supervision Charge @ Rs 100/- Pole | 3,100 | | |
| Sub Total (A) | 1,42,600 | GST @ 18% (B) | 25,668 |
| Grand Total (A + B + C) | 1,68,497.09 | | |

Total Amount Payable Rs: 1,68,497 In words (Rupees One Lakh Sixty-Eight Thousand Four Hundred and Ninety-Seven Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-1530

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

