



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell ), 3<sup>rd</sup>Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1547/2022-23

Date: 17-11-2022

**Permission for Regularization of Poles**  
**(already installed)**

To,  
M/s. Jio Digital Fibre Private Limited ,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for Regularization of poles (already installed).

- Ref :-** 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.  
2) M/s. Jio Digital Fibre Private Limited online application Dated: 23-05-2022  
3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.  
4) Fee Demand Note letter No: 10-2022-1547, Date: 19-10-2022.  
5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 27-10-2022.

\*\_\*\_\*\_\*

With reference to your application for the regularization of poles already installed, we have pleasure to inform you that permission has been accorded for regularization of the poles installed details of which are as mentioned below.

SL No.	UniquePoleId.	Street Id	Landmark or address	Coordinates	Permissi onLetter No.	Permission Letter Date
01	EE/ OFC/pole/202 2-23/2686/W-195/864	W0077	CHUNCHG AT TA	12.893255337 028732- 77.574964540 43387	2686	23/02/2022
02	EE/ OFC/pole/202 2-23/2686/W-195/865	W0118, W008 5	CHUNCHG AT TA	12.892910211 737991- 77.575527973 33248	2686	23/02/2022
03	EE/ OFC/pole/202 2-23/2686/W-195/866	W0118, W007 7	CHUNCHG AT TA	12.892899753 38842- 77.574905514 13018	2686	23/02/2022
04	EE/ OFC/pole/202 2-23/2686/W-195/867	W0100, W005 5	CHUNCHG AT TA	12.893178642 613996- 77.573104502 14976	2686	23/02/2022

No: EE/OFC/PR/1547/2022-23, Dt: 17-11-2022

  
Executive Engineer (OFC), BBMP

05	EE/ OFC/pole/202 2-23/2686/W-195/868	W0120, W006 9	CHUNCHG AT TA	12.892896267 324986- 77.574118681 36727	2686	23/02/2022
06	EE/ OFC/pole/202 2-23/2686/W--1/176	RI-S168,W0100	CHUNCHG AT TA	12.892843975 56984- 77.572025930 60096	2686	23/02/2022
07	EE/ OFC/pole/202 2-23/2686/W--1/177	RI-S168	CHUNCHG AT TA	12.892373349 28197- 77.572079590 87701	2686	23/02/2022
08	EE/ OFC/pole/202 2-23/2686/W-195/869	W0126, W007 7	CHUNCHG AT TA	12.892561599 903297- 77.574805532 90084	2686	23/02/2022
09	EE/ OFC/pole/202 2-23/2686/W-195/870	W0126, W008 5	CHUNCHG AT TA	12.892592974 993091- 77.575588972 93133	2686	23/02/2022
10	EE/ OFC/pole/202 2-23/2686/W-195/871	W0087	CHUNCHG AT TA	12.893074059 210763- 77.575825078 14598	2686	23/02/2022
11	EE/ OFC/pole/202 2-23/2686/W-195/872	W0087	CHUNCHG AT TA	12.893523767 534623- 77.575889126 02795	2686	23/02/2022
12	EE/ OFC/pole/202 2-23/2686/W-195/873	W0083	CHUNCHG AT TA	12.893447073 202136- 77.575423936 0616	2686	23/02/2022
13	EE/ OFC/pole/202 2-23/2686/W-195/874	W0126, W008 1	CHUNCHG AT TA	12.892579030 562414- 77.575332713 5923	2686	23/02/2022
14	EE/ OFC/pole/202 2-23/2686/W-195/875	W0118	CHUNCHG AT TA	12.892908468 786137- 77.575209294 95739	2686	23/02/2022
15	EE/ OFC/pole/202 2-23/2686/W-195/876	W0087	CHUNCHG AT TA	12.892474446 908668- 77.575899648 83826	2686	23/02/2022
16	EE/ OFC/pole/202 2-23/2686/W-195/877	W0142, W008 1	CHUNCHG AT TA	12.892307112 971762- 77.575320117 85682	2686	23/02/2022

01	No of Poles	<b>16</b>
02	Ward No	<b>195</b>
03	Zone Name	<b>Bommanahalli Zone</b>

The locational details of poles are also given in the map enclosed with this permission letter.

**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

**Conditions for Regularization of Poles**

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.

10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do the same at its own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at its own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to poles and resultant losses, if any during performance of official duties by any employee of corporation.
13. **Any dispute** arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlined in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. If any dispute arise it will be settled as per the MOU.
14. Operational and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operational and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.

19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:

**22. Right-of-way (ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way (ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

**Copy to:-**

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Bommanahalli Zone**) for information.
4. Copy to Zonal Chief Engineer (**Bommanahalli Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Bangalore South Division**) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Anjanapura Sub Division**) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

केनरा बैंक  Canara Bank

जमा पत्री / DEPOSIT / PAY IN SLIP

शाखा/ Branch BCC Extension

दिनांक/ Date 25/10/2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

वचन / चालु खाता / जोडी / सीसी / आरडी / टीएल / डीएल खाता नं. / क्रेडिट कार्ड नं.

04010600000000000000

नाम/Name Commissioner B B MP

टेलिफोन / मोबाइल नं.  
Tel No./Mobile No.

राशि / Amount 73,718/- ₹ / P.

राशि शब्दों में  
Rupees in words Seventy Three thousand Seven hundred Eight only

चेक नं. / दिनांक तथा बैंक व शाखा/प्रीमियम Cheque No./Date / Name of Bank & Branch	₹	Paise	₹	Paise
<u>206708</u>	<u>73,718</u>	<u>00</u>		
<u>10/10/2022</u>				
<u>10/10/2022</u>				
कुल/Total	<u>73,718</u>			

अधिकारी / रोकड़ियो/  
एस डब्ल्यू ओ  
Officer/Cashier/SWO

कमल बैंक लिमिटेड का 24 घंटे कॉल सेंटर  
Canara Bank Toll Free No.  
1800 425 0018  
K. PALIKE

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1547 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1547

With reference to your Demand Note bearing Pole-OFC-10-2022-1547 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1020 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1547	16	73718	206708	13248	73718
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,


Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

*S DA*  
*22/10*





1547.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206708**

19/10/2022  
dated

---

PAYMENT REFERENCE

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1547 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1547

With reference to your Demand Note bearing Pole-OFC-10-2022-1547, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1020

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1547	16	73718	206708	13248	73718
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206708**

19/10/2022  
dated

**PAYMENT REFERENCE**

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCEH)

Valid Until: 18012023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 

D	9	D	M	0	M	2	Y	0	Y	2	Y	2	Y
---	---	---	---	---	---	---	---	---	---	---	---	---	---

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौगे जाने पर  
RUPEES **Seventy Three Thousand Seven Hundred Eighteen Only**

रुपये **₹ 73,718.00** अदा करें

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. **206708**

Client Reference **4200009020\_404**

For Axis Bank Ltd  
*[Signature]*  
5510:21004  
Authorised Signatory

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

Please sign above

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1547 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1547

With reference to your Demand Note bearing Pole-OFC-10-2022-1547 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1020

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1547	16	73718	206708	13248	73718
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE




Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

**206708**

19/10/2022  
dated

**PAYMENT REFERENCE**

 <b>AXIS BANK LTD</b> <small>IFS CODE - UTIB0000274</small>	ISSUING BRANCH	- Centralised Collection and Payment Hub (CCPH)	Valid Until: 18012023
	PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD		DATE दिनांक
ON DEMAND PAY		COMMISSIONER BBMP BANGALORE	OR ORDER / या उनके आदेश पर
मौंगे जाने पर		Seventy Three Thousand Seven Hundred Eighteen Only	
RUPEES रुपये		₹ 73,718.00	अदा करे
Payable at par at all Branches of AXIS Bank Ltd.			
DD Sr. No.	206708	Client Reference	4200009020_404
Under CMS Arrangement Centralised Collections & Payment Hub Mumbai.		For Axis Bank Ltd  55/10/24004 Authorised Signatory	
CODE NO.		 Authorised Signatory	

Please sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT  
Pole Form

Application No. :10-2022-1547

PR Number(To be Assigned by AE/JE-  
OFC, BBMP)

CE-POLE-10-2022-1547

General Information

Segment ID

RI-OFC/Pole/2022-23/Z-8/1545

Street ID

81811

Street Name

NA

Zone

Bommanahalli

Ward No.

195

Ward Name

Konanakunte

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5  
Rasta, Ambawadi, Ahmedabad, Gujarat,  
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

23/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,  
Vasanthanagar, Bangalore 560052

Purpose

ofc

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

16

No.Junction Box

16




**Status of My Application**

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	30/05/2022

Date : 19/10/2022

Time : 04:06:46

20221019040646





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -  
560002

No. : Pole-OFC-10-2022-1547

Date: 19/10/2022

**Demand Notice**  
**GST No.: 29AAALBI608FIZK**

**To**

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

**Sub:-** Permission for Poles(Regularization)**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-1547, dated : 23/05/2022


Details of Poles added on BBMP GIS Map

(Pole Id:-RI-OFC/Pole/2022-23/Z-8/1545)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/2686/W- 195/864	W0077	CHUNCHGAT TA	12.893255337 028732- 77.574964540 43387	2686	23/02/2022
2	EE/ OFC/pole/202 2-23/2686/W- 195/865	W0118,W008 5	CHUNCHGAT TA	12.892910211 737991- 77.575527973 33248	2686	23/02/2022
3	EE/ OFC/pole/202 2-23/2686/W- 195/866	W0118,W007 7	CHUNCHGAT TA	12.892899753 38842- 77.574905514 13018	2686	23/02/2022
4	EE/ OFC/pole/202 2-23/2686/W- 195/867	W0100,W005 5	CHUNCHGAT TA	12.893178642 613996- 77.573104502 14976	2686	23/02/2022
5	EE/ OFC/pole/202 2-23/2686/W- 195/868	W0120,W006 9	CHUNCHGAT TA	12.892896267 324986- 77.574118681 36727	2686	23/02/2022



6	EE/ OFC/pole/202 2-23/2686/W-- 1/176	RI- S168,W0100	CHUNCHGAT TA	12.892843975 56984- 77.572025930 60096	2686	23/02/2022
7	EE/ OFC/pole/202 2-23/2686/W-- 1/177	RI-S168	CHUNCHGAT TA	12.892373349 28197- 77.572079590 87701	2686	23/02/2022
8	EE/ OFC/pole/202 2-23/2686/W- 195/869	W0126,W007 7	CHUNCHGAT TA	12.892561599 903297- 77.574805532 90084	2686	23/02/2022
9	EE/ OFC/pole/202 2-23/2686/W- 195/870	W0126,W008 5	CHUNCHGAT TA	12.892592974 993091- 77.575588972 93133	2686	23/02/2022
10	EE/ OFC/pole/202 2-23/2686/W- 195/871	W0087	CHUNCHGAT TA	12.893074059 210763- 77.575825078 14598	2686	23/02/2022
11	EE/ OFC/pole/202 2-23/2686/W- 195/872	W0087	CHUNCHGAT TA	12.893523767 534623- 77.575889126 02795	2686	23/02/2022
12	EE/ OFC/pole/202 2-23/2686/W- 195/873	W0083	CHUNCHGAT TA	12.893447073 202136- 77.575423936 0616	2686	23/02/2022
13	EE/ OFC/pole/202 2-23/2686/W- 195/874	W0126,W008 1	CHUNCHGAT TA	12.892579030 562414- 77.575332713 5923	2686	23/02/2022
14	EE/ OFC/pole/202 2-23/2686/W- 195/875	W0118	CHUNCHGAT TA	12.892908468 786137- 77.575209294 95739	2686	23/02/2022
15	EE/ OFC/pole/202 2-23/2686/W- 195/876	W0087	CHUNCHGAT TA	12.892474446 908668- 77.575899648 83826	2686	23/02/2022
16	EE/ OFC/pole/202 2-23/2686/W- 195/877	W0142,W008 1	CHUNCHGAT TA	12.892307112 971762- 77.575320117 85682	2686	23/02/2022



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

**Total No.of Poles 16**

Pole Charges @ Rs 1500/- Pole	24,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	118.24
Junction Box Charges @ Rs 3000/- Pole	48,000	Total (C)	118.24
Supervision Charge @ Rs 100/- Pole	1,600		
Sub Total (A)	73,600	GST @ 18% (B)	13,248
Grand Total (A + B + C)	86,966.24		

**Total Amount Payable Rs: 86,966 In words (Rupees Eighty-Six Thousand Nine Hundred and Sixty-Six Only)**

**Note:**The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)  
Bruhat Bangalore Mahanagara Palike

**Copy to**

No.: 10-2022-1547

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

# BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

BABU.VEERABHADRE@RIL.COM

## Pole Details



*S. Yash*  
 ASSISTANT EXECUTIVE ENGINEER  
 OFC CELL  
 BANGALURU MAHANAGARA PALIKE  
 BANGALURU

EXECUTIVE ENGINEER  
 BANGALURU MAHANAGARA PALIKE  
 BANGALURU