



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1577/2022-23

Date: 31-10-2022

341

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 23-05-2022
 - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 4) Fee Demand Note letter No: 10-2022-1577, Date: 19-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 25-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from Cambridge Road via 2nd Main Road, Artillery Road up to junction of Street ID No-W0256.	22 Poles
02	From Cambridge Road via Street ID No-W0186 up to Artillery Road.	
03	From Cambridge Road via Street ID No-W0188 up to W0190.	
04	From Cambridge Road via W0190, W0196 up to End.	
05	From the junction of Street ID No-W0190 via w0196 up to End.	
06	From Artillery Road via Street ID No-W0236 up to end.	
07	From Artillery Road via Street ID No-W0238 up to end.	
08	From Artillery Road via Street ID No-W0240 up to end.	
09	From Artillery Road via Street ID No-W0254	
10	From Cambridge Road via W0246, W0199, 1st Cross W0250, W0203 up to W0246.	
11	From Street ID No-W0203 via W0248 up to W0199.	
12	From Cambridge Road via W0246, W0199, 1st Cross, W0250, W0203 up to W0246.	
13	From Street ID No-W0246 via W0201 up to W0244.	
14	From Street ID No-W0246 via W0201 up to W0197 up to end, for total No of 22 Poles in Ward No-114, East Zone	
Ref: As per drawing enclosed & demand note GIS co-ordinates		

No: EE/OFC/PR/1577/2022-23, Dt: 31-10-2022

Executive Engineer (OFC), BBMP

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. Railways: The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. Electrical Lines: The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. Right-of-way(ROW) for Electrical lines.-

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)


24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (East Zone) for information.
4. Copy to Zonal Chief Engineer (East Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Hebbal** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**J.C Nagar** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

केनरा बैंक  Canara Bank ¹⁵⁷⁷ जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा / Branch BCC Extension

दिनांक / Date 25102022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

वचन / चालू खाता / ओडी / सीडी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

240113200010

नाम / Name Commissioner BBMP

टेलिफोन / मोबाइल नं
Tel No. / Mobile No. _____

राशि / Amount ₹ 1,01,363 [₹] ^{₹/₹} 00/-

राशि शब्दों में
Rupees in words One lakh one thousand three hundred sixty three only

चेक नं. / दिनांक तथा बैंक व शाखा का नाम Cheque No./Date/Name of Bank & Branch	<u>206613</u>	<u>DT 19/10/22</u>	<u>1</u>	<u>01</u>	<u>363</u>	<u>00/-</u>
<u>25 OCT 2022</u>						
<u>EXECUTIVE ENGINEER</u>						
<u>OFFICE</u>						
<u>AT BANGALURU MAHANAGARA PALIKE</u>						
<u>BANGALURU</u>						

अधिकारी / रोकड़ें OFFICE बैंक टेलीफोन की 24 घंटे कॉल मंटर

Canara Bank Toll Free No. 1800 425 0018
OFFICER / Cashier / OFFICE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1577 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1577

With reference to your Demand Note bearing Pole-OFC-10-2022-1577, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1303.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1577	22	101363	206613	18216	101363
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



1577.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206613

19/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1577 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1577

With reference to your Demand Note bearing Pole-OFC-10-2022-1577, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on—BGLR1303

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1577	22	101363	206613	18216	101363
			Dated		
			19-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206613

19/10/2022
dated

PAYMENT REFERENCE

DATE 10 19 20 22
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मांगे जाने पर
RUPEES One Lac One Thousand Three Hundred Sixty Three Only
रुपये

₹ 101,363.00
अदा करें

Payable at par at all Branches of AXIS Bank Ltd .

DD Sr. No. 206613

Client Reference 4200009020_309

For Axis Bank Ltd
Authorized Signatory

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Rudresha B
cc No. 251

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1577 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1577

With reference to your Demand Note bearing Pole-OFC-10-2022-1577, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1303.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1577	22	101363	206613	18216	101363
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

1577.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

206613

19/10/2022
dated

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH) Valid Until: 18/01/2023

DATE 19 10 2022
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौजे जाने पर
RUPEES One Lac One Thousand Three Hundred Sixty Three Only

रुपये

₹ 101,363.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206613

Client Reference 4200009020-309

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

[Signature]
SSM/24004
Authorised Signatory

[Signature]
Authorised Signatory

Redresha B
e-sign approve
CC No. 261



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-1577

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-1577

General Information

Segment ID

OFC/Pole/2022-23/W0257/1567

Street ID

38115

Street Name

NA

Zone

East

Ward No.

33

Ward Name

Manorayanapalya

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

23/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

☐ Pole

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

22

No.Junction Box

22




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	28/05/2022

Date : 18/10/2022

20221018010122





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1577

Date: 19/10/2022


Demand Notice
GST No.: 29AAALBI608FIZK

To

Shri Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

**Sub:-** Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-1577, dated : 23/05/2022


Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0257/1567)

Sr No.	Unique Poleld.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/3124/W- 33/37	W0255	P&T Colony	13.024173793 822026- 77.593257376 63028	3124	26/07/2021
2	EE/ OFC/pole/202 2-23/3124/W- 33/38	W0255	P&T Colony	13.023899406 686041- 77.593225194 77773	3124	26/07/2021
3	EE/ OFC/pole/202 2-23/3124/W- 33/39	W0255	P&T Colony	13.023546622 619373- 77.593135075 56031	3124	26/07/2021
4	EE/ OFC/pole/202 2-23/3124/W- 33/40	W0255	P&T Colony	13.022867185 530691- 77.592921070 45513	3124	26/07/2021
5	EE/ OFC/pole/202 2-23/3124/W- 33/41	W0255	P&T Colony	13.022743318 738103- 77.592924288 19903	3124	26/07/2021

6	EE/ OFC/pole/202 2-23/3124/W- 33/42	W0257	P&T Colony	13.022385829 405618- 77.593243964 09387	3124	26/07/2021
7	EE/ OFC/pole/202 2-23/3124/W- 33/43	W0257	P&T Colony	13.022688963 695217- 77.593340509 65154	3124	26/07/2021
8	EE/ OFC/pole/202 2-23/3124/W- 33/44	W0257,W022 2	P&T Colony	13.022967010 667013- 77.593425259 0193	3124	26/07/2021
9	EE/ OFC/pole/202 2-23/3124/W- 33/45	W0257,W021 8	P&T Colony	13.023430595 858146- 77.593528804 24886	3124	26/07/2021
10	EE/ OFC/pole/202 2-23/3124/W- 33/46	W0259,W021 8	P&T Colony	13.023326589 82318- 77.593973456 66342	3124	26/07/2021
11	EE/ OFC/pole/202 2-23/3124/W- 33/47	W0259	P&T Colony	13.023911949 992943- 77.594148862 72333	3124	26/07/2021
12	EE/ OFC/pole/202 2-23/3124/W- 33/48	W0259,W022 2	P&T Colony	13.022829555 050588- 77.593840456 57048	3124	26/07/2021
13	EE/ OFC/pole/202 2-23/3124/W- 33/49	W0259	P&T Colony	13.022487222 52867- 77.593754638 29699	3124	26/07/2021
14	EE/ OFC/pole/202 2-23/3124/W- 33/50	W0259,W022 4	P&T Colony	13.022028339 318032- 77.593610898 17742	3124	26/07/2021
15	EE/ OFC/pole/202 2-23/3124/W- 33/51	W0257	P&T Colony	13.023912472 946398- 77.593691379 96663	3124	26/07/2021
16	EE/ OFC/pole/202 2-23/3124/W- 33/52	W0226,W029 7	Park	13.021632696 0515- 77.593491268 1686	3124	26/07/2021
17	EE/ OFC/pole/202 2-23/3124/W- 33/53	W0295	Park	13.021583044 559144- 77.593008540 38027	3124	26/07/2021
18	EE/ OFC/pole/202 2-23/3124/W- 33/54	W0295	Temple	13.021259002 996281- 77.592917361 40473	3124	26/07/2021
19	EE/ OFC/pole/202 2-23/3124/W- 33/55	W0295	Temple	13.020753602 017214- 77.592772543 06825	3124	26/07/2021
20	EE/ OFC/pole/202 2-23/3124/W- 33/56	W0297	BDA rd	13.020636005 944063- 77.593186620 33812	3124	26/07/2021
21	EE/ OFC/pole/202 2-23/3124/W- 33/57	W0297	Park	13.021020152 909713- 77.593307302 28524	3124	26/07/2021


22	EE/ OFC/pole/202 2-23/3124/W- 33/58	W0297	Park	13.021344194 78498- 77.593401166 02183	3124	26/07/2021
----	--	-------	------	---	------	------------



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No. of Poles 22

Pole Charges @ Rs 1500/- Pole	33,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	162.58
Junction Box Charges @ Rs 3000/- Pole	66,000	Total (C)	162.58
Supervision Charge @ Rs 100/- Pole	2,200		
Sub Total (A)	1,01,200	GST @ 18% (B)	18,216
Grand Total (A + B + C)	1,19,578.58		



Total Amount Payable Rs: 1,19,579 In words (Rupees One Lakh Nineteen Thousand Five Hundred and eventy-Nine Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Copy to

No.: 10-2022-1577

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



OFC/Pole/2022-23/W0153/1587 10-2022-1594 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

Pole Details

OFC/Pole/2022-23/W0157/1557 10-2022-1562 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

S. J. J.
 ASSISTANT EXECUTIVE ENGINEER
 OFC CELL
 BRUHAT BENGALURU MAHANAGARA PALIKE

W. K. K.
 EXECUTIVE ENGINEER
 OFC CELL
 BRUHAT BENGALURU MAHANAGARA PALIKE
 BENGALURU