



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rd Floor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1600/2022-23

Date: 31-10-2022

Permission for Regularization for Poles

To,

M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 23-05-2022
 - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 4) Fee Demand Note letter No: 10-2022-1600, Date: 19-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 25-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from Street ID No-W0277 via 3rd Main Road, W0271, 1st Main, W0277 up to Road end.	26 Poles
02	From Street ID No-W0271 via 3rd Main, W0265, 1st Main up to W0271.	
03	From Street ID No-W0252 via Anand Nagar Road up to 5th Main.	
04	From Street ID No-W0287 via W0224, W0279, 1st Main, 5th Main, Anand Nagar Road, Street ID No-W0210 up to Road end for total No of 26 Poles in Ward No-21, East Zone Ref: As per drawing enclosed & demand note GIS co-ordinates	

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/1600/2022-23, Dt: 31-10-2022

Executive Engineer (OFC), BBMP

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.

13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.


25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**East Zone**) for information.
4. Copy to Zonal Chief Engineer (**East Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Hebbal** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Hebbal** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

1600

केनरा बैंक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा / Branch BCC Extension

दिनांक / Date

2	5	1	0	2	0	2	2
---	---	---	---	---	---	---	---

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

वचत / चालू खाता / श्रेडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

8	4	0	1	1	3	2	0	0	0	0	1	0		
---	---	---	---	---	---	---	---	---	---	---	---	---	--	--

नाम / Name Commissioner BBMP

टेलिफोन / मोबाइल नं

Tel No. / Mobile No. _____

राशि / Amount

1	19	792	00
---	----	-----	----

राशि शब्दों में One lakh nineteen

Rupees in words thousand Seven hundred ninety two.

चेक नं. / दिनांक तथा बैंक व शाखा की संज्ञा Cheque No./Date Name of Bank & Branch	₹	₹/P.
206597 07.07.22	1,19,792	00/-

EXECUTED FOR THE BANK

अधिकारी / रोकडियर SWR

Canara Bank Toll Free No.

1800 425 0018

Officer / Cashier SWR

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1600 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1600

With reference to your Demand Note bearing Pole-OFC-10-2022-1600 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1304 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1600	26	119792	206597	21528	119792
			Dated		
			19-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



1600.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206597

19/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1600 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1600

With reference to your Demand Note bearing Pole-OFC-10-2022-1600 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1304 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1600	26	119792	206597	21528	119792
			Dated		
			19-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206597**
as per details mentioned below.

19/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 18012023

DATE 1 09 10 2022
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर
RUPEES One Lac Nineteen Thousand Seven Hundred Ninety Two Only
रुपये

₹ 119,792.00
अदा करें

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206597

Client Reference 4200009020_293

For Axis Bank Ltd
[Signature]
Authorised Signatory

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Rudresha B
CC These 520 above

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1600 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1600

With reference to your Demand Note bearing Pole-OFC-10-2022-1600 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1304

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1600	26	119792	206597	21528	119792
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206597**
as per details mentioned below.

19/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH) Valid Until: 18012023

DATE 1 D⁹ D¹ M⁰ M² Y⁰ Y² Y² Y

Payee
Negotiable

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मांगे जाने पर

RUPEES One Lac Nineteen Thousand Seven Hundred Ninety Two Only

रुपये

₹ 119,792.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206597

Client Reference: 4200009020_293

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

[Signature]
554624004
Authorised Signatory

[Signature]
Authorised Signatory

Rudresha B
CC Please sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-1600

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-1600

General Information

Segment ID

OFC/Pole/2022-23/W0277/1590

Street ID

39103

Street Name

NA

Zone

East

Ward No.

21

Ward Name

Hebbal

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

23/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

Pole

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

26

No.Junction Box

26




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	28/05/2022

Date : 18/10/2022

20221018010525





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1600

Date: 19/10/2022

Demand Notice


GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0



Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-1600, dated : 23/05/2022


Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0277/1590)


Sr No.	Unique Poleld.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/2172/W- 21/1	W0210	ATRIA COLLEGE	13.032726680 55637- 77.590951328 41497	2172	28/12/2021
2	EE/ OFC/pole/202 2-23/2172/W- 21/2	W0210	Atria College	13.032815526 590154- 77.590575873 46851	2172	28/12/2021
3	EE/ OFC/pole/202 2-23/2172/W- 21/3	W0265,W021 0	Atria College	13.032904372 592055- 77.590195054 87993	2172	28/12/2021
4	EE/ OFC/pole/202 2-23/2172/W- 21/4	W0265,W021 6	Atria College	13.031989257 293013- 77.590006766 57197	2172	28/12/2021
5	EE/ OFC/pole/202 2-23/2172/W- 21/5	W0216	Atria College	13.031942221 00444- 77.590309812 35023	2172	28/12/2021

6	EE/ OFC/pole/202 2-23/2172/W- 21/6	W0216	Atria College	13.031897797 834812- 77.590586039 918	2172	28/12/2021
7	EE/ OFC/pole/202 2-23/2172/W- 21/7	W0269	Atria College	13.031806338 342822- 77.590800585 6017	2172	28/12/2021
8	EE/ OFC/pole/202 2-23/2172/W- 21/8	W0271,W021 8	Atria College	13.031775503 29316- 77.591159422 84653	2172	28/12/2021
9	EE/ OFC/pole/202 2-23/2172/W- 21/9	W0218,W022 4	Anand Nagar	13.031728466 96398- 77.591411514 02491	2172	28/12/2021
10	EE/ OFC/pole/202 2-23/2172/W- 21/10	W0265,W022 6	Anand Nagar	13.031723240 664759- 77.589936391 40324	2172	28/12/2021
11	EE/ OFC/pole/202 2-23/2172/W- 21/11	W0252	Anand Nagar	13.030083234 895656- 77.589748647 0231	2172	28/12/2021
12	EE/ OFC/pole/202 2-23/2172/W- 21/12	I0260	Anand Nagar	13.029728891 891141- 77.589757233 06473	2172	28/12/2021
13	EE/ OFC/pole/202 2-23/2172/W- 21/13	I0260	Anand Nagar	13.029690217 288879- 77.590212089 09193	2172	28/12/2021
14	EE/ OFC/pole/202 2-23/2172/W- 21/14	I0260,W0275	Anand Nagar Temple	13.029522975 558061- 77.592388694 4052	2172	28/12/2021
15	EE/ OFC/pole/202 2-23/2172/W- 21/15	I0260	Anand Nagar	13.029556946 623519- 77.591914670 60096	2172	28/12/2021
16	EE/ OFC/pole/202 2-23/2172/W- 21/16	W0277,W025 2	Anand Nagar	13.029988639 003555- 77.593411199 84659	2172	28/12/2021
17	EE/ OFC/pole/202 2-23/2172/W- 21/17	W0277	Anand Nagar	13.029554856 053604- 77.593282472 43639	2172	28/12/2021
18	EE/ OFC/pole/202 2-23/2172/W- 21/18	W0277,W024 8	Anand Nagar	13.030364931 871791- 77.593215978 35182	2172	28/12/2021
19	EE/ OFC/pole/202 2-23/2172/W- 21/19	W0277,W024 2	Anand Nagar	13.030708821 324831- 77.593038993 68152	2172	28/12/2021
20	EE/ OFC/pole/202 2-23/2172/W- 21/20	W0277,W023 2,W0234	Anand Nagar	13.031053755 698439- 77.592915096 93057	2172	28/12/2021
21	EE/ OFC/pole/202 2-23/2172/W- 21/21	W0252	Anand Nagar	13.029979231 495092- 77.593144681 70548	2172	28/12/2021

22	EE/ OFC/pole/202 2-23/2172/W- 21/22	W0252,W027 5	Anand Nagar	13.029929581 676- 77.592455453 69657	2172	28/12/2021
23	EE/ OFC/pole/202 2-23/2172/W- 21/23	W0252	Anand Nagar	13.029953100 012602- 77.591919089 48732	2172	28/12/2021
24	EE/ OFC/pole/202 2-23/2172/W- 21/24	W0252	Anand Nagar	13.029970869 468844- 77.591375682 07191	2172	28/12/2021
25	EE/ OFC/pole/202 2-23/2172/W- 21/25	W0271,W025 2	Anand Nagar	13.030003272 488452- 77.590865503 89308	2172	28/12/2021
26	EE/ OFC/pole/202 2-23/2172/W- 21/26	W0252	Anand Nagar	13.030032017 312577- 77.590448673 62054	2172	28/12/2021



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.



Total No. of Poles 26

Pole Charges @ Rs 1500/- Pole	39,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	192.14
Junction Box Charges @ Rs 3000/- Pole	78,000	Total (C)	192.14
Supervision Charge @ Rs 100/- Pole	2,600		
Sub Total (A)	1,19,600	GST @ 18% (B)	21,528
Grand Total (A + B + C)	1,41,320.14		

Total Amount Payable Rs: 1,41,320 In words (Rupees One Lakh Forty-One Thousand Three Hundred and Twenty Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through

RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-1600

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

BABU.VEERABHADRE@RIL.COM

OFC/Pole/2022-23/W0640/1619 10-2022-1619 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

Pole Details



OFC/Pole/2022-23/W0208/1584 10-2022-1586 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

ASSISTANT EXECUTIVE ENGINEER
OFC CELL
BRUHAT BENGALURU MAHANAGARA PALIKE
BENGALURU

EXECUTIVE ENGINEER
OFC CELL
BRUHAT BENGALURU MAHANAGARA PALIKE
BENGALURU