



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1602/2022-23

Date: 21-10-2022

236
Permission for Regularization for Poles

To,

M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 23-05-2022
 - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 4) Fee Demand Note letter No: 10-2022-1602, Date: 19-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 21-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 7th Main via 1st Cross, 1th Main Road up to 1st Main.	45 Poles
02	From 7th Main via 2nd Cross up to 11th Main.	
03	From 7th Main via 3rd Cross up to 11th Main.	
04	From 7th Main via 4th Cross up to 11th Main.	
05	From 7th Main via 5th Cross, 10th Main up to 11th Cross.	
06	From 1st Main via 12th Main	
07	From 7th Cross via 12th Main for total No of 45 Poles in Ward No-112, East Zone Ref: As per drawing enclosed & demand note GIS co-ordinates	

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/1602/2022-23, Dt: 21-10-2022


Executive Engineer (OFC), BBMP

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.

13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**East Zone**) for information.
4. Copy to Zonal Chief Engineer (**East Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Shanthi Nagar** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Domlur** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

10-2022-1602

केनरा बैंक Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा/ Branch BCC Extension

दिनांक/ Date 21 10 20 22

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

8401132000000000

नाम/Name Commissioner BBMP

टेलिफोन / मोबाइल नं

Tel No./Mobile No.

राशि /Amount 2,07,333.00/- ₹ पै/P.

राशि शब्दों में Rupees in words Two lakh seven thous.

Three hundred thirty three only

चेक नं. / दिनांक तथा बैंक शाखा का नाम Cheque No./Date/Name of Bank & Branch	केनरा बैंक CANARA BANK & ब्रंच, एंग्लो-2	पै/P.
<u>206656 dt. 19/10/22</u>	<u>2,07,333.00/-</u>	
	<u>25 OCT 2022</u>	

EXESUTIVE कल/Total 2,07,333.00

अधिकारी / राकड़िया Officer/Cashier/SWO

Canara Bank Toll Free No. 1800 425 0018

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1602 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1602

With reference to your Demand Note bearing Pole-OFC-10-2022-1602 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1263 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1602	45	207333	206656	37260	207333
			Dated		
			19-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



1602

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206656

19/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1602 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note:- Pole-OFC-10-2022-1602

With reference to your Demand Note bearing Pole-OFC-10-2022-1602, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1263


Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1602	45	207333	206656	37260	207333
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,
Yours faithfully,
for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206656**
as per details mentioned below.

19/10/2022
dated

PAYMENT REFERENCE

DATE 19 10 2022
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मांगे जाने पर

RUPEES Two Lacs Seven Thousand Three Hundred Thirty Three Only

रुपये

₹ 207,333.00
अदा करें

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206656

Client Reference 4200009020_352

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

[Signature]
5510124004
Authorised Signatory

[Signature]
Authorised Signatory

Rudresha B
Please sign above

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1602 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1602

With reference to your Demand Note bearing Pole-OFC-10-2022-1602 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1263

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1602	45	207333	206656	37260	207333
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

1602

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

206656

dated 19/10/2022

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 18012023

DATE 19 10 2022
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या वनके आदेश पर

मौगे जाने पर
RUPEES Two Lacs Seven Thousand Three Hundred Thirty Three Only

रुपये

अदा करे

₹ 207,333.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206656

Client Reference 4200009020_352

For Axis Bank Ltd
Authorised Signatory
Rudresha B

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO:

cc Please see above

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206656**
as per details mentioned below.

19/10/2022
dated

PAYMENT REFERENCE

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 19 10 2022
दिनांक

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या वनके आदेश पर

मांगे जाने पर

RUPEES Two Lacs Seven Thousand Three Hundred Thirty Three Only

रुपये

₹ 207,333.00
अदा करें

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206656

Client Reference 4200009020_352

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

[Signature]
5548124004
Authorised Signatory

[Signature]
Authorised Signatory

Rudresha B
cc Please see above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-1602

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-1602

General Information

Segment ID

OFC/Pole/2022-23/W0077/1590

Street ID

43047

Street Name

NA

Zone

East

Ward No.

112

Ward Name

Domlur

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

23/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

POLE

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

45

No.Junction Box


45



Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	27/05/2022

Date : 18/10/2022



20221018011016



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1602

Date: 19/10/2022

Demand Notice


GST No.: 29AAALBI608FIZK

To

Shabu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0



Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-1602, dated : 23/05/2022

Details of Poles added on BBMP GIS Map


(Pole Id:-OFC/Pole/2022-23/W0077/1590)

Sr No.	Unique Poleld.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/6653/W- 112/233	W0042	Pavis consultant	12.970413729 146689- 77.636218070 9839	6653	28/04/2022
2	EE/ OFC/pole/202 2-23/6653/W- 112/234	W0042	11th main	12.970445094 449369- 77.636786699 29506	6653	28/04/2022
3	EE/ OFC/pole/202 2-23/6653/W- 112/235	W0042	yello buildng	12.970466004 648946- 77.637323141 09802	6653	28/04/2022
4	EE/ OFC/pole/202 2-23/6653/W- 112/236	W0040	esi compound	12.970894663 353157- 77.637430429 45863	6653	28/04/2022
5	EE/ OFC/pole/202 2-23/6653/W- 112/237	W0040	next esi	12.970643741 27448- 77.637441158 29469	6653	28/04/2022

6	EE/ OFC/pole/202 2-23/6653/W- 112/238	W0040	park	12.970946938 754347- 77.637827396 39284	6653	28/04/2022
7	EE/ OFC/pole/202 2-23/6653/W- 112/239	W0040	next park	12.970988759 067398- 77.638299465 17946	6653	28/04/2022
8	EE/ OFC/pole/202 2-23/6653/W- 112/240	W0040	next to park	12.970999214 144571- 77.638621330 26124	6653	28/04/2022
9	EE/ OFC/pole/202 2-23/6653/W- 112/241	W0042	house	12.970476459 748092- 77.637612819 67165	6653	28/04/2022
10	EE/ OFC/pole/202 2-23/6653/W- 112/242	W0042	green house	12.970497369 945035- 77.638213634 49098	6653	28/04/2022
11	EE/ OFC/pole/202 2-23/6653/W- 112/243	W0069,W004 2	pole	12.970518280 140237- 77.638739347 4579	6653	28/04/2022
12	EE/ OFC/pole/202 2-23/6653/W- 112/244	W0069	esi compound	12.971354686 506665- 77.638728618 62184	6653	28/04/2022
13	EE/ OFC/pole/202 2-23/6653/W- 112/245	W0069	esi	12.972002899 506203- 77.638674974 44153	6653	28/04/2022
14	EE/ OFC/pole/202 2-23/6653/W- 112/246	W0069	pole	12.972462920 610099- 77.638642787 93336	6653	28/04/2022
15	EE/ OFC/pole/202 2-23/6653/W- 112/247	W0071	pole	12.972473375 625304- 77.639093399 04787	6653	28/04/2022
16	EE/ OFC/pole/202 2-23/6653/W- 112/248	W0071	house	12.972138814 920907- 77.639125585 55604	6653	28/04/2022
17	EE/ OFC/pole/202 2-23/6653/W- 112/249	W0071	pole	12.971751978 545493- 77.639168500 90028	6653	28/04/2022
18	EE/ OFC/pole/202 2-23/6653/W- 112/250	W0071	pole	12.971302411 191145- 77.639189958 5724	6653	28/04/2022
19	EE/ OFC/pole/202 2-23/6653/W- 112/251	W0071	pole	12.970852843 02428- 77.639189958 5724	6653	28/04/2022
20	EE/ OFC/pole/202 2-23/6653/W- 112/252	W0042	house	12.970570555 620533- 77.639297246 933	6653	28/04/2022
21	EE/ OFC/pole/202 2-23/6653/W- 112/253	I0002,W0069	polw	12.970047800 323258- 77.638782262 80214	6653	28/04/2022

22	EE/ OFC/pole/202 2-23/6653/W- 112/254	I0002	pole	12.970005979 852019- 77.638235092 1631	6653	28/04/2022
23	EE/ OFC/pole/202 2-23/6653/W- 112/255	I0002,W0061, W0063	pole	12.969985069 613754- 77.637591361 99953	6653	28/04/2022
24	EE/ OFC/pole/202 2-23/6653/W- 112/256	I0002	pole	12.969890973 519856- 77.637215852 73744	6653	28/04/2022
25	EE/ OFC/pole/202 2-23/6653/W- 112/257	I0002	nect esi	12.969880518 396117- 77.636207342 14784	6653	28/04/2022
26	EE/ OFC/pole/202 2-23/6653/W- 112/258	I0002	6676	12.969901428 643148- 77.636690139 77052	6653	28/04/2022
27	EE/ OFC/pole/202 2-23/6653/W- 112/259	I0002	pole	12.970089620 78746- 77.639307975 76906	6653	28/04/2022
28	EE/ OFC/pole/202 2-23/6653/W- 112/260	I0002,W0083	pole	12.970120986 131002- 77.640595436 0962	6653	28/04/2022
29	EE/ OFC/pole/202 2-23/6653/W- 112/261	I0002	pole	12.970100075 902419- 77.640134096 14564	6653	28/04/2022
30	EE/ OFC/pole/202 2-23/6653/W- 112/262	I0002	pole	12.970105303 459727- 77.639704942 70326	6653	28/04/2022
31	EE/ OFC/pole/202 2-23/6653/W- 112/263	W0073	pole	12.970659423 911826- 77.639672756 19508	6653	28/04/2022
32	EE/ OFC/pole/202 2-23/6653/W- 112/264	W0042,W007 5	pole	12.970659423 911826- 77.640139460 56367	6653	28/04/2022
33	EE/ OFC/pole/202 2-23/6653/W- 112/265	W0042,W008 3	pole	12.970685561 63851- 77.640547156 33394	6653	28/04/2022
34	EE/ OFC/pole/202 2-23/6653/W- 112/266	W0042	pole	12.971182177 92379- 77.640531063 07985	6653	28/04/2022
35	EE/ OFC/pole/202 2-23/6653/W- 112/267	W0073	pole	12.971223998 197287- 77.639672756 19508	6653	28/04/2022
36	EE/ OFC/pole/202 2-23/6653/W- 112/268	W0073	pole	12.971736295 977038- 77.639645934 10493	6653	28/04/2022
37	EE/ OFC/pole/202 2-23/6653/W- 112/269	W0073	polr	12.972410645 52751- 77.639592289 92464	6653	28/04/2022

38	EE/ OFC/pole/202 2-23/6653/W- 112/270	W0075	pole	12.972504740 66826- 77.640075087 54732	6653	28/04/2022
39	EE/ OFC/pole/202 2-23/6653/W- 112/271	W0075	pole	12.971176950 389102- 77.640134096 14564	6653	28/04/2022
40	EE/ OFC/pole/202 2-23/6653/W- 112/272	W0075	pole	12.971678793 217592- 77.640112638 47351	6653	28/04/2022
41	EE/ OFC/pole/202 2-23/6653/W- 112/273	W0075	pole	12.972175407 519874- 77.640080451 96533	6653	28/04/2022
42	EE/ OFC/pole/202 2-23/6653/W- 112/274	W0042	pole	12.972530878 201043- 77.640477418 89955	6653	28/04/2022
43	EE/ OFC/pole/202 2-23/6653/W- 112/275	W0042	POLE	12.972180635 033569- 77.640509605 40773	6653	28/04/2022
44	EE/ OFC/pole/202 2-23/6653/W- 112/276	W0042	POLE	12.971799026 244904- 77.640547156 33394	6653	28/04/2022
45	EE/ OFC/pole/202 2-23/6653/W- 112/277	I0002	POLE	12.970199399 472559- 77.641115784 6451	6653	28/04/2022



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No. of Poles 45

Pole Charges @ Rs 1500/- Pole	67,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	332.55
Junction Box Charges @ Rs 3000/- Pole	1,35,000	Total (C)	332.55


Supervision Charge @ Rs 100/- Pole	4,500		
Sub Total (A)	2,07,000	GST @ 18% (B)	37,260
Grand Total (A + B + C)	2,44,592.55		

Total Amount Payable Rs: 2,44,593 In words (Rupees Two Lakh Forty-Four Thousand Five Hundred and Ninety-Three Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

No.: 10-2022-1602

OFC/Pole/2022-23/W0038/1617 10-2022-1626 Pending ceofc01(ceofc01) Pole Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)



OFC/Pole/2022-23/W0058/1578 10-2022-1588 Pending ceofc01(ceofc01) Pole Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

S. N. J.
 EXECUTIVE ENGINEER
 OFC CELL
 SRUJHAT BENGALURU MAHANAGARA PALIKE
 BENGALURU