



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell ), 3<sup>rd</sup>Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1630/2022-23

Date: 18-11-2022

**557**  
**Permission for Regularization of Poles**  
**(already installed)**

To,  
M/s. Jio Digital Fibre Private Limited ,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for Regularization of poles (already installed).

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
  - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 23-05-2022
  - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
  - 4) Fee Demand Note letter No: 10-2022-1630, Date: 19-10-2022.
  - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 27-10-2022.

\*\_\*\_\*\_\*

With reference to your application for the regularization of poles already installed, we have pleasure to inform you that permission has been accorded for regularization of the poles installed details of which are as mentioned below.

SL No.	UniquePoleId.	Street Id	Landmark or address	Coordinates	Permissi onLetter No.	Permission Letter Date
01	EE/ OFC/pole/202 2-23/8216/W-130/824	W1242	12.92645,77.4 8227	12.926252692 762848-77.482388019 56178	8216	19/03/2019
02	EE/ OFC/pole/202 2-23/8216/W-130/825	W1248, W160 1	12.92614,77.4 8264	12.925980811 798459-77.482540905 47563	8216	19/03/2019
03	EE/ OFC/pole/202 2-23/8216/W-130/826	W1248	12.92623,77.4 8233	12.926074924 473491-77.482251226 90201	8216	19/03/2019
04	EE/ OFC/pole/202 2-23/8216/W-130/827	W1250	12.92594,77.4 8226	12.925810886 045355-77.482157349 58649	8216	19/03/2019

No: EE/OFC/PR/1630/2022-23, Dt: 18-11-2022

  
Executive Engineer (OFC), BBMP

05	EE/ OFC/pole/202 2-23/8216/W-130/828	W1254, W173 5, W160 1	12.92559,77.4 8246	12.925463191 451628-77.482345104 21753	8216	19/03/2019
06	EE/ OFC/pole/202 2-23/8216/W-130/829	W1258	12.92540,77.4 8217	12.925267122 858184-77.481972277 16447	8216	19/03/2019
07	EE/ OFC/pole/202 2-23/8216/W-130/830	W1266, W173 5	12.92480,77.4 8216	12.924647545 090815-77.482044696 80788	8216	19/03/2019
08	EE/ OFC/pole/202 2-23/8216/W-130/831	W1240	12.92559-77.48540	12.925593903 761714-77.485402822 49452	8216	19/03/2019
09	EE/ OFC/pole/202 2-23/8216/W-130/832	W1238	12.92602-77.48555	12.926027868 140416-77.485558390 61738	8216	19/03/2019
10	EE/ OFC/pole/202 2-23/8216/W-130/833	W1234	12.92639-77.48569	12.926393861 608354-77.485697865 48616	8216	19/03/2019
11	EE/ OFC/pole/202 2-23/8216/W-130/834	W1228	12.92718-77.48599	12.927185974 205145-77.485992908 4778	8216	19/03/2019
12	EE/ OFC/pole/202 2-23/8216/W-130/835	W1140	12.92779-77.48620	12.927797703 005306-77.486204802 98997	8216	19/03/2019
13	EE/ OFC/pole/202 2-23/8216/W-130/836	W1601	12.92771-77.48323	12.927711433 649922-77.483235597 61049	8216	19/03/2019
14	EE/ OFC/pole/202 2-23/8216/W-130/837	W1601	12.92925-77.48378	12.929253820 656117-77.483788132 66756	8216	19/03/2019

01	No of Poles	<b>14</b>
02	Ward No	<b>130</b>
03	Zone Name	<b>RR Nagar Zone</b>

The locational details of poles are also given in the map enclosed with this permission letter.

**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

**Conditions for Regularization of Poles**

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do the same at its own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got

- executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at its own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
  12. The corporation shall not be responsible for any damage to poles and resultant losses, if any during performance of official duties by any employee of corporation.
  13. **Any dispute** arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlined in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. If any dispute arise it will be settled as per the MOU.
  14. Operational and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operational and maintenance activities.
  15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
  16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
  17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
  18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
  19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.

20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.

21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:

22. **Right-of-way (ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way (ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

**Copy to:-**

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**RR Nagar** Zone) for information.
4. Copy to Zonal Chief Engineer (**RR Nagar** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Kengeri** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Kengeri** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

केनारा बँक  Canara Bank

जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा/ Branch B.C.C. Extension

दिनांक/ Date 25/10/2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

वचन/ चालू खाता / जोडी / मीमी / आरडी / टीएल / डीएल खाता नं. / क्रेडिट कार्ड नं.  
8401132000010

नाम/Name Commissioner B.B.M.P

टेलिफोन / मोबाइल नं  
Tel No./Mobile No.

राशि /Amount 64,503 - 00

राशि शब्दों में  
Rupees in words

चक्र नं. / दिनांक तथा बैंक व शाखा का नाम Cheque No./Date / Name of Bank & Branch	₹	₹/P
<u>206632</u> / <u>CANARA BANK</u>		
<u>19/10/2022</u>		
<u>A/c. Chamber</u>	<u>64,503 - 00</u>	
अधिकारी / रोकड़िया / Branch	₹	₹/P

केंनारा बँक. टोक्यो एम. ए. ई. बॉम्बे  
कॉल सेंटर  
1680  
Branch  
1680  
Free No.  
1680

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1630 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :- Pole-OFC-10-2022-1630**

With reference to your Demand Note bearing Pole-OFC-10-2022-1630 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0329 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1630	14	64503	206632	11592	64503
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,


Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

SOA  
for ma  
27/10





MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206632**

19/10/2022  
dated

PAYMENT REFERENCE

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1630 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru – 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1630

With reference to your Demand Note bearing Pole-OFC-10-2022-1630 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0329

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1630	14	64503	206632	11592	64503
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206632**

dated 19/10/2022

**PAYMENT REFERENCE**

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 18012023

DATE 09 10 2022  
दिनांक 09 10 2022

Payee Legible

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर

RUPEES Sixty Four Thousand Five Hundred Three Only

रुपये

₹ 64,503.00  
अदा करें

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206632

Client Reference 4200009020\_328

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO:

For Axis Bank Ltd

*[Signature]*  
5510:24004  
Authorised Signatory

*[Signature]*  
Authorised Signatory

**Rudresha B**

Please Sign at 6688

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1630 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru – 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1630

With reference to your Demand Note bearing Pole-OFC-10-2022-1630 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to-get permission-for-laying-Poles-on BGLR0329


Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1630	14	64503	206632	11592	64503
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206632**

19/10/2022  
dated

**PAYMENT REFERENCE**

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 18012023

DATE  
दिनांक 

D <sup>9</sup>	D <sup>1</sup>	M <sup>0</sup>	M <sup>2</sup>	Y <sup>0</sup>	Y <sup>2</sup>	Y <sup>2</sup>	Y
----------------	----------------	----------------	----------------	----------------	----------------	----------------	---

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर

RUPEES Sixty Four Thousand Five Hundred Three Only

रुपये

₹ 64,503.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206632

Client Reference 4200009020\_328

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

For Axis Bank Ltd

*[Signature]*  
5578:24004  
Authorised Signatory

*[Signature]*  
Authorised Signatory

**Rudresha B**  
Please Sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

## BBMP ENGINEERING DEPARTMENT

### Pole Form

Application No. :10-2022-1630

PR Number(To be Assigned by AE/JE-  
OFC, BBMP)

CE-POLE-10-2022-1630

#### General Information

**Segment ID**

OFC/Pole/2022-23/W1615/1625

**Street ID**

70564

**Street Name**

NA

**Zone**

RR Nagara

**Ward No.**

130

**Ward Name**

Ullalu

**Service Provider Category**

Telecom

**Organization**

M/s. Jio Digital Fibre Private Limited

**Year of Incorporation**

2009-10

**Registered Office Address**

101, Saffron, Nr Centra Point, Panchwati 5  
Rasta, Ambawadi, Ahmedabad, Gujarat,  
India

**Pin Code**

380006

**Official Phone No.**

9845117017

**Previous Relevant Exp.**

10

**Fax**

08035485012

**Official Phone No.**

www.jio.com

**Penalized Details**

No

**Vat Reg No.**

0

**GST**

29AAECJ4213B1Z0

**Turnover for Last 3 Years**

60

**TAN**

AHMJ08610A

**Application Submission Date**

23/05/2022

**Name of the Authorized Person**

Babu Veerabhadre

**Designation**

DGM

**Email ID**

babu.veerabhadre@ril.com

**Local Address**

No 51, RMZ Icon, Palace Cross Road,  
Vasanthanagar, Bangalore 560052

**Purpose**

OFC

**Phone No.**

9845117017

**Mobile No.**

9845117017

**Attachments**


#### Pole Related Information

**No.of Poles**

14

**No.Junction Box**

14



**Status of My Application**

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	31/05/2022

Date : 19/10/2022

Time : 10:16:53

20221019101653



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -  
560002

No. : Pole-OFC-10-2022-1630

Date: 19/10/2022

**Demand Notice**  
**GST No.: 29AAALBI608FIZK**

**To**

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

**Sub:-** Permission for Poles(Regularization)**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-1630, dated : 23/05/2022


Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W1615/1625)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/8216/W- 130/824	W1242	12.92645,77.4 8227	12.926252692 762848- 77.482388019 56178	8216	19/03/2019
2	EE/ OFC/pole/202 2-23/8216/W- 130/825	W1248,W160 1	12.92614,77.4 8264	12.925980811 798459- 77.482540905 47563	8216	19/03/2019
3	EE/ OFC/pole/202 2-23/8216/W- 130/826	W1248	12.92623,77.4 8233	12.926074924 473491- 77.482251226 90201	8216	19/03/2019
4	EE/ OFC/pole/202 2-23/8216/W- 130/827	W1250	12.92594,77.4 8226	12.925810886 045355- 77.482157349 58649	8216	19/03/2019
5	EE/ OFC/pole/202 2-23/8216/W- 130/828	W1254,W173 5,W1601	12.92559,77.4 8246	12.925463191 451628- 77.482345104 21753	8216	19/03/2019



6	EE/ OFC/pole/202 2-23/8216/W- 130/829	W1258	12.92540,77.4 8217	12.925267122 858184- 77.481972277 16447	8216	19/03/2019
7	EE/ OFC/pole/202 2-23/8216/W- 130/830	W1266,W173 5	12.92480,77.4 8216	12.924647545 090815- 77.482044696 80788	8216	19/03/2019
8	EE/ OFC/pole/202 2-23/8216/W- 130/831	W1240	12.92559- 77.48540	12.925593903 761714- 77.485402822 49452	8216	19/03/2019
9	EE/ OFC/pole/202 2-23/8216/W- 130/832	W1238	12.92602- 77.48555	12.926027868 140416- 77.485558390 61738	8216	19/03/2019
10	EE/ OFC/pole/202 2-23/8216/W- 130/833	W1234	12.92639- 77.48569	12.926393861 608354- 77.485697865 48616	8216	19/03/2019
11	EE/ OFC/pole/202 2-23/8216/W- 130/834	W1228	12.92718- 77.48599	12.927185974 205145- 77.485992908 4778	8216	19/03/2019
12	EE/ OFC/pole/202 2-23/8216/W- 130/835	W1140	12.92779- 77.48620	12.927797703 005306- 77.486204802 98997	8216	19/03/2019
13	EE/ OFC/pole/202 2-23/8216/W- 130/836	W1601	12.92771- 77.48323	12.927711433 649922- 77.483235597 61049	8216	19/03/2019
14	EE/ OFC/pole/202 2-23/8216/W- 130/837	W1601	12.92925- 77.48378	12.929253820 656117- 77.483788132 66756	8216	19/03/2019



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

**Total No. of Poles 14**

Pole Charges @ Rs 1500/- Pole	21,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	103.46
----------------------------------	--------	--	--------

Junction Box Charges @ Rs 3000/- Pole	42,000	Total (C)	103.46
Supervision Charge @ Rs 100/- Pole	1,400		
Sub Total (A)	64,400	GST @ 18% (B)	11,592
Grand Total (A + B + C)	76,095.46		

**Total Amount Payable Rs: 76,095 In words (Rupees seventy-Six Thousand and Ninety-Five Only)**

**Note:** The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)  
Bruhat Bangalore Mahanagara Palike

**Copy to**

No.: 10-2022-1630

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

# BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

1630

1/3

COM

OFC/Pole/2022-23/W0128/1652    10-2022-1652    Pending    ceofc01(ceofc01)    Pole Work Created    [Demand Notice](#)    [Permission Letter](#)    [View/Submit](#)

## Pole Details

10-2022-1630



OFC/Pole/2022-23/W0130/1607    10-2022-1607    Pending    ceofc01(ceofc01)    Pole Work Created    [Demand Notice](#)    [Permission Letter](#)    [View/Submit](#)

*S. Y. S.*  
 ASSISTANT EXECUTIVE ENGINEER  
 OFC CELL

*[Signature]*  
 EXECUTIVE ENGINEER  
 OFC CELL

BRUHAT BENGALURU MAHANAGARA PALIKE  
 BENGALURU

BENGALURU