



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell ), 3<sup>rd</sup>Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1694/2022-23

Date: 31-10-2022

**Permission for Regularization for Poles**

To,  
M/s. Jio Digital Fibre Private Limited ,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
  - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 23-05-2022
  - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
  - 4) Fee Demand Note letter No: 10-2022-1694, Date: 25-10-2022.
  - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 27-10-2022.

\*\_\*\_\*\_\*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 19th Main Road via 28th Cross up to 12th Main.	35 Poles
02	From 19th Main Road via 25th Cross up to 17th Main.	
03	From 19th Main Road via 24th Cross up to 17th Main.	
04	From 19th Main Road via 23rd Cross	
05	From 19th Main Road via 22nd Cross up to 12th Main.	
06	From 19th Main Road via 31st Cross, 12th Main	
07	From 19th Main Road via Street ID No-W0102 up to 20th Main for total No of 23 Poles, in Ward No-98, West Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/1694/2022-23, Dt: 31-10-2022

Executive Engineer (OFC), BBMP

### Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do the same at its own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at its own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to poles and resultant losses, if any during performance of official duties by any employee of corporation.

13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlined in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. If any dispute arise it will be settled as per the MOU.
14. Operational and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operational and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

**Copy to:-**

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**West Zone**) for information.
4. Copy to Zonal Chief Engineer (**West Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Rajaji Nagar** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Sri Rama Mandira** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1694 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1694

With reference to your Demand Note bearing Pole-OFC-10-2022-1694 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0410 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1694	35	161259	206245	28980	161259
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,


Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

*Ab*

Authorized Signatory.

*SDA*  
*for MB*  
*27/10*





1694

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206245**

18/10/2022  
dated

PAYMENT REFERENCE

---

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1694 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1694

With reference to your Demand Note bearing Pole-OFC-10-2022-1694 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0410

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1694	35	161259	206245	28980	161259
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



1694

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206245**

18/10/2022  
dated

**PAYMENT REFERENCE**

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17012023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 8 0 2 0 2 2  
दिनांक

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर

RUPEES One Lac Sixty One Thousand Two Hundred Fifty Nine Only

रुपये

अदा करे

₹ 161,259.00

Payable at par at all Branches of AXIS Bank Ltd .

DD Sr. No. 206245

Client Reference 4200008920\_109

**For Axis Bank Ltd**  
*[Signature]*  
SS No: 24004  
Authorised Signatory  
*[Signature]*  
Authorised Signatory

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

*[Signature]*  
Rudresha B.  
SS. No. 25182  
Plotted Sign above



# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1694 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1694

With reference to your Demand Note bearing Pole-OFC-10-2022-1694 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0410

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1694	35	161259	206245	28980	161259
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

1694

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

**206245**

18/10/2022  
dated

**PAYMENT REFERENCE**

**AXIS BANK LTD** ISSUING BRANCH  
IFS CODE - UTIB0000274

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17012023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 18 10 2022  
दिनांक

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर  
RUPEES One Lac Sixty One Thousand Two Hundred Fifty Nine Only

रुपये

₹ 161,259.00

अदा करे  
Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206245

Client Reference 4200008920\_109

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

For Axis Bank Ltd

*[Signature]*  
SS No: 24004  
Authorised Signatory

*[Signature]*  
Authorised Signatory

Rudresha E  
Please sign above  
SS. No. 26182



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT  
Pole Form

Application No. :10-2022-1694

PR Number(To be Assigned by AE/JE- OFC, BBMP) CE-POLE-10-2022-1694

General Information

Segment ID

OFC/Pole/2022-23/W0001/1683

Street ID

17635

Street Name

NA

Zone

West

Ward No.

98

Ward Name

Prakash Nagar

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5  
Rasta, Ambawadi, Ahmedabad, Gujarat,  
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

23/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,  
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

35

No.Junction Box

35




**Status of My Application**

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	27/05/2022

Date : 25/10/2022

Time : 01:59:19

20221025015919





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -  
560002

No. : Pole-OFC-10-2022-1694

Date: 25/10/2022

**Demand Notice**  
**GST No.: 29AAALBI608FIZK**

**To**

Shri. S. Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

**Sub:-** Permission for Poles(Regularization)**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-1694, dated : 23/05/2022


Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0001/1683)

Sr No.	Unique Poleld.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/6071/W- 98/8	W0001	PL6403	12.998209433 640207- 77.553573399 77878	6071	25/02/2022
2	EE/ OFC/pole/202 2-23/6069/W- 98/9	W0001	PL6301	12.997938508 973117- 77.553605586 28696	6069	25/02/2022
3	EE/ OFC/pole/202 2-23/6071/W- 98/10	W0002,W000 1	PL6302	12.997409742 16053- 77.553662359 69919	6071	25/02/2022
4	EE/ OFC/pole/202 2-23/6071/W- 98/11	W0003	PL6301	12.997904872 053871- 77.553867995 73218	6071	25/02/2022
5	EE/ OFC/pole/202 2-23/6071/W- 98/12	W0002,W000 3	MDU TO POLE	12.997491966 435923- 77.553920298 83866	6071	25/02/2022

6	EE/ OFC/pole/202 2-23/6071/W- 98/13	W0005	PL6202	12.998311974 723277- 77.554128170 00662	6071	25/02/2022
7	EE/ OFC/pole/202 2-23/6071/W- 98/14	W0005	PL6201	12.997999621 824858- 77.554182261 22515	6071	25/02/2022
8	EE/ OFC/pole/202 2-23/6071/W- 98/15	W0005,W000 2	MDU TO POLE	12.997588519 345927- 77.554233670 1733	6071	25/02/2022
9	EE/ OFC/pole/202 2-23/6071/W- 98/16	W0002,W000 7	PL6102	12.997658787 604186- 77.554514855 143	6071	25/02/2022
10	EE/ OFC/pole/202 2-23/6071/W- 98/17	W0007	PL6103	12.998046472 327804- 77.554466128 3425	6071	25/02/2022
11	EE/ OFC/pole/202 2-23/6071/W- 98/18	W0007	MDU TO POLE	12.998397678 864745- 77.554429024 53638	6071	25/02/2022
12	EE/ OFC/pole/202 2-23/6071/W- 98/19	W0002,W000 9	PL6104	12.997743713 95706- 77.554787993 45498	6071	25/02/2022
13	EE/ OFC/pole/202 2-23/6071/W- 98/20	W0009	MDU TO POLE	12.998092057 828673- 77.554746866 27396	6071	25/02/2022
14	EE/ OFC/pole/202 2-23/6071/W- 98/21	W0009	PL6002	12.998456483 29748- 77.554706186 08003	6071	25/02/2022
15	EE/ OFC/pole/202 2-23/6071/W- 98/22	W0013	PL6001	12.998462850 026577- 77.555021345 60858	6071	25/02/2022
16	EE/ OFC/pole/202 2-23/6071/W- 98/23	W0002,W001 3	MDU TO POLE	12.997854331 525925- 77.555140256 82034	6071	25/02/2022
17	EE/ OFC/pole/202 2-23/6071/W- 98/24	W0015	PL5901	12.998379212 063263- 77.555416524 34886	6071	25/02/2022
18	EE/ OFC/pole/202 2-23/6071/W- 98/25	W0017,W001 5,W0002	MDU TO POLE	12.997944407 25231- 77.555482238 50043	6071	25/02/2022
19	EE/ OFC/pole/202 2-23/6071/W- 98/26	W0011	PL5902	12.997472211 804228- 77.555128633 99987	6071	25/02/2022
20	EE/ OFC/pole/202 2-23/6071/W- 98/27	W0009	PL5807	12.997384535 965846- 77.554851025 36683	6071	25/02/2022
21	EE/ OFC/pole/202 2-23/6071/W- 98/28	W0006,W000 9	PL5806	12.997161475 835002- 77.554879188 53079	6071	25/02/2022

22	EE/ OFC/pole/202 2-23/6071/W- 98/29	W0006	PL5805	12.997133627 479158- 77.554630190 13064	6071	25/02/2022
23	EE/ OFC/pole/202 2-23/6071/W- 98/30	W0006	PL5804	12.997019554 186284- 77.554277926 65274	6071	25/02/2022
24	EE/ OFC/pole/202 2-23/6071/W- 98/31	W0006	PL6401	12.996922935 95807- 77.553982883 6611	6071	25/02/2022
25	EE/ OFC/pole/202 2-23/6071/W- 98/32	W0004	PL6402	12.997172438 14766- 77.553969025 60848	6071	25/02/2022
26	EE/ OFC/pole/202 2-23/6071/W- 98/33	W0005,W000 8	PL5802	12.996689441 575176- 77.554508596 70988	6071	25/02/2022
27	EE/ OFC/pole/202 2-23/6071/W- 98/34	W0008,W000 9	PL5401	12.996759946 838765- 77.554994076 54158	6071	25/02/2022
28	EE/ OFC/pole/202 2-23/6071/W- 98/35	W0012	PL5706	12.996391437 845167- 77.554413378 28984	6071	25/02/2022
29	EE/ OFC/pole/202 2-23/6071/W- 98/36	W0012	PL5701	12.996369241 712856- 77.555050402 93087	6071	25/02/2022
30	EE/ OFC/pole/202 2-23/6071/W- 98/37	W0017,W001 2	PL5703	12.996343128 6135- 77.555690109 78094	6071	25/02/2022
31	EE/ OFC/pole/202 2-23/6071/W- 98/38	W0012	PL5705	12.996356185 16352- 77.555389702 37126	6071	25/02/2022
32	EE/ OFC/pole/202 2-23/6071/W- 98/39	W0054	PL5601	12.996098773 647226- 77.554605156 23442	6071	25/02/2022
33	EE/ OFC/pole/202 2-23/6071/W- 98/40	W0054	PL5501	12.996068743 550001- 77.555173784 54557	6071	25/02/2022
34	EE/ OFC/pole/202 2-23/6071/W- 98/41	W0017,W005 4	PL5602	12.996026962 539155- 77.555743753 96122	6071	25/02/2022
35	EE/ OFC/pole/202 2-23/6071/W- 98/42	W0056	MDU TO POLE	12.995575106 182883- 77.555271685 22578	6071	25/02/2022



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

**Total No.of Poles 35**

Pole Charges @ Rs 1500/- Pole	52,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	258.65
Junction Box Charges @ Rs 3000/- Pole	1,05,000	Total (C)	258.65
Supervision Charge @ Rs 100/- Pole	3,500		
Sub Total (A)	1,61,000	GST @ 18% (B)	28,980
Grand Total (A + B + C)	1,90,238.65		

**Total Amount Payable Rs: 1,90,239 In words (Rupees One Lakh Ninety Thousand Two Hundred and Thirty-Nine Only)**

**Note:**The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)  
Bruhat Bangalore Mahanagara Palike

**Copy to**

No.: 10-2022-1694

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-1694

1/2

RE@RIL.COM

OFC/Pole/2022-23/W0068/1712 10-2022-1712 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

Pole Details



OFC/Pole/2022-23/W0092/1672 10-2022-1680 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

*S. Y. G. H.*

EXECUTIVE ENGINEER  
OFC CELL

OFC CELL  
BRUHAT BENGALURU MAHANAGARA PALIKE

BENGALURU