



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1705/2022-23

Date: 21-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 23-05-2022
 - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 4) Fee Demand Note letter No: 10-2022-1705, Date: 17-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 21-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 18th 'A' Main via 4th Cross up to 20th Main Road.	47 Poles
02	From 4th Cross via 19th 'A' Main, 3rd Cross	
03	From Street ID No-W0050 via 20th Main, 7th Cross, 21st Main, 2nd Cross, 23rd Cross, Street ID No-W0072.	
04	From 23rd Main via Street ID No-W0042	
05	From 23rd Main via Street ID No-W0044 Right/Left side up to 22nd Main Road.	
06	From 23rd Main via Street ID No-W0044 Left/Right side up to 11th Main.	
07	From 23rd Main via Street ID No-W0048 Left/Right side up to 11th Main.	
08	From 3rd Main via Street ID No-W0066 Left/Right side up to 11th Main.	
09	From Street ID No-W0072 via W0015, W0076	
10	From 22nd Main Road via Street ID No-W0068 for total No of 47 Poles, in Ward No-177, South Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way (ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way (ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**South Zone**) for information.
4. Copy to Zonal Chief Engineer (**South Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Jayanagar** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**J.P Nagar** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1705 /DD

Date: 18-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1705

With reference to your Demand Note bearing Pole-OFC-10-2022-1705 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1188 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1705	47	216547	206179	38916	216547
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



1708

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206179

18/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1705 /DD

Date: 18-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1705

With reference to your Demand Note bearing Pole-OFC-10-2022-1705, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1188.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1705	47	216547	206179	38916	216547
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



1708

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

206179

18/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17012023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE
दिनांक

D	8	1	0	2	0	2	2	Y	Y
---	---	---	---	---	---	---	---	---	---

COMMISSIONER BBMP BANGALORE

ON DEMAND PAY

OR ORDER / या उनके आदेश पर

मौजे जाने पर
RUPEES Two Lacs Sixteen Thousand Five Hundred Forty Seven Only

रुपये

अदा करे ₹ 216,547.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206179

Client Reference 4200008920_43

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

[Signature]
55110:24004
Authorised Signatory

[Signature]
Authorised Signatory

Rudresha B
Please sign above
CS. No. 26187

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1705 /DD

Date: 18-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1705

With reference to your Demand Note bearing Pole-OFC-10-2022-1705 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1188 .

Application No.	Poles	Poles Charges (RS.)	DD No.	GST (through RCM) RS.	Total Amount
10-2022-1705	47	216547	206179	38916	216547
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

1708

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE
Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

206179

18/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17012023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 18/10/2022
दिनांक D D M M Y Y Y Y

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौगे जाने पर
RUPEES Two Lacs Sixteen Thousand Five Hundred Forty Seven Only

रुपये

अदा करे ₹ 216,547.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206179

Client Reference 4200008920_43

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

Rudresha B
SS No: 24004
Authorised Signatory

Rudresha B
CS No: 26187
sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-1705

PR Number(To be Assigned by AE/JE- OFC, BBMP) CE-POLE-10-2022-1705

General Information

Segment ID

OFC/Pole/2022-23/W0066/1697

Street ID

30806

Street Name

NA

Zone

South

Ward No.

177

Ward Name

J P Nagara

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

23/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

47

No.Junction Box

47




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	27/05/2022

Date : 19/10/2022

Time : 04:53:01

20221019045301





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1705

Date: 17/10/2022

Demand Notice
GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-1705, dated : 23/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0066/1697)




Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/3738/W- 177/313	W0066	PL1001	12.912752399 633822- 77.586205601 69221	3738	11/01/2022
2	EE/ OFC/pole/202 2-23/3738/W- 177/314	W0066	PL1003	12.912789000 95004- 77.586323618 88887	3738	11/01/2022
3	EE/ OFC/pole/202 2-23/3738/W- 177/315	W0046	PL0901	12.913264817 573022- 77.585932016 3727	3738	11/01/2022
4	EE/ OFC/pole/202 2-23/3738/W- 177/316	W0046	PL0903	12.913254360 074568- 77.586232423 78236	3738	11/01/2022
5	EE/ OFC/pole/202 2-23/3738/W- 177/317	W0048	PL0901	12.913003379 980221- 77.585969567 2989	3738	11/01/2022

6	EE/ OFC/pole/202 2-23/3738/W- 177/318	W0048	pl0902	12.913008608 734755- 77.586237788 20039	3738	11/01/2022
7	EE/ OFC/pole/202 2-23/3738/W- 177/319	W0048	PL0903	12.913003379 980221- 77.586538195 61005	3738	11/01/2022
8	EE/ OFC/pole/202 2-23/3738/W- 177/320	W0046	PL0803	12.913270046 322097- 77.586243152 61842	3738	11/01/2022
9	EE/ OFC/pole/202 2-23/3738/W- 177/321	W0044	PL0701	12.913588999 808255- 77.586302161 21675	3738	11/01/2022
10	EE/ OFC/pole/202 2-23/3738/W- 177/322	W0053	PL0601	12.913766776 984513- 77.586200237 27418	3738	11/01/2022
11	EE/ OFC/pole/202 2-23/3738/W- 177/323	W0042	PL0602	12.913944554 034288- 77.586151957 5119	3738	11/01/2022
12	EE/ OFC/pole/202 2-23/3738/W- 177/324	W0042	PL0603	12.913934096 564281- 77.586334347 72493	3738	11/01/2022
13	EE/ OFC/pole/202 2-23/3738/W- 177/325	W0042,W005 9	PL0504	12.913866122 998504- 77.587455511 09315	3738	11/01/2022
14	EE/ OFC/pole/202 2-23/3738/W- 177/326	W0042	PL0505	12.913860894 26191- 77.587761282 92085	3738	11/01/2022
15	EE/ OFC/pole/202 2-23/3738/W- 177/327	W0044,W006 3	PL0405	12.913609914 776742- 77.587863206 863427	3738	11/01/2022
16	EE/ OFC/pole/202 2-23/3738/W- 177/328	W0063	PL0406	12.913541941 122789- 77.587890028 95357	3738	11/01/2022
17	EE/ OFC/pole/202 2-23/3738/W- 177/329	W0063	PL0407	12.913249131 325175- 77.587847113 60933	3738	11/01/2022
18	EE/ OFC/pole/202 2-23/3738/W- 177/330	W0072,W006 3	PL0305	12.912454360 145091- 77.587814927 10115	3738	11/01/2022
19	EE/ OFC/pole/202 2-23/3738/W- 177/331	W0063	PL0303	12.912360242 337966- 77.587831020 35524	3738	11/01/2022
20	EE/ OFC/pole/202 2-23/3738/W- 177/332	W0063	PL0205	12.912062202 381566- 77.587798833 84706	3738	11/01/2022
21	EE/ OFC/pole/202 2-23/3738/W- 177/333	W0065	PL5108	12.912130176 438- 77.588168978 69112	3738	11/01/2022

22	EE/ OFC/pole/202 2-23/3738/W- 177/334	W0065	PL5107	12.912375928 641614- 77.588168978 69112	3738	11/01/2022
23	EE/ OFC/pole/202 2-23/3738/W- 177/335	W0090	PL5408	12.912276582 035213- 77.588335275 65004	3738	11/01/2022
24	EE/ OFC/pole/202 2-23/3738/W- 177/336	W0090	PL5401	12.912266124 495398- 77.588732242 58424	3738	11/01/2022
25	EE/ OFC/pole/202 2-23/3738/W- 177/337	W0090	PL5403	12.912239980 643946- 77.589172124 86269	3738	11/01/2022
26	EE/ OFC/pole/202 2-23/3738/W- 177/338	W0065	PL5104	12.912762857 153282- 77.588201165 1993	3738	11/01/2022
27	EE/ OFC/pole/202 2-23/3738/W- 177/339	W0065	PL5102	12.913134098 810813- 77.588185071 9452	3738	11/01/2022
28	EE/ OFC/pole/202 2-23/3738/W- 177/340	W0067,W005 4	PL5207	12.913369392 533575- 77.588678598 40394	3738	11/01/2022
29	EE/ OFC/pole/202 2-23/3738/W- 177/341	W0086	PL5201	12.912888347 352734- 77.588565945 62532	3738	11/01/2022
30	EE/ OFC/pole/202 2-23/3738/W- 177/342	W0086	PL5202	12.912898804 866519- 77.588887810 7071	3738	11/01/2022
31	EE/ OFC/pole/202 2-23/3738/W- 177/343	W0086	PL5203	12.912877889 838528- 77.589177489 280717	3738	11/01/2022
32	EE/ OFC/pole/202 2-23/3738/W- 177/344	W0086	PL5206	12.912888347 352734- 77.589483261 1084	3738	11/01/2022
33	EE/ OFC/pole/202 2-23/3738/W- 177/345	W0086	PL5205	12.912872661 081261- 77.589794397 35414	3738	11/01/2022
34	EE/ OFC/pole/202 2-23/3738/W- 177/346	W0086	PL5204	12.912867432 323866- 77.590126991 27199	3738	11/01/2022
35	EE/ OFC/pole/202 2-23/3738/W- 177/347	W0115	PL1105	12.912543249 152609- 77.586860060 69183	3738	11/01/2022
36	EE/ OFC/pole/202 2-23/3738/W- 177/348	W0072	PL1104	12.912428216 313334- 77.587026357 65076	3738	11/01/2022
37	EE/ OFC/pole/202 2-23/3738/W- 177/349	W0072	PL1102	12.912417758 779855- 77.587450146 67512	3738	11/01/2022

38	EE/ OFC/pole/202 2-23/3738/W- 177/350	W0072	PL1103	12.912449131 378956- 77.587637901 30617	3738	11/01/2022
39	EE/ OFC/pole/202 2-23/3738/W- 177/351	W0076	PL0201	12.912161549 073193- 77.587160468 10152	3738	11/01/2022
40	EE/ OFC/pole/202 2-23/3738/W- 177/352	W0076	PL0203	12.912156320 300927- 77.587369680 40466	3738	11/01/2022
41	EE/ OFC/pole/202 2-23/3738/W- 177/353	W0076	PL0201	12.912161549 073193- 77.587053179 74092	3738	11/01/2022
42	EE/ OFC/pole/202 2-23/3738/W- 177/354	W0068	PL0301	12.912731484 593582- 77.587299942 97029	3738	11/01/2022
43	EE/ OFC/pole/202 2-23/3738/W- 177/355	W0068	PL0304	12.912736713 353802- 77.587541341 78163	3738	11/01/2022
44	EE/ OFC/pole/202 2-23/3738/W- 177/356	W0068	PL0306	12.912741942 113918- 77.587755918 50281	3738	11/01/2022
45	EE/ OFC/pole/202 2-23/3738/W- 177/357	W0044	PL0501	12.913588999 808255- 77.586935162 54426	3738	11/01/2022
46	EE/ OFC/pole/202 2-23/3738/W- 177/358	W0044	PL0503	12.913573313 58075- 77.587198019 02772	3738	11/01/2022
47	EE/ OFC/pole/202 2-23/3738/W- 177/359	W0044	PL0507	12.913583771 065872- 77.587568163 871772	3738	11/01/2022



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 47

Pole Charges @ Rs 1500/- Pole	70,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	347.33
Junction Box Charges @ Rs 3000/- Pole	1,41,000	Total (C)	347.33
Supervision Charge @ Rs 100/- Pole	4,700		
Sub Total (A)	2,16,200	GST @ 18% (B)	38,916
Grand Total (A + B + C)	2,55,463.33		

Total Amount Payable Rs: 2,55,463 In words (Rupees Two Lakh Fifty-Five Thousand Four Hundred and Sixty-Three Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-1705

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-1705

1/2

@RIL.COM

OFC/Pole/2022-23/W0648/1723 10-2022-1724 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

Pole Details



10-2022-1705

OFC/Pole/2022-23/W0312/1683 10-2022-1687 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

EXECUTIVE ENGINEER
OFC CELL

BENGALURU