



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rd Floor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1711/2022-23

Date: 20-10-2022

207
Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 23-05-2022
 - 3) Fee Demand Note letter No: 10-2022-1711, Date: 17-10-2022.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 19-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 10th Main via 29th Cross, 11th Main, 12th Main, 10th Main, 52nd Cross, 2nd Cross, 12th Main, 1st Cross up to 52nd Cross Road.	27 Poles
02	From 10th Main via 30th Cross up to 12th Main.	
03	From 10th Main via 52nd Cross, 10th Main, Street ID No-W0040, 10th Main, W0044 up to W0015.	
04	From Street ID No-W0015 via W0050, 10th Main, W0054 up to W0015 for total No of 27 Poles , in Ward No-108, West Zone . Ref: As per drawing enclosed & demand note GIS co-ordinates.	

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/1711/2022-23, Dt: 20-10-2022

Executive Engineer (OFC), BBMP

Handwritten signature and date: 21/10/22

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.

13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlined in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way (ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way (ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**West Zone**) for information.
4. Copy to Zonal Chief Engineer (**West Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Rajaji Nagar** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Sri Rama Mandira** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

केनरा बैंक Canara Bank

जमा पर्ची / DEPOSIT / PAY IN SLIP

1711

शाखा/ Branch

SCL GULS.

दिनांक/ Date

20/10/2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

840113200010

नाम/Name Com: J. P. Oner BBMP

टेलिफोन / मोबाइल नं
Tel No./Mobile No.

राशि /Amount

1,24,400.00/-

राशि शब्दों में
Rupees in words

One lakh twenty four thousand four hundred only.

चेक नं. / दिनांक तथा बैंक व शाखा का नाम
Cheque No./Date / Name of Bank & Branch

206231 Dt: 18/10/22

₹

1,24,400.00/-

₹

₹

1,24,400.00/-

EXECUTIVE

OF

केनरा बैंक 24 घंटे कॉल सेंटर
अधिकारी / लोकडियार
BRUHAT BENGALURU MAHANAGAR

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1711 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1711

With reference to your Demand Note bearing Pole-OFC-10-2022-1711 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0462 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1711	27	124400	206231	22356	124400
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.



Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.





1711

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206231

18/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1711 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1711

With reference to your Demand Note bearing Pole-OFC-10-2022-1711 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0462 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1711	27	124400	206231	22356	124400
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



1711

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE
Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206231

18/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17012023

DATE 18 10 2022
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर

RUPEES One Lac Twenty Four Thousand Four Hundred Only

रुपये

अदा करें ₹ 124,400.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206231

Client Reference 4200008920_95

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd
Authorized Signatory

Rudresha B
No. 206231

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1711 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1711

With reference to your Demand Note bearing Pole-OFC-10-2022-1711 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0462 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1711	27	124400	206231	22356	124400
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

1711

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206231

18/10/2022
dated

PAYMENT REFERENCE

 **AXIS BANK LTD** ISSUING BRANCH
IFS CODE - UTIB0000274

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17012023

DATE 18 10 2022
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर

RUPEES One Lac Twenty Four Thousand Four Hundred Only

रुपये

अदा करें

₹ 124,400.00



Payable at par at all Branches of AXIS Bank Ltd .

DD Sr. No. 206231

Client Reference 4200008920_95

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

5876:24004
Authorized Signatory

Authorized Signatory

Rudresha B
Case No. 2007 Above
cc No. 2007



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-1711

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-1711

General Information

Segment ID

OFC/Pole/2022-23/W0050/1709

Street ID

18037

Street Name

NA

Zone

West

Ward No.

108

Ward Name

Srirammandir

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

23/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Crossrd Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

27

No.Junction Box

27




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	28/05/2022

Date : 17/10/2022

20221017075356





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1711

Date: 17/10/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited


GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-1711, dated : 23/05/2022

Details of Poles added on BBMP GIS Map


(Pole Id:-OFC/Pole/2022-23/W0050/1709)




Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/5872/W- 108/365	W0016	PL5105	12.988363660 46388- 77.556016445 25541	5872	04/02/2022
2	EE/ OFC/pole/202 2-23/5872/W- 108/366	W0016,W001 7	PL5205	12.988311371 183855- 77.556263208 4848	5872	04/02/2022
3	EE/ OFC/pole/202 2-23/5872/W- 108/367	W0017	PL5204	12.987893686 377308- 77.556233704 0833	5872	04/02/2022
4	EE/ OFC/pole/202 2-23/5872/W- 108/368	W0038,W001 7	PL5304	12.987133426 414898- 77.556193917 98633	5872	04/02/2022
5	EE/ OFC/pole/202 2-23/5872/W- 108/369	W0038,W001 9	PL5405	12.987126509 466876- 77.556549757 7702	5872	04/02/2022

6	EE/ OFC/pole/202 2-23/5872/W- 108/370	W0019	PL5201	12.987864695 713395- 77.556569874 33782	5872	04/02/2022
7	EE/ OFC/pole/202 2-23/5872/W- 108/371	W0019	PL5207	12.988330308 587447- 77.556579262 06938	5872	04/02/2022
8	EE/ OFC/pole/202 2-23/5872/W- 108/372	W0038	PL5403	12.987090397 399507- 77.556922137 73388	5872	04/02/2022
9	EE/ OFC/pole/202 2-23/5872/W- 108/373	W0033,W003 8	PL5601	12.987085144 98348- 77.557214498 51649	5872	04/02/2022
10	EE/ OFC/pole/202 2-23/5872/W- 108/374	W0043,W003 8	PL5402	12.987068170 834643- 77.557714730 49778	5872	04/02/2022
11	EE/ OFC/pole/202 2-23/5872/W- 108/375	W0038	PL5401	12.987048453 695847- 77.557993680 23533	5872	04/02/2022
12	EE/ OFC/pole/202 2-23/5872/W- 108/376	W0040	PL5504	12.986780628 590358- 77.556173801 41871	5872	04/02/2022
13	EE/ OFC/pole/202 2-23/5872/W- 108/377	W0040,W001 9	PL5503	12.986759737 304485- 77.556616365 90618	5872	04/02/2022
14	EE/ OFC/pole/202 2-23/5872/W- 108/378	W0033,W004 0	PL5602	12.986733579 340925- 77.557193935 0232	5872	04/02/2022
15	EE/ OFC/pole/202 2-23/5872/W- 108/379	W0040	PL5603	12.986711382 345435- 77.557668686 01883	5872	04/02/2022
16	EE/ OFC/pole/202 2-23/5872/W- 108/380	W0040	PL5606	12.986700936 699789- 77.557973116 742	5872	04/02/2022
17	EE/ OFC/pole/202 2-23/5872/W- 108/381	W0044	PL5706	12.986427361 760017- 77.557966411 21947	5872	04/02/2022
18	EE/ OFC/pole/202 2-23/5872/W- 108/382	W0044	PL5703	12.986437807 41714- 77.557606995 21149	5872	04/02/2022
19	EE/ OFC/pole/202 2-23/5872/W- 108/383	W0033,W004 4	PL5702	12.986455450 004083- 77.557245343 97643	5872	04/02/2022
20	EE/ OFC/pole/202 2-23/5872/W- 108/384	W0044,W002 7	PL5802	12.986474371 791724- 77.556952089 1378	5872	04/02/2022
21	EE/ OFC/pole/202 2-23/5872/W- 108/385	W0044	PL5805	12.986492649 495274- 77.556531205 86716	5872	04/02/2022

22	EE/ OFC/pole/202 2-23/5872/W- 108/386	W0044	PL5804	12.986502865 850815- 77.556261196 81267	5872	04/02/2022
23	EE/ OFC/pole/202 2-23/5872/W- 108/387	W0050	PL5801	12.986224583 508124- 77.556321099 46704	5872	04/02/2022
24	EE/ OFC/pole/202 2-23/5872/W- 108/388	W0050	PL5802	12.986207609 300484- 77.556661740 01193	5872	04/02/2022
25	EE/ OFC/pole/202 2-23/5872/W- 108/389	W0050,W002 7	PL5803	12.986193899 362691- 77.556962147 4216	5872	04/02/2022
26	EE/ OFC/pole/202 2-23/5872/W- 108/390	W0050	PL5704	12.986180606 38124- 77.557360902 46786	5872	04/02/2022
27	EE/ OFC/pole/202 2-23/5872/W- 108/391	W0050	PL5705	12.986150127 409953- 77.557987198 2319	5872	04/02/2022



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.



Total No.of Poles 27

Pole Charges @ Rs 1500/- Pole	40,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	199.53
Junction Box Charges @ Rs 3000/- Pole	81,000	Total (C)	199.53
Supervision Charge @ Rs 100/- Pole	2,700		
Sub Total (A)	1,24,200	GST @ 18% (B)	22,356
Grand Total (A + B + C)	1,46,755.53		

Total Amount Payable Rs: 1,46,756 In words (Rupees One Lakh Forty-Six Thousand Seven Hundred and Fifty-Six Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through

RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-1711

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-1711

1/2

@RIL.COM

OFC/Pole/2022-23/W0250/1729 10-2022-1732 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

Pole Details



OFC/Pole/2022-23/W0008/1675 10-2022-1692 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

EXECUTIVE ENGINEER

DRUHAT BENGALURU MAHANAGARA PALIKE
BENGALURU