



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rd Floor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1712/2022-23

Date: 21-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 23-05-2022
 - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 4) Fee Demand Note letter No: 10-2022-1712, Date: 17-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 21-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from NAL Wind Tunnel Road via Street ID No-W0300	28 Poles
02	From the junction of 1 st 'C' Cross Road via Street ID No-W0175, W0290 up to W0175	
03	From 1 st 'B' Cross via 4 th 'C' Cross for total No of 28 Poles in Ward No-113, East Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates	

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.

No: EE/OFC/PR/1712/2022-23, Dt: 21-10-2022


Executive Engineer (OFC), BBMP

2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.

14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**East Zone**) for information.
4. Copy to Zonal Chief Engineer (**East Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**C.V Raman Nagar Division**) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Jeevanbhima Nagar Sub Division**) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1712 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1712

With reference to your Demand Note bearing Pole-OFC-10-2022-1712 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1695 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1712	28	129007	206461	23184	129007
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



1712

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206461

19/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1712 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1712

With reference to your Demand Note bearing Pole-OFC-10-2022-1712, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1695.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1712	28	129007	206461	23184	129007
			Dated		
			19-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



1712

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206461**
as per details mentioned below.

19/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 18/01/2023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE
दिनांक

D	9	M	0	M	2	Y	2	Y	2	Y
---	---	---	---	---	---	---	---	---	---	---

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर
RUPEES One Lac Twenty Nine Thousand Seven Only
रुपये

₹ 129,007.00
अदा करें

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206461

Client Reference 4200009020 157

For Axis Bank Ltd
Rudresha B
SSNo: 29004
Authorised Signatory

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.
CODE NO.

Rudresha B
Rudresha B
Please sign above 26182

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1712 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles .

Ref: Demand Note :- Pole-OFC-10-2022-1712

With reference to your Demand Note bearing Pole-OFC-10-2022-1712 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1695 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1712	28	129007	206461	23184	129007
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

1712

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206461**
as per details mentioned below.

19/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 18/01/2023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE
दिनांक

D	D	M	M	Y	Y	Y	Y
---	---	---	---	---	---	---	---

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर
RUPEES: One Lac Twenty Nine Thousand Seven Only
रुपये

₹ 129,007.00
अदा करें

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206461

Client Reference 4200009020_157

For Axis Bank Ltd
Authorized Signatory
Rudresha B
26182

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-1712

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-1712

General Information

Segment ID

OFC/Pole/2022-23/W0068/1712

Street ID

44070

Street Name

NA

Zone

East

Ward No.

113

Ward Name

Konena Agrahara

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

23/05/2022

Name of the Authorized Person

Babu.Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC CABLE LAYING

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

28

No.Junction Box

28




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	28/05/2022
ceofc01(ceofc01)	CE	28/05/2022

Date : 18/10/2022

Time : 12:54:37

20221018125437





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1712

Date: 19/10/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-1712, dated : 23/05/2022


Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0068/1712)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/1889/W- 113/1	W0300	KUMAR	12.954563290 443405- 77.652673423 29027	1889	01/01/2021
2	EE/ OFC/pole/202 2-23/1889/W- 113/2	W0300	BLD NO 9,Ammayam ma Road	12.954701829 321907- 77.652338147 1634	1889	01/01/2021
3	EE/ OFC/pole/202 2-23/1889/W- 113/3	W0300,W021 1	HITACHI,SR layout	12.954897874 773037- 77.651748061 18013	1889	01/01/2021
4	EE/ OFC/pole/202 2-23/1889/W- 113/4	W0300	THIMMA REDDY BUILDING	12.955012888 03255- 77.651265263 55745	1889	01/01/2021
5	EE/ OFC/pole/202 2-23/1889/W- 113/5	W0193	VIDYA BHAVANAM	12.955190635 692778- 77.651163339 61488	1889	01/01/2021

6	EE/ OFC/pole/202 2-23/1889/W- 113/6	W0290,W019 3	SRI SAI LADIES PG	12.955342243 890962- 77.651222348 21321	1889	01/01/2021
7	EE/ OFC/pole/202 2-23/1889/W- 113/7	W0290,W017 5	BLD NO 50/51	12.955274281 60664- 77.651415467 26227	1889	01/01/2021
8	EE/ OFC/pole/202 2-23/1889/W- 113/8	W0175	G N S RESIDENCY	12.956068916 387224- 77.651705145 83589	1889	01/01/2021
9	EE/ OFC/pole/202 2-23/1889/W- 113/9	W0175	PRIMAX PARK	12.955742175 419235- 77.651597857 4753	1889	01/01/2021
10	EE/ OFC/pole/202 2-23/1889/W- 113/10	W0175	MCE RASMUS	12.955899011 137362- 77.651654183 86461	1889	01/01/2021
11	EE/ OFC/pole/202 2-23/1889/W- 113/11	W0175,W017 9	SRI BALAJI NILAYA	12.956181315 181121- 77.651420831 68031	1889	01/01/2021
12	EE/ OFC/pole/202 2-23/1889/W- 113/12	W0175	MODISONS MELEGANCE	12.956285872 153144- 77.651056051 25429	1889	01/01/2021
13	EE/ OFC/pole/202 2-23/1889/W- 113/13	W0175	MARTHANDA M	12.956163017 706492- 77.650967538 3568	1889	01/01/2021
14	EE/ OFC/pole/202 2-23/1889/W- 113/14	W0175	PORT VIEW,NR layout	12.955857188 28885- 77.650862932 20521	1889	01/01/2021
15	EE/ OFC/pole/202 2-23/1889/W- 113/15	W0290	MYTRI ENCLAVE	12.955431117 619426- 77.650908529 75847	1889	01/01/2021
16	EE/ OFC/pole/202 2-23/1889/W- 113/16	W0290	RATHNA PARADISE	12.955404978 290813- 77.650938034 05763	1889	01/01/2021
17	EE/ OFC/pole/202 2-23/1889/W- 113/17	W0290,W017 9	NIRVANA	12.955347471 758222- 77.651133835 31572	1889	01/01/2021
18	EE/ OFC/pole/202 2-23/1889/W- 113/18	W0205,W019 7	THIMMA REDDY BUILDING	12.954858665 695152- 77.651107013 22557	1889	01/01/2021
19	EE/ OFC/pole/202 2-23/1889/W- 113/19	W0205,W019 7,W0193	RATNA NEST APARTMENT	12.954832526 306477- 77.651077508 9264	1889	01/01/2021
20	EE/ OFC/pole/202 2-23/1889/W- 113/20	W0205	DOFFOL	12.954761949 943332- 77.651269286 87097	1889	01/01/2021
21	EE/ OFC/pole/202 2-23/1889/W- 113/21	W0205	RATNA NEST APARTMENT	12.954771098 732273- 77.651204913 8546	1889	01/01/2021

22	EE/ OFC/pole/202 2-23/1889/W- 113/22	W0205	Maruthi Nivas	12.954439128 17548- 77.651151269 6743	1889	01/01/2021
23	EE/ OFC/pole/202 2-23/1889/W- 113/23	W0205	Air view Vourt	12.954436514 232327- 77.651104331 01654	1889	01/01/2021
24	EE/ OFC/pole/202 2-23/1889/W- 113/24	W0205	RATNALAYA	12.954226091 718942- 77.651025205 8506	1889	01/01/2021
25	EE/ OFC/pole/202 2-23/1889/W- 113/25	W0205	RATNA VILLA	12.954358095 925137- 77.651069462 29936	1889	01/01/2021
26	EE/ OFC/pole/202 2-23/1889/W- 113/26	W0205	RUBY NEST	12.954965837 16008- 77.650787830 3528	1889	01/01/2021
27	EE/ OFC/pole/202 2-23/1889/W- 113/27	W0205	PEARL SUITES	12.955032492 56012- 77.650566548 10907	1889	01/01/2021
28	EE/ OFC/pole/202 2-23/1889/W- 113/28	W0205,W017 1	MATHRU KRUPA	12.955142277 886013- 77.650168240 07036	1889	01/01/2021



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No. of Poles 28

Pole Charges @ Rs 1500/- Pole	42,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	206.92
Junction Box Charges @ Rs 3000/- Pole	84,000	Total (C)	206.92
Supervision Charge @ Rs 100/- Pole	2,800		


Sub Total (A)	1,28,800	GST @ 18% (B)	23,184
Grand Total (A + B + C)	1,52,190.92		

Total Amount Payable Rs: 1,52,191 In words (Rupees One Lakh Fifty-Two Thousand One Hundred and Ninety-One Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

No.: 10-2022-1712

Pole Details

Map labels include: ST. PETER'S CHURCH, Cab Attachment Office, NS Royal Stays Luxury Stays for Ladies, Odia Dine, Shathavartha Enclave Phase 1 and Phase 2, Veracious Sonesta, Top in Tow, Rema SkyView Apartments, SK Sai Residency, Omega Medical Coding Academy, UBER Partner Seva Kendra, Sri Udipi, Gawky Goose, Rathna Villa, Pearl Boutique, Golf Manor Apartments, SRI RAM SAI LADIES PG, E U Castle, DogNation Rustam Bagh, Embassy Grove, Subiksha Daffodil, Bharat Golf View Apartments, Enphase Solar, Omega Healthcare Management Services, Webenza, Clyford Suites, Pearl Boutique, 1st A Cross Rd, 3rd Cross Rd.

S. Veerabhadre
EXECUTIVE ENGINEER
OFC CELL
BRUHAT BENGALURU MAHANAGARA PALIKE
BENGALURU