



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1732/2022-23

Date: 18-11-2022

618
Permission for Regularization of Poles
(already installed)

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization of poles (already installed).

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 23-05-2022
 - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
 - 4) Fee Demand Note letter No: 10-2022-1732, Date: **19-10-2022**.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **27-10-2022**.

*_*_*_*

With reference to your application for the regularization of poles already installed, we have pleasure to inform you that permission has been accorded for regularization of the poles installed details of which are as mentioned below.

SL No.	UniquePoleId.	Street Id	Landmark or address	Coordinates	Permissi onLetter No.	Permission Letter Date
01	EE/ OFC/pole/202 2-23/6410/W-130/886	W0451	Ganesh nilaya	12.951807098 657934- 77.484080241 61067	6410	18/02/2022
02	EE/ OFC/pole/202 2-23/6410/W-130/887	W0451	Beside Deva Giri	12.952220625 199848- 77.484080241 61067	6410	18/02/2022
03	EE/ OFC/pole/202 2-23/6410/W-130/888	W0445	Varasiddhi Vinayaka Nilaya	12.952136873 044251- 77.483726136 4766	6410	18/02/2022
04	EE/ OFC/pole/202 2-23/6410/W-130/889	W0445	Opp to Sai Krupa	12.951744284 439622- 77.483710040 78868	6410	18/02/2022

No: EE/OFC/PR/1732/2022-23, Dt: 18-11-2022


Executive Engineer (OFC), BBMP

05	EE/ OFC/pole/202 2-23/6410/W-130/890	W0437	Amrutha dhare	12.951812333 175416- 77.483468605 46998	6410	18/02/2022
06	EE/ OFC/pole/202 2-23/6410/W-130/891	W0437	Ullas	12.952142929 557084- 77.483473970 69927	6410	18/02/2022
07	EE/ OFC/pole/202 2-23/6410/W-130/892	W0425	Laxmi Narashima Nilaya	12.951886438 411687- 77.483012560 97912	6410	18/02/2022
08	EE/ OFC/pole/202 2-23/6410/W-130/893	W0413	Ranganatha Swamy Nilaya	12.951828858 730513- 77.482738934 28457	6410	18/02/2022
09	EE/ OFC/pole/202 2-23/6410/W-130/894	W0413	Sumana Nilaya	12.951457207 740924- 77.482738934 28457	6410	18/02/2022
10	EE/ OFC/pole/202 2-23/6410/W-130/895	W0555	Sri Prasanna	12.951912610 989629- 77.482417020 52633	6410	18/02/2022
11	EE/ OFC/pole/202 2-23/6410/W-130/896	W0555	Sri Hari Nilaya	12.951614243 437968- 77.482395559 60913	6410	18/02/2022
12	EE/ OFC/pole/202 2-23/6410/W-130/897	W0399	Lakshmi Venketeshwar Nilaya	12.951917845 50491- 77.482105837 22668	6410	18/02/2022
13	EE/ OFC/pole/202 2-23/6410/W-130/898	W0413	Sheet house	12.952273792 284632- 77.482738934 28457	6410	18/02/2022
14	EE/ OFC/pole/202 2-23/6410/W-130/899	W0413	Srinivasa Krupa	12.952520128 030708- 77.482725438 05568	6410	18/02/2022
15	EE/ OFC/pole/202 2-23/6410/W-130/900	W0413	Guru Prasad	12.952912715 412696- 77.482720072 82638	6410	18/02/2022
16	EE/ OFC/pole/202 2-23/6410/W-130/901	W0413	Mona	12.953012170 784563- 77.482725438 05568	6410	18/02/2022

17	EE/ OFC/pole/202 2-23/6410/W-130/902	W0413	Rukmani Nilaya	12.953453712 305702- 77.482716031 66482	6410	18/02/2022
18	EE/ OFC/pole/202 2-23/6410/W-130/903	W0413	Under Construction	12.953710201 837412- 77.482726762 12342	6410	18/02/2022
19	EE/ OFC/pole/202 2-23/6410/W-130/904	W0413	EWS house	12.954069027 973771- 77.482718683 85669	6410	18/02/2022
20	EE/ OFC/pole/202 2-23/6410/W-130/905	W0413	Maruthi prasanna	12.954110903 730289- 77.482713318 62738	6410	18/02/2022
21	EE/ OFC/pole/202 2-23/6410/W-130/906	W0425	Ramkrishna p pa Building	12.952252839 456806- 77.483019031 23202	6410	18/02/2022
22	EE/ OFC/pole/202 2-23/6410/W-130/907	W0425	Beside Sakanna Nilaya	12.952593082 255321- 77.483019031 23202	6410	18/02/2022
23	EE/ OFC/pole/202 2-23/6410/W-130/908	W0425	Sachidanand Nilaya	12.952959497 057128- 77.483019031 23202	6410	18/02/2022
24	EE/ OFC/pole/202 2-23/6410/W-130/909	W0425	Shri Hari Nilaya	12.953242159 535952- 77.483024396 46132	6410	18/02/2022
25	EE/ OFC/pole/202 2-23/6410/W-130/910	W0425	Sai sadana	12.953519587 21256- 77.483024396 46132	6410	18/02/2022
26	EE/ OFC/pole/202 2-23/6410/W-130/911	W0425	Basaveshwar Nilaya	12.953880766 177615- 77.483024396 46132	6410	18/02/2022
27	EE/ OFC/pole/202 2-23/6410/W-130/912	W0435	Basava sadana	12.952531108 320192- 77.483346310 21956	6410	18/02/2022
28	EE/ OFC/pole/202 2-23/6410/W-130/913	W0435	Little	12.952572984 335252- 77.483357040 6782	6410	18/02/2022

29	EE/ OFC/pole/202 2-23/6410/W-130/914	W0435	Sri ram Nilaya	12.952792833 298728- 77.483335579 76096	6410	18/02/2022
30	EE/ OFC/pole/202 2-23/6410/W-130/915	W0296, W043 5	Sri Nilaya	12.953023151 052381- 77.483357040 6782	6410	18/02/2022
31	EE/ OFC/pole/202 2-23/6410/W-130/916	W0435	Pavanadri	12.953070261 475764- 77.483346310 21956	6410	18/02/2022
32	EE/ OFC/pole/202 2-23/6410/W-130/917	W0290, W043 5	Sri Hari Book store	12.953290110 000363- 77.483335579 76096	6410	18/02/2022
33	EE/ OFC/pole/202 2-23/6410/W-130/918	W0435	Ganapati Nilaya	12.953436675 575661- 77.483335579 76096	6410	18/02/2022
34	EE/ OFC/pole/202 2-23/6410/W-130/919	W0435	Anjanadri	12.953672227 212413- 77.483330214 53166	6410	18/02/2022
35	EE/ OFC/pole/202 2-23/6410/W-130/920	W0455	Benaka	12.952504935 807237- 77.484730539 3801	6410	18/02/2022
36	EE/ OFC/pole/202 2-23/6410/W-130/921	W0300	kamala	12.952750957 320642- 77.484768095 98525	6410	18/02/2022
37	EE/ OFC/pole/202 2-23/6410/W-130/922	W0294	Sai ram	12.952986509 60582- 77.484752000 29735	6410	18/02/2022
38	EE/ OFC/pole/202 2-23/6410/W-130/923	W0288	Yamuna Kunja	12.953337220 373253- 77.484886131 02994	6410	11/02/2022
39	EE/ OFC/pole/202 2-23/6410/W-130/924	W0284	Sahiti	12.953661776 339448- 77.484933016 95486	6410	11/02/2022
40	EE/ OFC/pole/202 2-23/6410/W-130/925	W0284, W045 5	Jyoti	12.953651307 382104- 77.485287122 08893	6410	18/02/2022

01	No of Poles	40
02	Ward No	130
03	Zone Name	RR Nagar Zone

The locational details of poles are also given in the map enclosed with this permission letter.

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.

10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do the same at its own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at its own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to poles and resultant losses, if any during performance of official duties by any employee of corporation.
13. **Any dispute** arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlined in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. If any dispute arise it will be settled as per the MOU.
14. Operational and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operational and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.

19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0


23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**RR Nagar Zone**) for information.
4. Copy to Zonal Chief Engineer (**RR Nagar Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Kengeri Division**) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Kengeri Sub Division**) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

केनरा बैंक  Canara Bank जमा पूर्वी / DEPOSIT / PAY IN SLIP

शाखा/ Branch BCC Extn

दिनांक/ Date

--	--	--	--	--	--	--	--

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

8401132000010

नाम/Name Commisshiner B.B.M.P

टेलिफोन / मोबाइल नं 9740693800
Tel No./Mobile No.

राशि /Amount 1,84,296/- ₹ पै/P.

राशि शब्दों में one LAKH Eighty four
Rupees in words

Thousand Two hundred & ninety six only

चेक नं. / दिनांक तथा बैंक व शाखा का नाम Cheque No./Date / Name of Bank & Branch	<u>1,84,296/-</u> ₹ पै/P.
<u>20/05/2022</u>	<u>CANARA BANK</u>
<u>D.P.</u>	<u>सी.ए.पी. रोड, जे. सी. रोड, बेंगलूर-21</u>

EXPIRES ON 2022 FEB

अधिकारी / रोकड़िया / ब्रिजलाल शर्मा ब्रिजलाल शर्मा ब्रिजलाल शर्मा
Officer/Cashier / SWO

ब्रिजलाल शर्मा / ब्रिजलाल शर्मा ब्रिजलाल शर्मा ब्रिजलाल शर्मा
BPP/ ब्रिजलाल शर्मा ब्रिजलाल शर्मा ब्रिजलाल शर्मा
Officer/Cashier / SWO BENGALURU

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1732 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1732

With reference to your Demand Note bearing Pole-OFC-10-2022-1732 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0344 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1732	40	184296	206587	33120	184296
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,


Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

SDA
for MA
27/10



1732

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206587

19/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1732 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru – 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1732

With reference to your Demand Note bearing Pole-OFC-10-2022-1732, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0344.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1732	40	184296	206587	33120	184296
			Dated		
			19-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED


Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206587**
as per details mentioned below.

19/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 18012023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE
दिनांक

D	D	M	M	Y	Y	Y	Y
---	---	---	---	---	---	---	---

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मांगे जाने पर
RUPEES One Lac Eighty Four Thousand Two Hundred Ninety Six Only

रुपये

अदा करे ₹ 184,296.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206587

Client Reference 4200009020_283

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

[Signature]
55/10/2022
Authorised Signatory

[Signature]
Rudresha B
CC No. 26187

Please sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-1732

PR Number(To be Assigned by AE/JE- OFC, BBMP) CE-POLE-10-2022-1732

General Information

Segment ID

OFC/Pole/2022-23/W0250/1729

Street ID

75422

Street Name

NA

Zone

RR Nagara

Ward No.

130

Ward Name

Ullalu

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

23/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

40

No.Junction Box

40



Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	27/05/2022

Date : 19/10/2022

Time : 10:23:20

20221019102320



Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1732

Date: 19/10/2022

Demand Notice
GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-1732, dated : 23/05/2022

Details of Poles added on BBMP GIS Map


(Pole Id:-OFC/Pole/2022-23/W0250/1729)

Sr No.	Unique Poleld.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/6410/W- 130/886	W0451	Ganesh nilaya	12.951807098 657934- 77.484080241 61067	6410	18/02/2022
2	EE/ OFC/pole/202 2-23/6410/W- 130/887	W0451	Beside Deva Giri	12.952220625 199848- 77.484080241 61067	6410	18/02/2022
3	EE/ OFC/pole/202 2-23/6410/W- 130/888	W0445	Varasiddhi Vinayaka Nilaya	12.952136873 044251- 77.483726136 4766	6410	18/02/2022
4	EE/ OFC/pole/202 2-23/6410/W- 130/889	W0445	Opp to Sai Krupa	12.951744284 439622- 77.483710040 78868	6410	18/02/2022
5	EE/ OFC/pole/202 2-23/6410/W- 130/890	W0437	Amrutha dhare	12.951812333 175416- 77.483468605 46998	6410	18/02/2022

6	EE/ OFC/pole/202 2-23/6410/W- 130/891	W0437	Ullas	12.952142929 557084- 77.483473970 69927	6410	18/02/2022
7	EE/ OFC/pole/202 2-23/6410/W- 130/892	W0425	Laxmi Narashima Nilaya	12.951886438 411687- 77.483012560 97912	6410	18/02/2022
8	EE/ OFC/pole/202 2-23/6410/W- 130/893	W0413	Ranganatha Swamy Nilaya	12.951828858 730513- 77.482738934 28457	6410	18/02/2022
9	EE/ OFC/pole/202 2-23/6410/W- 130/894	W0413	Sumana Nilaya	12.951457207 740924- 77.482738934 28457	6410	18/02/2022
10	EE/ OFC/pole/202 2-23/6410/W- 130/895	W0555	Sri Prasanna	12.951912610 989629- 77.482417020 52633	6410	18/02/2022
11	EE/ OFC/pole/202 2-23/6410/W- 130/896	W0555	Sri Hari Nilaya	12.951614243 437968- 77.482395559 60913	6410	18/02/2022
12	EE/ OFC/pole/202 2-23/6410/W- 130/897	W0399	Lakshmi Venketeshwar Nilaya	12.951917845 50491- 77.482105837 22668	6410	18/02/2022
13	EE/ OFC/pole/202 2-23/6410/W- 130/898	W0413	Sheet house	12.952273792 284632- 77.482738934 28457	6410	18/02/2022
14	EE/ OFC/pole/202 2-23/6410/W- 130/899	W0413	Srinivasa Krupa	12.952520128 030708- 77.482725438 05568	6410	18/02/2022
15	EE/ OFC/pole/202 2-23/6410/W- 130/900	W0413	Guru Prasad	12.952912715 412696- 77.482720072 82638	6410	18/02/2022
16	EE/ OFC/pole/202 2-23/6410/W- 130/901	W0413	Mona	12.953012170 784563- 77.482725438 05568	6410	18/02/2022
17	EE/ OFC/pole/202 2-23/6410/W- 130/902	W0413	Rukmani Nilaya	12.953453712 305702- 77.482716031 66482	6410	18/02/2022
18	EE/ OFC/pole/202 2-23/6410/W- 130/903	W0413	Under Construction	12.953710201 837412- 77.482726762 12342	6410	18/02/2022
19	EE/ OFC/pole/202 2-23/6410/W- 130/904	W0413	EWS house	12.954069027 973771- 77.482718683 85669	6410	18/02/2022
20	EE/ OFC/pole/202 2-23/6410/W- 130/905	W0413	Maruthi prasanna	12.954110903 730289- 77.482713318 62738	6410	18/02/2022
21	EE/ OFC/pole/202 2-23/6410/W- 130/906	W0425	Ramkrishna pa Building	12.952252839 456806- 77.483019031 23202	6410	18/02/2022

22	EE/ OFC/pole/202 2-23/6410/W- 130/907	W0425	Beside Sakanna Nilaya	12.952593082 255321- 77.483019031 23202	6410	18/02/2022
23	EE/ OFC/pole/202 2-23/6410/W- 130/908	W0425	Sachidanand Nilaya	12.952959497 057128- 77.483019031 23202	6410	18/02/2022
24	EE/ OFC/pole/202 2-23/6410/W- 130/909	W0425	Shri Hari Nilaya	12.953242159 535952- 77.483024396 46132	6410	18/02/2022
25	EE/ OFC/pole/202 2-23/6410/W- 130/910	W0425	Sai sadana	12.953519587 21256- 77.483024396 46132	6410	18/02/2022
26	EE/ OFC/pole/202 2-23/6410/W- 130/911	W0425	Basaveshwar Nilaya	12.953880766 177615- 77.483024396 46132	6410	18/02/2022
27	EE/ OFC/pole/202 2-23/6410/W- 130/912	W0435	Basava sadana	12.952531108 320192- 77.483346310 21956	6410	18/02/2022
28	EE/ OFC/pole/202 2-23/6410/W- 130/913	W0435	Little	12.952572984 335252- 77.483357040 6782	6410	18/02/2022
29	EE/ OFC/pole/202 2-23/6410/W- 130/914	W0435	Sri ram Nilaya	12.952792833 298728- 77.483335579 76096	6410	18/02/2022
30	EE/ OFC/pole/202 2-23/6410/W- 130/915	W0296,W043 5	Sri Nilaya	12.953023151 052381- 77.483357040 6782	6410	18/02/2022
31	EE/ OFC/pole/202 2-23/6410/W- 130/916	W0435	Pavanadri	12.953070261 475764- 77.483346310 21956	6410	18/02/2022
32	EE/ OFC/pole/202 2-23/6410/W- 130/917	W0290,W043 5	Sri Hari Book store	12.953290110 000363- 77.483335579 76096	6410	18/02/2022
33	EE/ OFC/pole/202 2-23/6410/W- 130/918	W0435	Ganapati Nilaya	12.953436675 575661- 77.483335579 76096	6410	18/02/2022
34	EE/ OFC/pole/202 2-23/6410/W- 130/919	W0435	Anjanadri	12.953672227 212413- 77.483330214 53166	6410	18/02/2022
35	EE/ OFC/pole/202 2-23/6410/W- 130/920	W0455	Benaka	12.952504935 807237- 77.484730539 3801	6410	18/02/2022
36	EE/ OFC/pole/202 2-23/6410/W- 130/921	W0300	kamala	12.952750957 320642- 77.484768095 98525	6410	18/02/2022
37	EE/ OFC/pole/202 2-23/6410/W- 130/922	W0294	Sai ram	12.952986509 60582- 77.484752000 29735	6410	18/02/2022

38	EE/ OFC/pole/202 2-23/6410/W- 130/923	W0288	Yamuna Kunja	12.953337220 373253- 77.484886131 02994	6410	11/02/2022
39	EE/ OFC/pole/202 2-23/6410/W- 130/924	W0284	Sahiti	12.953661776 339448- 77.484933016 95486	6410	11/02/2022
40	EE/ OFC/pole/202 2-23/6410/W- 130/925	W0284,W045 5	Jyoti	12.953651307 382104- 77.485287122 08893	6410	18/02/2022



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP, Bangalore" within seven(7) days. Then only your request can be processed further.

Total No. of Poles 40

Pole Charges @ Rs 1500/- Pole	60,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	295.6
Junction Box Charges @ Rs 3000/- Pole	1,20,000	Total (C)	295.6
Supervision Charge @ Rs 100/- Pole	4,000		
Sub Total (A)	1,84,000	GST @ 18% (B)	33,120
Grand Total (A + B + C)	2,17,415.6		

Total Amount Payable Rs: 2,17,416 In words (Rupees Two Lakh Seventeen Thousand Four Hundred and Sixteen Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above

mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-1732

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.




BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

OFC/Pole/2022-23/W0054/1744 10-2022-1745 Pending ceofc01(ceofc01) Pole Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

Pole Details

10-2022-1732



OFC/Pole/2022-23/W0050/1709 10-2022-1711 Pending ceofc01(ceofc01) Pole Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

S. Y. J.
 ASSISTANT EXECUTIVE ENGINEER
 OFC CELL
 BRUHAT BENGALURU MAHANAGARA PALIKE
 BENGALURU

R. K. S.
 EXECUTIVE ENGINEER
 OFC CELL

BRUHAT BENGALURU MAHANAGARA PALIKE
 BENGALURU