



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell), 3<sup>rd</sup> Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1745/2022-23

Date: 20-10-2022

**Permission for Regularization for Poles**

To,  
M/s. Jio Digital Fibre Private Limited,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
  - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 24-05-2022
  - 3) Fee Demand Note letter No: 10-2022-1745, Date: 17-10-2022.
  - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
  - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 19-10-2022.

\*\_\*\_\*\_\*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from Pushpanjali Theater Road via 12 <sup>th</sup> Main Road, 14 <sup>th</sup> Main Road, 17 <sup>th</sup> Main Road, 15 <sup>th</sup> Main Road, 2 <sup>nd</sup> Cross Road, 12 <sup>th</sup> Main Road, Street ID No-W0073, 10 <sup>th</sup> 'A' Main Road up to Pushpanjali Theater Road.	47 Poles
02	From Street ID No-W0073 via 11 <sup>th</sup> Main Road, 2 <sup>nd</sup> 'H' Cross Road, 9 <sup>th</sup> Main Road, 3 <sup>rd</sup> Cross Road, 8 <sup>th</sup> Main Road up to Pushpanjali Theater Road.	
03	From Pushpanjali Theater Road via 10 <sup>th</sup> Main Road, 3 <sup>rd</sup> Cross Road up to 10 <sup>th</sup> 'A' Main Road, for total No of 47 Poles, in Ward No-100, West Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/1745/2022-23, Dt: 20-10-2022

Executive Engineer (OFC), BBMP

  
20/10/22

**Conditions for Regularization of Poles**

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.

13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

**Copy to:-**

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**West Zone**) for information.
4. Copy to Zonal Chief Engineer (**West Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Rajaji Nagar Division**) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Rajaji Nagar Sub Division**) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

10, 2022 - 1745 PM  
 केनरा बैंक Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP  
 शाखा/ Branch Bo. Extn. n

दिनांक/ Date 20 10 2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.  
 वचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

3401132000010

नाम/Name Comm. H. one B Bmp

टेलिफोन / मोबाइल नं  
 Tel No./Mobile No. \_\_\_\_\_ ₹ \_\_\_\_\_ पै/P.

राशि /Amount ₹ 16,547.00 /

राशि शब्दों में  
 Rupees in words \_\_\_\_\_

केनरा बैंक / CANARA BANK	
चेक नं. / दिनांक तथा बैंक व शाखा का नाम Cheque No./Date / Name of Bank & Branch	₹ पै/P.
<u>206166 20/10/2022</u>	<u>16,547.00 /</u>
E. B. M. P. Branch	
EXECUTIVE <u>16,547.00 /</u>	

अधिकारी / रोकरिया / OFC  
 BRUHAT PUNE  
 Canara Bank Toll Free No. 1800 425 0018  
 Officer/Cashier/SWO

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1745 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1745

With reference to your Demand Note bearing Pole-OFC-10-2022-1745 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0465

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1745	47	216547	206166	38916	216547
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.



Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



1745

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206166**

18/10/2022  
dated

**PAYMENT REFERENCE**

---

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1745 /DD Date: 19-Oct-22

The Chief Engineer (OFC cell)

Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note:-** Pole-OFC-10-2022-1745

With reference to your Demand Note bearing Pole-OFC-10-2022-1745 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0465 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1745	47	216547	206166	38916	216547
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.





1745

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5 TTC INDUSTRIAL AREA BELANCE CORPORATE PARK  
GHAN SOLITHANE BELAPUR ROAD, THANE  
Thane-400701

We are pleased to send to you Demand Draft No. **206166**  
as per details mentioned below.

18/10/2022  
dated

**PAYMENT REFERENCE**

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17012023

DATE 18 10 2022  
दिनांक 18 10 2022

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौजे जाने पर  
RUPEES Two Lacs Sixteen Thousand Five Hundred Forty Seven Only  
रुपये

अदा करें ₹ 216,547.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206166

Client Reference 4200008920\_30

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

For Axis Bank Ltd  
Authorized Signatory

*(Signature)*  
SSN: 24664  
206166  
Please sign above

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1745 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)

Bruhat Bengaluru Mahanagar Palike

4<sup>th</sup> floor Annex Building, N R Square

Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note:-** Pole-OFC-10-2022-1745

With reference to your Demand Note bearing Pole-OFC-10-2022-1745, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0465

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1745	47	216547	206166	38916	216547
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

1745

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREA RELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE  
Thane-400701

We are pleased to send to you Demand Draft No. **206166**  
as per details mentioned below.

18/10/2022  
dated

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17012023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 18/10/2022  
दिनांक 18/10/2022

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौजे जाने पर  
RUPEES Two Lacs Sixteen Thousand Five Hundred Forty Seven Only

रुपये

₹ 216,547.00  
अदा करे

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206166

Client Reference 4200008920\_30

For Axis Bank Ltd  
Authorised Signatory

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

Please sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT  
Pole Form

Application No. :10-2022-1745

PR Number(To be Assigned by AE/JE-  
OFC, BBMP)

CE-POLE-10-2022-1745

General Information

Segment ID

OFC/Pole/2022-23/W0054/1744

Street ID

18640

Street Name

NA

Zone

West

Ward No.

100

Ward Name

Basaveshwara Nagar

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5  
Rasta, Ambawadi, Ahmedabad, Gujarat,  
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

24/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,  
Vasanthanagar, Bangalore 560052

Purpose

OSP

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

47

No.Junction Box

47




### Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	27/05/2022

Date : 17/10/2022

Time : 07:42:05

20221017074205





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -  
560002

No. : Pole-OFC-10-2022-1745

Date: 17/10/2022

### Demand Notice

**GST No.: 29AAALBI608FIZK**

To

Babu Veerabhadre


M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).  
2)Your request letter No. : 10-2022-1745, dated : 24/05/2022

Details of Poles added on BBMP GIS Map (Pole Id:-OFC/Pole/2022-23/W0054/1744)




Sr No.	Unique Poleld.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/1861/W- 100/238	W0036	SriSai Condiments	12.993636038 842416- 77.545623779 29689	1861	09/04/2021
2	EE/ OFC/pole/202 2-23/1861/W- 100/239	W0036	Sri Sathya Sai	12.993583768 213469- 77.545395791 53062	1861	09/04/2021
3	EE/ OFC/pole/202 2-23/1861/W- 100/240	W0036	#202	12.993549792 298747- 77.545146346 09224	1861	09/04/2021
4	EE/ OFC/pole/202 2-23/1861/W- 100/241	W0036	Subramani	12.993515816 37938- 77.544835209 84651	1861	09/04/2021
5	EE/ OFC/pole/202 2-23/1861/W- 100/242	W0036	Near Gurubakery	12.993492294 586318- 77.544462382 79344	1861	09/04/2021

6	EE/ OFC/pole/202 2-23/1861/W- 100/243	W0024	PL5708	12.994154824 238208- 77.544388622 04552	1861	09/04/2021
7	EE/ OFC/pole/202 2-23/1861/W- 100/244	W0024	PL5606	12.994275046 391852- 77.544106990 09895	1861	09/04/2021
8	EE/ OFC/pole/202 2-23/1861/W- 100/245	W0018,W002 4	PL5603	12.994431857 809117- 77.543759644 03154	1861	09/04/2021
9	EE/ OFC/pole/202 2-23/1861/W- 100/246	W0028	PL5601	12.994352145 351044- 77.543598711 49065	1861	09/04/2021
10	EE/ OFC/pole/202 2-23/1861/W- 100/247	W0028	PL5501	12.994384814 394333- 77.543327808 38014	1861	09/04/2021
11	EE/ OFC/pole/202 2-23/1861/W- 100/248	W0028	PL5502	12.994430551 047717- 77.542987167 83524	1861	09/04/2021
12	EE/ OFC/pole/202 2-23/1861/W- 100/249	W0032	PL5303	12.994239763 809315- 77.542608976 36415	1861	09/04/2021
13	EE/ OFC/pole/202 2-23/1861/W- 100/250	I0059,W0038	BGLRBD0163 3971104	12.993920913 576812- 77.542480230 33144	1861	09/04/2021
14	EE/ OFC/pole/202 2-23/1861/W- 100/251	W0044	PL5206	12.993675241 806919- 77.542405128 47902	1861	09/04/2021
15	EE/ OFC/pole/202 2-23/1861/W- 100/252	W0044	PL5205	12.993654333 559961- 77.542600929 7371	1861	09/04/2021
16	EE/ OFC/pole/202 2-23/1861/W- 100/253	W0044	PL5204	12.993625584 717513- 77.542804777 62224	1861	09/04/2021
17	EE/ OFC/pole/202 2-23/1861/W- 100/254	W0044	PL5106	12.993588995 27685- 77.543150782 58516	1861	09/04/2021
18	EE/ OFC/pole/202 2-23/1861/W- 100/255	W0073,W004 8	PL5105	12.993249235 927596- 77.543378770 35142	1861	09/04/2021
19	EE/ OFC/pole/202 2-23/1861/W- 100/256	W0048	Om Engine Work	12.993285825 41832- 77.543046176 43358	1861	09/04/2021
20	EE/ OFC/pole/202 2-23/1861/W- 100/257	W0048	PL	12.993325028 438102- 77.542721629 14278	1861	09/04/2021
21	EE/ OFC/pole/202 2-23/1861/W- 100/258	W0073,W005 0	Darshan Department Store	12.993045380 094895- 77.543282210 82689	1861	09/04/2021

22	EE/ OFC/pole/202 2-23/1861/W- 100/259	W0077,W005 0	#324	12.992966973 960833- 77.543874979 01918	1861	09/04/2021
23	EE/ OFC/pole/202 2-23/1861/W- 100/260	W0077,W005 4	#325/B	12.992684711 673215- 77.543850839 13803	1861	09/04/2021
24	EE/ OFC/pole/202 2-23/1861/W- 100/261	W0050	PL6304	12.992943452 115787- 77.544129788 8756	1861	09/04/2021
25	EE/ OFC/pole/202 2-23/1861/W- 100/262	W0050	BGLRBD0639 031	12.992909476 113459- 77.544164657 59279	1861	09/04/2021
26	EE/ OFC/pole/202 2-23/1861/W- 100/263	W0050	PL6303	12.992925157 345876- 77.544446289 53935	1861	09/04/2021
27	EE/ OFC/pole/202 2-23/1861/W- 100/264	W0050	PL6302	12.992922543 807214- 77.544749379 15803	1861	09/04/2021
28	EE/ OFC/pole/202 2-23/1861/W- 100/265	W0050	PL6301	12.992948679 192653- 77.545001506 80543	1861	09/04/2021
29	EE/ OFC/pole/202 2-23/1861/W- 100/266	W0050	BGLRBD0655 92	12.992933651 346366- 77.545061856 50827	1861	09/04/2021
30	EE/ OFC/pole/202 2-23/1861/W- 100/267	W0050	BGLRBD0634 170	12.993016631 181952- 77.545402497 05316	1861	09/04/2021
31	EE/ OFC/pole/202 2-23/1861/W- 100/268	W0050	PL6201	12.993051913 938288- 77.545693516 731267	1861	09/04/2021
32	EE/ OFC/pole/202 2-23/1861/W- 100/269	W0054	Balaji-Bar	12.992616759 593103- 77.545728385 44847	1861	09/04/2021
33	EE/ OFC/pole/202 2-23/1861/W- 100/270	W0054	PL	12.992588010 630518- 77.545320689 6782	1861	09/04/2021
34	EE/ OFC/pole/202 2-23/1861/W- 100/271	W0054	PL	12.992580170 003782- 77.544835209 84651	1861	09/04/2021
35	EE/ OFC/pole/202 2-23/1861/W- 100/272	W0054	PL	12.992640281 46909- 77.544132471 0846	1861	09/04/2021
36	EE/ OFC/pole/202 2-23/1861/W- 100/273	W0066	Mobile Spare	12.991994735 841685- 77.545787394 04678	1861	09/04/2021
37	EE/ OFC/pole/202 2-23/1861/W- 100/274	W0066	Mahaveer Auto	12.991981668 0991- 77.545242905 61677	1861	09/04/2021



38	EE/ OFC/pole/202 2-23/1861/W- 100/275	W0066	Variety Enterprises	12.991937237 769191- 77.544585764 40813	1861	09/04/2021
39	EE/ OFC/pole/202 2-23/1861/W- 100/276	W0066	Sai Old Age	12.991934624 220109- 77.544164657 59279	1861	09/04/2021
40	EE/ OFC/pole/202 2-23/1861/W- 100/277	W0066	#628	12.991934624 220109- 77.543799877 16676	1861	09/04/2021
41	EE/ OFC/pole/202 2-23/1861/W- 100/278	W0077	#652	12.992543580 409091- 77.543858885 76509	1861	09/04/2021
42	EE/ OFC/pole/202 2-23/1861/W- 100/279	W0056	Mathru Nilaya	12.992418130 329195- 77.543555796 1464	1861	09/04/2021
43	EE/ OFC/pole/202 2-23/1861/W- 100/280	W0056	Kamallama	12.992441652 22401- 77.543292939 66295	1861	09/04/2021
44	EE/ OFC/pole/202 2-23/1861/W- 100/281	W0056	PL	12.992478241 833725- 77.542804777 62224	1861	09/04/2021
45	EE/ OFC/pole/202 2-23/1861/W- 100/282	W0056	PL	12.992525285 60973- 77.542499005 79454	1861	09/04/2021
46	EE/ OFC/pole/202 2-23/1861/W- 100/283	W0056	PL	12.992543580 409091- 77.542158365 24965	1861	09/04/2021
47	EE/ OFC/pole/202 2-23/1861/W- 100/284	I0059,W0054	PL	12.992819309 00779- 77.542170435 1902	1861	09/04/2021



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

**Total No.of Poles 47**

Pole Charges @ Rs 1500/- Pole	70,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	347.33
Junction Box Charges @ Rs 3000/- Pole	1,41,000	Total (C)	347.33
Supervision Charge @ Rs 100/- Pole	4,700		
Sub Total (A)	2,16,200	GST @ 18% (B)	38,916


Grand Total (A + B + C)	2,55,463.33
-------------------------	-------------

**Total Amount Payable Rs: 2,55,463 In words (Rupees Two Lakh Fifty-Five Thousand Four Hundred and Sixty-Three Only)**

**Note:**The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)  
Bruhat Bangalore Mahanagara Palike

No.: 10-2022-1745

**Copy to**

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.