



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rd Floor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1767/2022-23

Date: 20-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 24-05-2022
 - 3) Fee Demand Note letter No: 10-2022-1767, Date: 17-10-2022.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 19-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from Pipe Line Road via 5th Main Road, 15th 'C' Cross Road, 15th 'D' Cross Road, 14th 'B' Cross Road, Street ID No-W0039, 1st Main Road up to 15th 'A' Cross Road.	29 Poles
02	From Pipe Line Road via 14th 'A' Main Road up to 14th Main Road.	
03	From 14th 'A' Main Road via Street ID No-W0068, W0079	
04	From 14th 'A' Main Road via Street ID No-W0073	
05	From 14th Main Road via Street ID No-W0064 up to I0106.	
06	From 15th 'A' Cross Road via 5th Main Road, Street ID No-W0029	
07	From Street ID No-W0060 via 15th 'C' Cross Road	
08	From 15th 'D' Cross Road via Street ID No-W0035	
09	From Street ID No-W0031 via W0058	
10	From Street ID No-W0031 via W0056	
11	From Street ID No-W0031 via W0048	
12	From Street ID No-W0040 via W0035	
13	From Street ID No-W0040 via W0033, W0032	
14	From Street ID No-W0040 via W0029 up to I0030.	
15	From Street ID No-W0033 via W0038 for total No of 29 Poles, in Ward No-67 West Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

No: EE/OFC/PR/1767/2022-23, Dt: 20-10-2022

Executive Engineer (OFC), BBMP

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**West Zone**) for information.
4. Copy to Zonal Chief Engineer (**West Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Mahalakshmi Layout Division**) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Nagapura Sub Division**) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1767 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1767

With reference to your Demand Note bearing Pole-OFC-10-2022-1767 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0452 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1767	29	133614	206186	24012	133614
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



1767

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206186

18/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1767 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1767

With reference to your Demand Note bearing Pole-OFC-10-2022-1767 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0452 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1767	29	133614	206186	24012	133614
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206186**
as per details mentioned below.

18/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17012023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 08/10/2022
दिनांक 08/10/2022

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर
RUPEES One Lac Thirty Three Thousand Six Hundred Fourteen Only

रुपये

₹ 133,614.00
अदा करे

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206186

Client Reference 4200008920_50

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd
Authorized Signatory
Rudresha B
Please sign above
CC No. 206186

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1767 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1767

With reference to your Demand Note bearing Pole-OFC-10-2022-1767 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0452 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1767	29	133614	206186	24012	133614
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



AXIS BANK LTD

1767

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE
Thane-400701

We are pleased to send to you Demand Draft No. **206186**
as per details mentioned below.

18/10/2022
dated

PAYMENT REFERENCE



AXIS BANK LTD

ISSUING BRANCH

IFS CODE - UTIB000274

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17/10/2023

DATE 18/10/2022
दिनांक 18/10/2022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर

RUPEES One Lac Thirty Three Thousand Six Hundred Fourteen Only

रुपये

₹ 133,614.00
अदा करे

Payable at par at all Branches of AXIS Bank Ltd .

DD Sr. No. 206186

Client Reference 4200008920_50

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

[Signature]
Authorized Signatory

[Signature]
Authorized Signatory

Please sign above
CC No. 206186



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-1767

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-1767

General Information

Segment ID

OFC/Pole/2022-23/W0038/1766

Street ID

18393

Street Name

NA

Zone

West

Ward No.

67

Ward Name

Nagapura

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

24/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OSP

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

29

No.Junction Box

29




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	28/05/2022

Date : 17/10/2022

Time : 07:45:21

20221017074521





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1767

Date: 17/10/2022

Demand Notice
GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited


GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-1767, dated : 24/05/2022

Details of Poles added on BBMP GIS Map


(Pole Id:-OFC/Pole/2022-23/W0038/1766)



Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/3946/W- 67/373	W0066,W007 3	PL	13.004029834 71236- 77.541353702 54517	3946	10/12/2021
2	EE/ OFC/pole/202 2-23/3946/W- 67/374	W0066,W007 9	PL	13.003967112 582965- 77.541788220 40559	3946	10/12/2021
3	EE/ OFC/pole/202 2-23/3946/W- 67/375	W0068,W006 6	PL	13.003653501 698098- 77.542362213 13477	3946	10/12/2021
4	EE/ OFC/pole/202 2-23/3946/W- 67/376	W0068,W007 9	PL	13.003368638 134102- 77.541672885 41795	3946	10/12/2021
5	EE/ OFC/pole/202 2-23/3946/W- 67/377	W0068	PL	13.003162177 181464- 77.541160583 49611	3946	10/12/2021

6	EE/ OFC/pole/202 2-23/3946/W- 67/378	I0106	PL	13.004332991 447605- 77.543129324 91304	3946	11/12/2021
7	EE/ OFC/pole/202 2-23/3946/W- 67/379	W0058	PL	13.005603109 604074- 77.545291185 37904	3946	10/12/2021
8	EE/ OFC/pole/202 2-23/3946/W- 67/380	W0058	PL	13.005472439 31194- 77.544851303 1006	3946	10/12/2021
9	EE/ OFC/pole/202 2-23/3946/W- 67/381	W0039,W005 8	PL	13.005326088 50304- 77.544373869 89595	3946	10/12/2021
10	EE/ OFC/pole/202 2-23/3946/W- 67/382	W0137,W005 6	PL	13.005885357 200176- 77.545296549 79707	3946	10/12/2021
11	EE/ OFC/pole/202 2-23/3946/W- 67/383	W0056	PL	13.005772980 880943- 77.544878125 19075	3946	10/12/2021
12	EE/ OFC/pole/202 2-23/3946/W- 67/384	W0048	PL	13.006146697 28058- 77.545157074 9283	3946	10/12/2021
13	EE/ OFC/pole/202 2-23/3946/W- 67/385	W0048	PL	13.006078748 886159- 77.544856667 51863	3946	10/12/2021
14	EE/ OFC/pole/202 2-23/3946/W- 67/386	W0039,W004 0	PL	13.006434171 051021- 77.544765472 41212	3946	10/12/2021
15	EE/ OFC/pole/202 2-23/3946/W- 67/387	W0035,W004 0	PL	13.006517799 721683- 77.544395327 56807	3946	10/12/2021
16	EE/ OFC/pole/202 2-23/3946/W- 67/388	W0137,W003 8	PL	13.006773912 350182- 77.544872760 77272	3946	10/12/2021
17	EE/ OFC/pole/202 2-23/3946/W- 67/389	W0038	PL	13.006789592 7066- 77.544604539 87123	3946	10/12/2021
18	EE/ OFC/pole/202 2-23/3946/W- 67/390	W0038	PL	13.006860154 29823- 77.544143199 92065	3946	10/12/2021
19	EE/ OFC/pole/202 2-23/3946/W- 67/391	W0032,W013 7	PL	13.007084905 9007- 77.544714510 44083	3946	10/12/2021
20	EE/ OFC/pole/202 2-23/3946/W- 67/392	W0032	PL	13.007155467 408301- 77.544408738 61314	3946	10/12/2021
21	EE/ OFC/pole/202 2-23/3946/W- 67/393	W0032	PL	13.007215575 343396- 77.544097602 36742	3946	10/12/2021

22	EE/ OFC/pole/202 2-23/3946/W- 67/394	W0032,W002 9	PL	13.007262616 325919- 77.543783783 91267	3946	10/12/2021
23	EE/ OFC/pole/202 2-23/3946/W- 67/395	I0106,W0064	PL	13.004986345 22093- 77.542786002 15913	3946	10/12/2021
24	EE/ OFC/pole/202 2-23/3946/W- 67/396	W0035,W005 8	PL	13.005263366 701367- 77.543944716 45355	3946	10/12/2021
25	EE/ OFC/pole/202 2-23/3946/W- 67/397	W0035	PL	13.005702418 98006- 77.544127106 66658	3946	10/12/2021
26	EE/ OFC/pole/202 2-23/3946/W- 67/398	W0035	PL	13.006183284 869866- 77.544314861 29762	3946	10/12/2021
27	EE/ OFC/pole/202 2-23/3946/W- 67/399	W0033	PL	13.006496892 55666- 77.543933987 61749	3946	10/12/2021
28	EE/ OFC/pole/202 2-23/3946/W- 67/400	W0033	PL	13.005942852 041493- 77.543730139 73238	3946	10/12/2021
29	EE/ OFC/pole/202 2-23/3946/W- 67/401	W0033,W008 3	PL	13.004923623 333356- 77.543317079 54408	3946	10/12/2021



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 29

Pole Charges @ Rs 1500/- Pole	43,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	214.31
Junction Box Charges @ Rs 3000/- Pole	87,000	Total (C)	214.31


Supervision Charge @ Rs 100/- Pole	2,900		
Sub Total (A)	1,33,400	GST @ 18% (B)	24,012
Grand Total (A + B + C)	1,57,626.31		

Total Amount Payable Rs: 1,57,626 In words (Rupees One Lakh Fifty-Seven Thousand Six Hundred and Twenty-Six Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

No.: 10-2022-1767

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-1767

1/2

@RIL.COM

OFC/Pole/2022-23/W0147/1771 10-2022-1779 Pending ceofc01(ceofc01) Pole Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

Pole Details

10-2022-1767



OFC/Pole/2022-23/W0295/1752 10-2022-1753 Pending ceofc01(ceofc01) Pole Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

EXECUTIVE ENGINEER

BRUHAT BENGALURU MAHANAGARA PALIKE
BENGALURU