



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1772/2022-23

Date: 22-11-2022

718
Permission for Regularization of Poles
(already installed)

To,
M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization of poles (already installed).


Ref :- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
2) M/s. Jio Digital Fibre Private Limited online application Dated: 24-05-2022
3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
4) Fee Demand Note letter No: 10-2022-1772, Date: 18-10-2022.
5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 31-10-2022.

*_*_*_*

With reference to your application for the regularization of poles already installed, we have pleasure to inform you that permission has been accorded for regularization of the poles installed details of which are as mentioned below.

SL No.	UniquePoleId.	Street Id	Landmark or address	Coordinates	Permissi onLetter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/7110/W-14/587	W0401	PL1701 Marathi Ragavedra	13.057630542 367084-77.505320906 63911	7110	20/02/2021
2	EE/ OFC/pole/202 2-23/7110/W-14/588	W0401	PI1705 Sri Hombale	13.057013907 591275-77.505170702 93428	7110	20/02/2021
3	EE/ OFC/pole/202 2-23/7110/W-14/589	W0405	PI5105 vankatagiri	13.056648106 573217-77.505691051 48317	7110	20/02/2021
4	EE/ OFC/pole/202 2-23/7110/W-14/590	W0405	PL5204 Omkar	13.056945973 157454-77.505798339 84376	7110	20/02/2021

No: EE/OFC/PR/1772/2022-23, Dt: 22-11-2022


Executive Engineer (OFC), BBMP

5	EE/ OFC/pole/202 2-23/7110/W-14/591	W0405	PI5101 Naveen Nialya	13.057395385 218891- 77.505916357 04042	7110	20/02/2021
6	EE/ OFC/pole/202 2-23/7110/W-14/592	W0413	PI5105 Venkatesh	13.056564494 835891- 77.505921721 45844	7110	20/02/2021
7	EE/ OFC/pole/202 2-23/7110/W-14/593	W0413	PL5204 Omkar	13.056935521 704432- 77.506050467 49116	7110	20/02/2021
8	EE/ OFC/pole/202 2-23/7110/W-14/594	W0413	PI5203 Baireveshwara Nilaya	13.057442416 666431- 77.506243586 54022	7110	20/02/2021
9	EE/ OFC/pole/202 2-23/7110/W-14/595	W0415	PI5303 Nivas	13.056538366 162187- 77.506216764 45009	7110	20/02/2021
10	EE/ OFC/pole/202 2-23/7110/W-14/596	W0415	PI5301 Sri Maruthi	13.057149776 40289- 77.506431341 17126	7110	20/02/2021
11	EE/ OFC/pole/202 2-23/7110/W-14/597	W0385	PI0205 Govi Ranganath	13.058764519 250436- 77.505041956 90156	7110	20/02/2021
12	EE/ OFC/pole/202 2-23/7110/W-14/598	W0385	PI0805 Sri Vasantha	13.058696585 298025- 77.505519390 10622	7110	20/02/2021
13	EE/ OFC/pole/202 2-23/7110/W-14/599	W0388	PI0204 Shiva Krupa	13.059046706 23743- 77.504902482 03279	7110	20/02/2021
14	EE/ OFC/pole/202 2-23/7110/W-14/600	W0388	PI0203 Lakshmi Nialaya	13.059010126 46101- 77.505224347 11456	7110	20/02/2021
15	EE/ OFC/pole/202 2-23/7110/W-14/601	W0388	PI0202 Venkatesh Nilaya	13.058931741 207555- 77.505658864 97499	7110	20/02/2021
16	EE/ OFC/pole/202 2-23/7110/W-14/602	W0350	PI0304 Sowdarya	13.059334118 577976- 77.505058050 15564	7110	20/02/2021

17	EE/ OFC/pole/202 2-23/7110/W-14/603	W0350	PI0303 Venkatesh Nilaya	13.059297538 844111-77.505320906 63911	7110	20/02/2021
18	EE/ OFC/pole/202 2-23/7110/W-14/604	W0346	PI0405 Lakshmi Nilaya	13.059574499 551426-77.505599856 37666	7110	20/02/2021
19	EE/ OFC/pole/202 2-23/7110/W-14/605	W0373	PI1004 Police Station	13.058461429 16462-77.503711581 23018	7110	20/02/2021
20	EE/ OFC/pole/202 2-23/7110/W-14/606	W0373	PI1006 Gowri Nivas	13.058565943 029325-77.503765225 41048	7110	20/02/2021
21	EE/ OFC/pole/202 2-23/7110/W-14/607	W0373	PI1007 Amban Graha	13.059051931 91933-77.503915429 11531	7110	20/02/2021
22	EE/ OFC/pole/202 2-23/7110/W-14/608	W0373	PL1005 Chowdesh Nivas	13.059292313 167402-77.503706216 81215	7110	20/02/2021

01	No of Poles	22
02	Ward No	14
03	Zone Name	Dasarahalli Zone

The locational details of poles are also given in the map enclosed with this permission letter.

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.

3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do the same at its own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at its own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to poles and resultant losses, if any during performance of official duties by any employee of corporation.
13. **Any dispute** arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlined in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract

after giving a show cause notice of fifteen days. If any dispute arise it will be settled as per the MOU.

14. Operational and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operational and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:

22. Right-of-way(ROW) for Electrical lines.-

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance

quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Dasarahalli** Zone) for information.
4. Copy to Zonal Chief Engineer (**Dasarahalli** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Dasarahalli** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**T-Dasarahalli** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

1772

केनरा बँक Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा / Branch BCC Extension

दिनांक / Date 31/10/2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

बचत / चाल खाता / ओडी / सीसी / आरडी / ट्रीगल / डीपॉस खाता सं. / क्रेडिट कार्ड सं.

6401132000010

नाम / Name Commercial Bank BBMP

टेलिफोन / मोबाइल नं. / Tel No. / Mobile No.

राशि / Amount NOV 01,363/- ₹ पैसे / P.

राशि शब्दों में / Rupees in words One lakh One thousand

three hundred & sixty three only

चेक नं. / दिनांक तथा बैंक व शाखा का नाम Cheque No. / Date / Name of Bank & Branch	₹	पैसे / P.
<u>906616 dt 19/10/22</u>	<u>101363</u>	<u>00</u>
<u>Axis Bank</u>		

कुल / Total 101363.00

EXECUTIVE ENGINEER

अधिकारी / रोकाई ऑफिसर / Officer / Cashier / SWO

BRUHAT BENGALURU MAHANAGAR PALIKE

BENGALURU

केनरा बँक टॉल फ्री 24 घंटे कॉल सेंटर
Canara Bank Toll Free No.

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1772 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1772

With reference to your Demand Note bearing Pole-OFC-10-2022-1772 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0260 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1772	22	101363	206616	18216	101363
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,


Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.

SQA

31/10



1792

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206616

19/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1772 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1772

With reference to your Demand Note bearing Pole-OFC-10-2022-1772 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0260 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1772	22	101363	206616	18216	101363
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206616

19/10/2022
dated

PAYMENT REFERENCE

AXIS BANK LTD ISSUING BRANCH
IFS CODE - UTIB0000274

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 18012023

DATE 19 10 2022
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौजे जाने पर
RUPEES One Lac One Thousand Three Hundred Sixty Three Only

रुपये

अदा करें

₹ 101,363.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206616

Client Reference 4200009020_312

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

[Signature]
SSMO: 24006
Authorised Signatory

[Signature]
Authorised Signatory

Rudresha B
SS No. 26187
Please sign above

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1772 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1772

With reference to your Demand Note bearing Pole-OFC-10-2022-1772 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0260 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1772	22	101363	206616	18216	101363
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

1792

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206616

19/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 18012023

DATE 9 10 2022
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौंग जाने पर

RUPEES One Lac One Thousand Three Hundred Sixty Three Only

रुपये

अदा करें

₹ 101,363.00

Payable at par at all Branches of AXIS Bank Ltd.


DD Sr. No. 206616

Client Reference 4200009020_312

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd


Sushil Shah
Authorised Signatory


Rudresha B
Authorised Signatory

Please Sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-1772

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-1772

General Information

Segment ID

OFC/Pole/2022-23/W0415/1771

Street ID

53822

Street Name

NA

Zone

Dasarahalli

Ward No.

14

Ward Name

Bagalakunte

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

24/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icoñ, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

22

No.Junction Box


22



Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	28/05/2022

Date : 18/10/2022



20221018031034



Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1772


Date: 18/10/2022

Demand Notice**GST No.: 29AAALBI608FIZK****To**

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

**Sub:-** Permission for Poles(Regularization)**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-1772, dated : 24/05/2022


Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0415/1771)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/7110/W- 14/587	W0401	PL1701 Marathi Ragavedra	13.057630542 367084- 77.505320906 63911	7110	20/02/2021
2	EE/ OFC/pole/202 2-23/7110/W- 14/588	W0401	PI1705 Sri Hombale	13.057613907 591275- 77.505170702 93428	7110	20/02/2021
3	EE/ OFC/pole/202 2-23/7110/W- 14/589	W0405	PI5105 vankatagiri .	13.056648106 573217- 77.505691051 48317	7110	20/02/2021
4	EE/ OFC/pole/202 2-23/7110/W- 14/590	W0405	PL5204 Omkar	13.056945973 157454- 77.505798339 84376	7110	20/02/2021
5	EE/ OFC/pole/202 2-23/7110/W- 14/591	W0405	PI5101 Naveen Nialya	13.057395385 218891- 77.505916357 04042	7110	20/02/2021

6	EE/ OFC/pole/202 2-23/7110/W- 14/592	W0413	PI5105 Venkatesh	13.056564494 835891- 77.505921721 45844	7110	20/02/2021
7	EE/ OFC/pole/202 2-23/7110/W- 14/593	W0413	PL5204 Omkar	13.056935521 704432- 77.506050467 49116	7110	20/02/2021
8	EE/ OFC/pole/202 2-23/7110/W- 14/594	W0413	PI5203 Baire veshwara Nilaya	13.057442416 666431- 77.506243586 54022	7110	20/02/2021
9	EE/ OFC/pole/202 2-23/7110/W- 14/595	W0415	PI5303 Nivas	13.056538366 162187- 77.506216764 45009	7110	20/02/2021
10	EE/ OFC/pole/202 2-23/7110/W- 14/596	W0415	PI5301 Sri Maruthi	13.057149776 40289- 77.506431341 17126	7110	20/02/2021
11	EE/ OFC/pole/202 2-23/7110/W- 14/597	W0385	PI0205 Govi Ranganath	13.058764519 250436- 77.505041956 90156	7110	20/02/2021
12	EE/ OFC/pole/202 2-23/7110/W- 14/598	W0385	PI0805 Sri Vasantha	13.058696585 298025- 77.505519390 10622	7110	20/02/2021
13	EE/ OFC/pole/202 2-23/7110/W- 14/599	W0388	PI0204 Shiva Krupa	13.059046706 23743- 77.504902482 03279	7110	20/02/2021
14	EE/ OFC/pole/202 2-23/7110/W- 14/600	W0388	PI0203 Lakshmi Nialaya	13.059010126 46101- 77.505224347 11456	7110	20/02/2021
15	EE/ OFC/pole/202 2-23/7110/W- 14/601	W0388	PI0202 Venkatesh Nilaya	13.058931741 207555- 77.505658864 974997	7110	20/02/2021
16	EE/ OFC/pole/202 2-23/7110/W- 14/602	W0350	PI0304 Sowdarya	13.059334118 577976- 77.505058050 15564	7110	20/02/2021
17	EE/ OFC/pole/202 2-23/7110/W- 14/603	W0350	PI0303 Venkatesh Nilaya	13.059297538 844111- 77.505320906 63911	7110	20/02/2021
18	EE/ OFC/pole/202 2-23/7110/W- 14/604	W0346	PI0405 Lakshmi Nilaya	13.059574499 551426- 77.505599856 37666	7110	20/02/2021
19	EE/ OFC/pole/202 2-23/7110/W- 14/605	W0373	PI1004 Police Station	13.058461429 16462- 77.503711581 23018	7110	20/02/2021
20	EE/ OFC/pole/202 2-23/7110/W- 14/606	W0373	PI1006 Gowri Nivas	13.058565943 029325- 77.503765225 41048	7110	20/02/2021
21	EE/ OFC/pole/202 2-23/7110/W- 14/607	W0373	PI1007 Amban Graha	13.059051931 91933- 77.503915429 11531	7110	20/02/2021

22	EE/ OFC/pole/202 2-23/7110/W- 14/608	W0373	PL1005 Chowdesh Nivas	13.059292313 167402- 77.503706216 81215	7110	20/02/2021
----	---	-------	-----------------------------	--	------	------------



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No. of Poles 22

Pole Charges @ Rs 1500/- Pole	33,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	162.58
Junction Box Charges @ Rs 3000/- Pole	66,000	Total (C)	162.58
Supervision Charge @ Rs 100/- Pole	2,200		
Sub Total (A)	1,01,200	GST @ 18% (B)	18,216
Grand Total (A + B + C)	1,19,578.58		

Total Amount Payable Rs: 1,19,579 In words (Rupees One Lakh Nineteen Thousand Five Hundred and seventy-Nine Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-1772

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-1772 1/2 X RE@RIL.COM

OFC/Pole/2022-23/W0022/1784 10-2022-1787 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

Pole Details



10-2022-1772

OFC/Pole/2022-23/W0049/1748 10-2022-1758 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

S. S. Srinivas
 ASSISTANT EXECUTIVE ENGINEER
 OFC CELL
 BRUHAT BENGALURU MAHANAGARA PALIKE
 BENGALURU

EXECUTIVE ENGINEER
 OFC CELL
 BRUHAT BENGALURU MAHANAGARA PALIKE
 BENGALURU