



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1792/2022-23

Date: 16-11-2022

571
Permission for Regularization of Poles
(already installed)

To,
M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization of poles (already installed).

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 24-05-2022
 - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 4) Fee Demand Note letter No: 10-2022-1792, Date: 17-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 27-10-2022.

*_*_*_*

With reference to your application for the regularization of poles already installed, we have pleasure to inform you that permission has been accorded for regularization of the poles installed details of which are as mentioned below.

SL No.	UniquePoleId.	Street Id	Landmark or address	Coordinates	Permissi onLetter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/4716/W-154/193	W0003	12.940397-77.57045	12.940395630 413017-77.570454454 55749	4716	19/04/2022
2	EE/ OFC/pole/202 2-23/4716/W-154/194	W0003	12.94017-77.57047	12.940175924 060458-77.570470539 85512	4716	19/04/2022
3	EE/ OFC/pole/202 2-23/4716/W-154/195	W0003, W003 0	12.93999-77.57047	12.939998066 395175-77.570470539 85512	4716	19/04/2022
4	EE/ OFC/pole/202 2-23/4716/W-154/196	W0003	12.93983-77.57047	12.939835901 94276-77.570470539 85512	4716	19/04/2022

No: EE/OFC/PR/1792/2022-23, Dt: 16-11-2022


Executive Engineer (OFC), BBMP

5	EE/ OFC/pole/202 2-23/4716/W-154/197	W0003	12.93964-77.570470	12.939642350684073-77.57047053985512	4716	19/04/2022
6	EE/ OFC/pole/202 2-23/4716/W-154/198	W0003	12.93946-77.57049	12.93946449263824-77.5704973486844	4716	19/04/2022
7	EE/ OFC/pole/202 2-23/4716/W-154/199	W0003, W005 0	12.93933-77.57050	12.939333714582427-77.57050807221613	4716	19/04/2022
8	EE/ OFC/pole/202 2-23/4716/W-154/200	W0003	12.93924-77.57051	12.93924478546529-77.57051879574784	4716	19/04/2022
9	EE/ OFC/pole/202 2-23/4716/W-154/201	W0052, W000 3	12.93911-77.57054	12.939114007294275-77.57054024281129	4716	19/04/2022
10	EE/ OFC/pole/202 2-23/4716/W-154/202	W0024	12.94053-77.57070	12.94053605854609-77.57070149361246	4716	19/04/2022
11	EE/ OFC/pole/202 2-23/4716/W-154/203	W0024	12.94054-77.57093	12.940546520742643-77.57093204954445	4716	19/04/2022
12	EE/ OFC/pole/202 2-23/4716/W-154/204	W0024	12.94054-77.57113	12.940546520742643-77.57113579664717	4716	19/04/2022
13	EE/ OFC/pole/202 2-23/4716/W-154/205	W0011	12.94027-77.57123	12.940274503489832-77.57123767019851	4716	19/04/20.
14	EE/ OFC/pole/202 2-23/4716/W-154/206	W0011, W003 2	12.93997-77.57124	12.93997633039105-77.57124839373027	4716	19/04/2022
15	EE/ OFC/pole/202 2-23/4716/W-154/207	W0011, W005 2	12.93948-77.57125	12.939489836674996-77.57125911726197	4716	19/04/2022
16	EE/ OFC/pole/202 2-23/4716/W-154/208	W0011	12.94070-77.57121	12.940708188335257-77.57121997456608	4716	19/04/2022

17	EE/ OFC/pole/202 2-23/4716/W-154/209	W0011	12.94092-77.57121	12.940922663 12862- 77.571214612 80022	4716	19/04/2022
18	EE/ OFC/pole/202 2-23/4716/W-154/210	W0011	12.94110-77.57120	12.941100520 134409- 77.571203889 2685	4716	19/04/2022
19	EE/ OFC/pole/202 2-23/4716/W-154/211	W0011	12.94133-77.57118	12.941335918 917572- 77.571182442 20506	4716	19/04/2022
20	EE/ OFC/pole/202 2-23/4716/W-154/212	W0011, W001 2	12.94162-77.57117	12.941628859 315186- 77.571177080 4392	4716	19/04/2022
21	EE/ OFC/pole/202 2-23/4716/W-154/213	W0011	12.94192-77.57116	12.941927030 437865- 77.571160995 14161	4716	19/04/2022

01	No of Poles	21
02	Ward No	154
03	Zone Name	South Zone

The locational details of poles are also given in the map enclosed with this permission letter.

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.

4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do the same at its own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at its own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to poles and resultant losses, if any during performance of official duties by any employee of corporation.
13. **Any dispute** arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlined in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. If any dispute arise it will be settled as per the MOU.

14. Operational and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operational and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:

22. Right-of-way(ROW) for Electrical lines.-

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0


23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**South Zone**) for information.
4. Copy to Zonal Chief Engineer (**South Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Basavanagudi** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Basavanagudi** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

केनरा बैंक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा / Branch BCC Extension

दिनांक / Date 27/02/22

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

1111111111111111

नाम / Name Commissioner BIMP

टेलिफोन / मोबाइल नं
Tel No. / Mobile No.

राशि / Amount ₹ 96,755 प/प.

राशि शब्दों में
Rupees in words Ninety Six Thousand

Seven hundred and fifty five only

चेक नं. / दिनांक तथा बैंक व शाखा का नाम Cheque No./Date / Name of Bank & Branch	₹	प/प.
<u>906552 dt 27/02/22</u>	<u>96,755</u>	<u>₹</u>
<u>Axis Bank De 102</u>	<u>₹</u>	<u>₹</u>

अधिकारी / सुकीडिया
एस डब्ल्यू ओ
Officer/Cashier/SWO

केनरा बैंक टोल फ्री 24 घंटे कॉल सेंटर
Canara Bank Toll Free No.
1800 425 0018 LIME

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1792 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1792

With reference to your Demand Note bearing Pole-OFC-10-2022-1792 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0845 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1792	21	96755	206552	17388	96755
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



SOA
for NA

27/10

1892

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206552

19/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1792 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1792

With reference to your Demand Note bearing Pole-OFC-10-2022-1792 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0845 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1792	21	96755	206552	17388	96755
			Dated		
			19-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



1792

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE
Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206552

dated 19/10/2022

PAYMENT REFERENCE

AXIS BANK LTD ISSUING BRANCH
IFS CODE : UTIB0000274

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 18012023

DATE 10 10 20 22
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मांगे जाने पर

RUPEES Ninety Six Thousand Seven Hundred Fifty Five Only

रुपये

अदा करे

₹ 96,755.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206552

Client Reference 4200009020 248

For Axis Bank Ltd
Rudresha B
SS No. 26182

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Please sign above

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1792 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1792

With reference to your Demand Note bearing Pole-OFC-10-2022-1792 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0845 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1792	21	96755	206552	17388	96755
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206552

dated 19/10/2022

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 18012023

DATE 10 10 20 22
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर

RUPEES **Ninety Six Thousand Seven Hundred Fifty Five Only**

रुपये

अदा करें

₹ 96,755.00

Payable at par at all Branches of AXIS Bank Ltd

DD Sr. No. 206552

Client Reference 4200009020 248

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

Rudresha B
Authorised Signatory
SSN: 24004
Rudresha B
SS No. 26182

Please sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-1792

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-1792

General Information

Segment ID

OFC/Pole/2022-23/W0022/1790

Street ID

32101

Street Name

NA

Zone

South

Ward No.

154

Ward Name

Basavanagudi

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

24/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

21

No.Junction Box


21



Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	30/05/2022

Date : 26/10/2022



20221026010356



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1792

Date: 17/10/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).


2)Your request letter No. : 10-2022-1792, dated : 24/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0022/1790)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/4716/W- 154/193	W0003	12.940397- 77.57045	12.940395630 413017- 77.570454454 55749	4716	19/04/2022
2	EE/ OFC/pole/202 2-23/4716/W- 154/194	W0003	12.94017- 77.57047	12.940175924 060458- 77.570470539 85512	4716	19/04/2022
3	EE/ OFC/pole/202 2-23/4716/W- 154/195	W0003,W003 0	12.93999- 77.57047	12.939998066 395175- 77.570470539 85512	4716	19/04/2022
4	EE/ OFC/pole/202 2-23/4716/W- 154/196	W0003	12.93983- 77.57047	12.939835901 94276- 77.570470539 85512	4716	19/04/2022
5	EE/ OFC/pole/202 2-23/4716/W- 154/197	W0003	12.93964- 77.570470	12.939642350 684073- 77.570470539 85512	4716	19/04/2022

6	EE/ OFC/pole/202 2-23/4716/W- 154/198	W0003	12.93946- 77.57049	12.939464492 63824- 77.570497348 6844	4716	19/04/2022
7	EE/ OFC/pole/202 2-23/4716/W- 154/199	W0003,W005 0	12.93933- 77.57050	12.939333714 582427- 77.570508072 21613	4716	19/04/2022
8	EE/ OFC/pole/202 2-23/4716/W- 154/200	W0003	12.93924- 77.57051	12.939244785 46529- 77.570518795 74784	4716	19/04/2022
9	EE/ OFC/pole/202 2-23/4716/W- 154/201	W0052,W000 3	12.93911- 77.57054	12.939114007 294275- 77.570540242 81129	4716	19/04/2022
10	EE/ OFC/pole/202 2-23/4716/W- 154/202	W0024	12.94053- 77.57070	12.940536058 54609- 77.570701493 61246	4716	19/04/2022
11	EE/ OFC/pole/202 2-23/4716/W- 154/203	W0024	12.94054- 77.57093	12.940546520 742643- 77.570932049 54445	4716	19/04/2022
12	EE/ OFC/pole/202 2-23/4716/W- 154/204	W0024	12.94054- 77.57113	12.940546520 742643- 77.571135796 64717	4716	19/04/2022
13	EE/ OFC/pole/202 2-23/4716/W- 154/205	W0011	12.94027- 77.57123	12.940274503 489832- 77.571237670 19851	4716	19/04/2022
14	EE/ OFC/pole/202 2-23/4716/W- 154/206	W0011,W003 2	12.93997- 77.57124	12.939976330 39105- 77.571248393 73027	4716	19/04/2022
15	EE/ OFC/pole/202 2-23/4716/W- 154/207	W0011,W005 2	12.93948- 77.57125	12.939489836 674996- 77.571259117 26197	4716	19/04/2022
16	EE/ OFC/pole/202 2-23/4716/W- 154/208	W0011	12.94070- 77.57121	12.940708188 335257- 77.571219974 56608	4716	19/04/2022
17	EE/ OFC/pole/202 2-23/4716/W- 154/209	W0011	12.94092- 77.57121	12.940922663 12862- 77.571214612 80022	4716	19/04/2022
18	EE/ OFC/pole/202 2-23/4716/W- 154/210	W0011	12.94110- 77.57120	12.941100520 134409- 77.571203889 2685	4716	19/04/2022
19	EE/ OFC/pole/202 2-23/4716/W- 154/211	W0011	12.94133- 77.57118	12.941335918 917572- 77.571182442 20506	4716	19/04/2022
20	EE/ OFC/pole/202 2-23/4716/W- 154/212	W0011,W001 2	12.94162- 77.57117	12.941628859 315186- 77.571177080 4392	4716	19/04/2022
21	EE/ OFC/pole/202 2-23/4716/W- 154/213	W0011	12.94192- 77.57116	12.941927030 437865- 77.571160995 14161	4716	19/04/2022



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No. of Poles 21

Pole Charges @ Rs 1500/- Pole	31,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	155.19
Junction Box Charges @ Rs 3000/- Pole	63,000	Total (C)	155.19
Supervision Charge @ Rs 100/- Pole	2,100		
Sub Total (A)	96,600	GST @ 18% (B)	17,388
Grand Total (A + B + C)	1,14,143.19		

Total Amount Payable Rs: 1,14,143 In words (Rupees One Lakh Fourteen Thousand One Hundred and Forty-Three Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-1792

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

RI-OFC/Pole/2022-23/Z-2/1805 10-2022-1806 Pending ceofc01(ceofc01) OFC Work Created Demand Notice Permission Letter View/Submit

Pole Details



OFC/Pole/2022-23/W0147/1771 10-2022-1779 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

S. S. G...
 ASSISTANT EXECUTIVE ENGINEER
 OFC CELL
 BRUHAT BENGALURU MAHANAGARA PALIKE
 BENGALURU

EXECUTIVE ENGINEER
 OFC CELL
 BRUHAT BENGALURU MAHANAGARA PALIKE
 BENGALURU