



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell), 3<sup>rd</sup> Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/300/2022-23

Date: 15-10-2022

13

**Permission for Regularization for Poles**

To,  
M/s. Jio Digital Fibre Private Limited,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
  - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 27-04-2022.
  - 3) Fee Demand Note letter No: 10-2022-300, Date: 12-05-2022.
  - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
  - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 14-10-2022.

\*\_\*\_\*\_\*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization from 10th 'B' Main Road via 1st 'P' Cross, Street ID No-W0216, W0297, W0193, 1st Main Road, 7th Cross Road, 1st Cross, W0275, W0277 up to 2nd Main Road.	40 Poles
02	From Street ID No-W0297 via 2nd Main Road, 5th Cross, Krishna Road, 2nd Cross Road up to 15th Main Road.	
03	From 2nd Main Road to Krishna Road	
04	From 1st Main Road via 4th Cross.	
05	From 1st Main Road via 5th Cross.	
06	From 4th Cross junction via 3rd Main Road up to 7th Cross Road.	
07	From 3rd Main Road via 5th Cross Road.	
08	From the junction of 5th Cross via 1st Cross	
09	From Street ID No-W0281 via W014, W0269.	
10	From 2nd Main Road via 5th Cross	
11	From 2nd Main Road via Street ID No-W0267	
12	From 5th Cross via street ID No-W0214 up to W0279.	
13	From Street ID No-W0297 via 1st Main Road.	

No: EE/OFC/PR/300/2022-23, Dt: 15-10-2022

  
Executive Engineer (OFC), BBMP

14	From Krishna Road via Street ID No-W0271, I0134, W0291.
15	From Street ID No-W0271 via W0020
16	From 2nd Cross Road via Krishna Road up to 15th Main Road from Sidedahalli Main Road via Street ID No-W0231 up to W0244.
17	From Krishna Road via Street ID No-W0301 up to W0303
18	From Krishna Road via Street ID No-W0305
19	From Krishna Road via Street ID No-W0303. For a total No of 40 poles, in <b>Ward No-75, West Zone.</b> <b>Ref: As per drawing enclosed &amp; demand note GIS co-ordinates.</b>

**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

**Conditions for Regularization of Poles**

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.



10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.

20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way (ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way (ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.



Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**West Zone**) for information.
4. Copy to Zonal Chief Engineer (**West Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Mahalakshmi Layout Division**) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Nagapura Sub Division**) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-300 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to lay the OFC by HDD method.**

**Ref: Demand Note :-** Pole-OFC-10-2022-300

With reference to your Demand Note bearing Pole-OFC-10-2022-300 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0420

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-300	40	184296	205833	33120	184296
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



300

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD.  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**205833**01/10/2022  
dated

---

**PAYMENT REFERENCE**

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-300 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to lay the OFC by HDD method.**

**Ref: Demand Note :- Pole-OFC-10-2022-300**

With reference to your Demand Note bearing Pole-OFC-10-2022-300, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0420.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-300	40	184296	205833	33120	184296
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

  
Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **205833**  
as per details mentioned below.

01/10/2022  
dated

**PAYMENT REFERENCE**

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31/12/2022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 01/10/2022  
दिनांक 01/10/2022

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या. उनके आदेश पर

मौजे जाने पर  
RUPEES One Lac Eighty Four Thousand Two Hundred Ninety Six Only  
रुपये

अदा करे ₹ 184,296.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205833

Client Reference 4200008085\_16

For Axis Bank Ltd  
Authorized Signatory

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

Please sign above  
Rudresha B  
CC No. 26182



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

## BBMP ENGINEERING DEPARTMENT

### Pole Form

Application No. :10-2022-300

PR Number(To be Assigned by AE/JE-  
OFC, BBMP)

CE-POLE-10-2022-300

#### General Information

**Segment ID**

OFC/Pole/2022-23/W0281/300

**Street ID**

19717

**Street Name**

NA

**Zone**

West

**Ward No.**

75

**Ward Name**

Shankar Mutt

**Service Provider Category**

Telecom

**Organization**

M/s. Jio Digital Fibre Private Limited

**Year of Incorporation**

2009-10

**Registered Office Address**

101, Saffron, Nr Centra Point, Panchwati 5  
Rasta, Ambawadi, Ahmedabad, Gujarat,  
India

**Pin Code**

380006

**Official Phone No.**

9845117017

**Previous Relevant Exp.**

10

**Fax**

08035485012

**Official Phone No.**

www.jio.com

**Penalized Details**

No

**Vat Reg No.**

0

**GST**

29AAECJ4213B1Z0

**Turnover for Last 3 Years**

60

**TAN**

AHMJ08610A

**Application Submission Date**

27/04/2022

**Name of the Authorized Person**

Babu Veerabhadre

**Designation**

DGM

**Email ID**

babu.veerabhadre@ril.com

**Local Address**

No 51, RMZ Icon, Palace Cross Road,  
Vasanthanagar, Bangalore 560052

**Purpose**

OFC

**Phone No.**

9845117017

**Mobile No.**

9845117017

**Attachments**


#### Pole Related Information

**No.of Poles**

40

**No.Junction Box**

40




**Status of My Application**

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	04/05/2022

Date : 12/05/2022

Time : 03:06:12

20220512030612







ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -  
560002

No. : Pole-OFC-10-2022-300

Date: 12/05/2022

**Demand Notice**  
**GST No.: 29AAALBI608FIZK**

**To**

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

**Sub:-** Permission for Poles(Regularization)**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-300, dated : 27/04/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0281/300)


Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/0736/W- 75/52	W0305	PL0607 ( Balaji Nilaya #09 )	12.996246942 755894- 77.537569105 62517	0736	08/03/2021
2	EE/ OFC/pole/202 2-23/0737/W- 75/53	W0305,W021 8	PL0608 ( Vijaya Krupa )	12.996670329 992364- 77.537673711 77675	0737	08/03/2021
3	EE/ OFC/pole/202 2-23/0737/W- 75/54	W0303	PL0606 ( Renuka Krupa )	12.996659875 99523- 77.537440359 59245	0737	08/03/2021
4	EE/ OFC/pole/202 2-23/0737/W- 75/55	W0303	PL0605 ( Mathru Shree Nilaya #12 )	12.996343642 373535- 77.537343800 06792	0737	08/03/2021
5	EE/ OFC/pole/202 2-23/0737/W- 75/56	W0301,W030 5,W0303	PL0601 ( Venkateshwar a Nilaya )	12.995781738 663498- 77.537196278 5721	0737	08/03/2021

6	EE/ OFC/pole/202 2-23/0737/W- 75/57	W0301	PL0610 ( Saphagiri Nilaya # 19 )	12.996654648 99649- 77.537185549 73604	0737	08/03/2021
7	EE/ OFC/pole/202 2-23/0737/W- 75/58	W0301	PL0604 ( Manjunatha Nilaya #38)	12.996278304 798187- 77.537072896 95741	0737	08/03/2021
8	EE/ OFC/pole/202 2-23/0737/W- 75/59	W0301	PL0603 ( Priyadarshini Nilaya #46 )	12.995815714 272785- 77.536944150 9247	0737	08/03/2021
9	EE/ OFC/pole/202 2-23/0737/W- 75/60	W0218	PL0108 ( Vanitha nilaya #94 )	12.996735667 464549- 77.536886483 43088	0737	08/03/2021
10	EE/ OFC/pole/202 2-23/0737/W- 75/61	W0218,W029 5	PL5101 ( Priyadarshini Nilaya )	12.996680783 989078- 77.536806017 16043	0737	08/03/2021
11	EE/ OFC/pole/202 2-23/0737/W- 75/62	W0295	PL5102 ( Sankalpa Nilaya )	12.996236488 740923- 77.536633014 67897	0737	08/03/2021
12	EE/ OFC/pole/202 2-23/0737/W- 75/63	I0134,W0295	PL5103 ( Krishna Book House #146 )	12.995562203 845212- 77.536466717 72005	0737	08/03/2021
13	EE/ OFC/pole/202 2-23/0737/W- 75/64	W0291	PL0103 ( Lavanya Nilaya # 79/1 )	12.996233875 237118- 77.535763978 95813	0737	08/03/2021
14	EE/ OFC/pole/202 2-23/0737/W- 75/65	I0134,W0291	PL0207 ( Deepa Villa )	12.995671971 278616- 77.535576224 32709	0737	08/03/2021
15	EE/ OFC/pole/202 2-23/0737/W- 75/66	I0134	PL0202 ( EveShine Apt )	12.995750376 558483- 77.534986138 34383	0737	08/03/2021
16	EE/ OFC/pole/202 2-23/0737/W- 75/67	I0134,W0271	BGLRBD0563 13 ( SAntery Apt )	12.995786965 680606- 77.534591853 61864	0737	08/03/2021
17	EE/ OFC/pole/202 2-23/0737/W- 75/68	W0271,W022 0	PL0205 ( Lakshmi Narsimha Nilaya )	12.996116267 537081- 77.534664273 26204	0737	08/03/2021
18	EE/ OFC/pole/202 2-23/0737/W- 75/69	W0220	PL0203 ( Guru Krupa #68 )	12.996152856 605288- 77.535176575 18388	0737	08/03/2021
19	EE/ OFC/pole/202 2-23/0737/W- 75/70	W0220	PL0204 ( Ujala Nilaya )	12.996223421 2216- 77.535434067 24931	0737	08/03/2021
20	EE/ OFC/pole/202 2-23/0737/W- 75/71	W0214	PL0303 ( Saranya Nilaya #23	12.996720639 847466- 77.534707859 15853	0737	08/03/2021
21	EE/ OFC/pole/202 2-23/0737/W- 75/72	W0265	PL0302	12.996111040 526905- 77.534197568 89345	0737	04/04/2022

22	EE/ OFC/pole/202 2-23/0737/W- 75/73	W0267	PL0404 ( #49 )	12.997258366 622859- 77.534463107 5859	0737	08/03/2021
23	EE/ OFC/pole/202 2-23/0737/W- 75/74	W0267	PL0402 ( Kamala Nilaya )	12.997260326 742643- 77.534413486 71915	0737	08/03/2021
24	EE/ OFC/pole/202 2-23/0737/W- 75/75	W0267	PL0401 ( Krishna Kuteera #59 )	12.997548464 18079- 77.534417510 03267	0737	08/03/2021
25	EE/ OFC/pole/202 2-23/0737/W- 75/76	W0269	PL5202 ( Srinivasa Nilaya )	12.997294955 522738- 77.534763514 99557	0737	08/03/2021
26	EE/ OFC/pole/202 2-23/0737/W- 75/77	W0269	PL5205 ( Ramappa Nilaya #16 / 7 )	12.997754929 803794- 77.534760832 78657	0737	08/03/2021
27	EE/ OFC/pole/202 2-23/0737/W- 75/78	W0184	PL5202 ( #31/12 )	12.997888217 6464- 77.535168528 55684	0737	08/03/2021
28	EE/ OFC/pole/202 2-23/0737/W- 75/79	W0281	PL0502 ( #79/12 )	12.997621641 889598- 77.535364329 81493	0737	08/03/2021
29	EE/ OFC/pole/202 2-23/0737/W- 75/80	W0281	PL0507 ( Chowdeshwar i Nilaya )	12.997318476 955508- 77.535369694 23295	0737	08/03/2021
30	EE/ OFC/pole/202 2-23/0737/W- 75/81	W0158	PL5301 ( 41/12 )	12.998264559 403907- 77.535396516 3231	0737	08/03/2021
31	EE/ OFC/pole/202 2-23/0737/W- 75/82	W0150,W017 5,W0273	PL5405 ( Manjunatha Nilaya #170)	12.998766347 526296- 77.535031735 89708	0737	08/03/2021
32	EE/ OFC/pole/202 2-23/0737/W- 75/83	W0150	PL5404 ( #89/16 Raju Nilaya )	12.998635673 633775- 77.535535991 19188	0737	08/03/2021
33	EE/ OFC/pole/202 2-23/0737/W- 75/84	W0287,W015 0,W0181	PL5401 ( Banashankari Nilaya )	12.998562496 223927- 77.536018788 81456	0737	08/03/2021
34	EE/ OFC/pole/202 2-23/0737/W- 75/85	W0175,W013 2	PL5404 ( Sri Venkateshwar a Nilaya )	12.999200184 356067- 77.535243630 40924	0737	08/03/2021
35	EE/ OFC/pole/202 2-23/0737/W- 75/86	W0175	PL5506 ( Guru Krupa #180/12 )	12.999654928 170814- 77.535460889 33945	0737	08/03/2021
36	EE/ OFC/pole/202 2-23/0737/W- 75/87	W0128,W017 9	PL5602 ( #259 )	12.999367446 545726- 77.535903453 82692	0737	08/03/2021
37	EE/ OFC/pole/202 2-23/0737/W- 75/88	W0267,W017 8	PL5303 ( #123 Vekat Nilaya )	12.998060707 689428- 77.534530162 8113	0737	08/03/2021



38	EE/ OFC/pole/202 2-23/0737/W- 75/89	W0216	PL5804 ( Kamala Nilaya #176/2 )	12.996943440 511776- 77.536646425 72404	0737	08/03/2021
39	EE/ OFC/pole/202 2-23/0737/W- 75/90	W0216	PL5803 ( Lakshmi Nilaya #69/08)	12.996883330 088316- 77.536048293 11372	0737	08/03/2021
40	EE/ OFC/pole/202 2-23/0737/W- 75/91	W0216	PL5802 ( Sapthagiri Nilaya #59 )	12.996823219 650302- 77.535647302 86598	0737	08/03/2021



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

**Total No.of Poles 40**

Pole Charges @ Rs 1500/- Pole	60,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	295.6
Junction Box Charges @ Rs 3000/- Pole	120,000	Total (C)	295.6
Supervision Charge @ Rs 100/- Pole	4,000		
Sub Total (A)	184,000	GST @ 18% (B)	33,120
Grand Total (A + B + C)	217,415.6		

**Total Amount Payable Rs: 217,416 In words (Rupees Two Lakh Seventeen Thousand Four Hundred and Sixteen Only)**

**Note:**The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)  
Bruhat Bangalore Mahanagara Palike

**Copy to**

No.: 10-2022-300

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.




BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-300

1/2

@RIL.COM

Pole Details



10-2022-300

EXECUTIVE ENGINEER  
OFC CELL

BHARAT BENGALURU MAHANAGARA PALIKE