



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/301/2022-23

Date: 15-10-2022

14

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 28-04-2022.
 - 3) Fee Demand Note letter No: 10-2022-301, Date: 12-05-2022.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 14-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization from 80ft Road via 10th Main Road, 2nd 'B' Cross Road, 8th Main Road, 2nd 'E' Cross Road, 6th Main Road, 6th 'A' Main Road, 2nd 'B' Cross Road, 6th Main Road, 2nd Cross Road, 8th Main Road up to 2nd 'D' Cross Road.	36 Poles
02	From 8th Main Road via 2nd Cross Road, 9th Main Road, 2nd 'E' Cross Road, Street ID No-W0074, W0013 back to 9th Main Road. For a total No of 36 poles, in Ward No-100, West Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.

No: EE/OFC/PR/301/2022-23, Dt: 15-10-2022


Executive Engineer (OFC), BBMP

2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.

14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

	Vertically in m.	Horizontally in m.
--	------------------	--------------------


i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**West Zone**) for information.
4. Copy to Zonal Chief Engineer (**West Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Rajaji Nagar Division**) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Rajaji Nagar Sub Division**) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

301

केनरा बैंक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा / Branch BCC Extension

दिनांक / Date

1	0	1	0	0	0	0
---	---	---	---	---	---	---

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.
बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

8	4	0	1	1	3	2	0	0	0	0	1	0
---	---	---	---	---	---	---	---	---	---	---	---	---


नाम / Name Omullu One, BBMP

टेलिफोन / मोबाइल नं.
Tel No. / Mobile No. _____

राशि / Amount ₹ 1,65,866/- पै/P.

राशि शब्दों में
Rupees in words One lakh Sixty five thousand Eight hundred and Sixty Six only

चेक नं. / दिनांक तथा बैंक व शाखा का नाम Cheque No./Date/Name of Bank & Branch	₹	पै/P.
<u>0058341 3/10/2022</u>	<u>1,65,866/-</u>	
D.B.M.P. Branch		
SAVED BY <u>XXXXXXXXXX</u>	<u>1,65,866/-</u>	
EXECUTED BY <u>XXXXXXXXXX</u>		

अधिकारी / रोकड़िया /  **OFC**
BRUHAT BENGALURU. MANARAGARAFALKE
 Officer/Cashier/SW **BENGALURU**
 टोल फ्री 24 घंटे कॉल सेंटर
 1800 425 0018

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasathanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-301 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru – 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-301

With reference to your Demand Note bearing Pole-OFC-10-2022-301 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0416 .


Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-301	36	165866	205834	29808	165866
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



301

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHAN SOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205834

01/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-301 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-301

With reference to your Demand Note bearing Pole-OFC-10-2022-301, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0416.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-301	36	165866	205834	29808	165866
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

205834

01/10/2022
dated

PAYMENT REFERENCE



AXIS BANK LTD
IFS CODE - UTIB0000274

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31/12/2022

DATE
दिनांक

D	D	M	M	Y	Y	Y	Y
---	---	---	---	---	---	---	---

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौगे जाने पर
RUPEES One Lac Sixty Five Thousand Eight Hundred Sixty Six Only
रुपये

अदा करे

₹ 165,866.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205834

Client Reference 4200008085_17

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

[Signature]
SS/10:24004
Authorised Signatory

[Signature]
Authorised Signatory

Please sign above

Rudresha B
No. 26182

⑈ 205834 ⑈ 4002110710 999983 ⑈ 16



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-301

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-301

General Information

Segment ID

OFC/Pole/2022-23/W0022/301

Street ID

18624

Street Name

NA

Zone

West

Ward No.

100

Ward Name

Basaveshwara Nagar

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

28/04/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

36

No.Junction Box

36




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	04/05/2022

Date : 12/05/2022

Time : 03:02:49

20220512030249





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-301

Date: 12/05/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-301, dated : 28/04/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0022/301)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/2524/W- 100/25	W0122,W000 5	PL0801 (#506 Bhrami)	12.989728779 00051- 77.538403272 6288	2524	29/07/2021
2	EE/ OFC/pole/202 2-23/2524/W- 100/26	W0005	PL0802 (#514 Maruthi Nilaya)	12.990455351 03521- 77.538548111 9156	2524	29/07/2021
3	EE/ OFC/pole/202 2-23/2524/W- 100/27	W0092,W000 5	PL0805 (#520 Nikunj)	12.991053856 618318- 77.538719773 29254	2524	29/07/2021
4	EE/ OFC/pole/202 2-23/2524/W- 100/28	W0005	PL0804 (#615 Rathi Nilaya)	12.991144024 364983- 77.538752630 35297	2524	29/07/2021
5	EE/ OFC/pole/202 2-23/2524/W- 100/29	W0005	PL0108 (Opposite Polar Bear)	12.991466798 494157- 77.538835108 2802	2524	29/07/2021

6	EE/ OFC/pole/202 2-23/2524/W- 100/30	W0005	PL0106 (#651/B)	12.991749062 166118- 77.538990676 40305	2524	29/07/2021
7	EE/ OFC/pole/202 2-23/2524/W- 100/31	W0005,W007 4	PL0105 (#671 Arpana)	12.991944425 028969- 77.539059072 73293	2524	29/07/2021
8	EE/ OFC/pole/202 2-23/2524/W- 100/32	W0005,W006 8	PL0208 (#644 Bhuvi)	12.992152855 47241- 77.539130151 27183	2524	29/07/2021
9	EE/ OFC/pole/202 2-23/2524/W- 100/33	W0005,W006 4	PL0202 (#950 Thirumala)	12.992522672 066844- 77.539256215 09553	2524	29/07/2021
10	EE/ OFC/pole/202 2-23/2524/W- 100/34	W0005,W005 8	PL5202 (V737 Sneha)	12.992857205 331552- 77.539347410 20204	2524	29/07/2021
11	EE/ OFC/pole/202 2-23/2524/W- 100/35	W0058	PL5108 (Shivanna & Co CA)	12.992883340 723886- 77.539148926 73494	2524	29/07/2021
12	EE/ OFC/pole/202 2-23/2524/W- 100/36	W0058	PL5204 (#732)	12.992768344 97708- 77.539958953 85742	2524	29/07/2021
13	EE/ OFC/pole/202 2-23/2524/W- 100/37	W0058	PL5209 (#727 Heramba)	12.992687325 214396- 77.540431022 64406	2524	29/07/2021
14	EE/ OFC/pole/202 2-23/2524/W- 100/38	W0058	PL5307 (Opposite 724 P Nageshwar rao)	12.992629827 302252- 77.540747523 30781	2524	29/07/2021
15	EE/ OFC/pole/202 2-23/2524/W- 100/39	W0033	PL5304 (Empty Land)	12.993029698 870073- 77.540846765 04137	2524	29/07/2021
16	EE/ OFC/pole/202 2-23/2524/W- 100/40	W0052	PL5303 (#747 Mathru Nilaya)	12.993115945 594385- 77.540363967 41867	2524	29/07/2021
17	EE/ OFC/pole/202 2-23/2524/W- 100/41	W0052	PL5302 (#743)	12.993194351 681414- 77.539902627 46812	2524	29/07/2021
18	EE/ OFC/pole/202 2-23/2524/W- 100/42	W0003,W005 2	PL5301 (New Building)	12.993257076 533213- 77.539564669 13225	2524	29/07/2021
19	EE/ OFC/pole/202 2-23/2524/W- 100/43	W0033	PL5904 (Sri Chowdeshwar i Nilaya)	12.992373700 077374- 77.540726065 6357	2524	29/07/2021
20	EE/ OFC/pole/202 2-23/2524/W- 100/44	W0033	PL0405 (MBR Prasad)	12.992039166 161314- 77.540677785 87343	2524	29/07/2021
21	EE/ OFC/pole/202 2-23/2524/W- 100/45	W0033	PL0406 (#719 Arunodayam)	12.991631452 341787- 77.540613412 85706	2524	29/07/2021

22	EE/ OFC/pole/202 2-23/2524/W- 100/46	W0076	PL0407 (#715 V Raghuram)	12.991333507 20421- 77.540535628 79564	2524	29/07/2021
23	EE/ OFC/pole/202 2-23/2524/W- 100/47	W0076	PL0402 (#788 Anjanadri Nilaya)	12.991260327 642069- 77.540972828 86507	2524	29/07/2021
24	EE/ OFC/pole/202 2-23/2524/W- 100/48	W0025	PL0305 (#703 BP Rao)	12.992601078 341195- 77.540417611 59898	2524	29/07/2021
25	EE/ OFC/pole/202 2-23/2524/W- 100/49	W0025	PL0307 (#707 Gokul)	12.992169843 525907- 77.540350556 37361	2524	29/07/2021
26	EE/ OFC/pole/202 2-23/2524/W- 100/50	W0074	PL0304 (#695)	12.991696791 139958- 77.540170848 36961	2524	29/07/2021
27	EE/ OFC/pole/202 2-23/2524/W- 100/51	W0013,W007 4	PL0302 (#673 Sai Deep)	12.991780424 776522- 77.539787292 48048	2524	29/07/2021
28	EE/ OFC/pole/202 2-23/2524/W- 100/52	W0013,W006 8	PL0203 (#946)	12.992028711 969173- 77.539826184 5112	2524	29/07/2021
29	EE/ OFC/pole/202 2-23/2524/W- 100/53	W0013,W006 4	PL0201 (Empty Land Opposite 689)	12.992410289 697101- 77.539895921 94559	2524	29/07/2021
30	EE/ OFC/pole/202 2-23/2524/W- 100/54	W0037	PL0404 (B923 Janatha Bazar)	12.991150558 258399- 77.540978193 28308	2524	29/07/2021
31	EE/ OFC/pole/202 2-23/2524/W- 100/55	W0037	PL0506 (#224 Channakesha va Swami)	12.990648754 743818- 77.540999650 9552	2524	29/07/2021
32	EE/ OFC/pole/202 2-23/2524/W- 100/56	W0094,W003 7	PL0508 (#219 Hari Krupa)	12.990450123 905866- 77.540987581 01465	2524	29/07/2021
33	EE/ OFC/pole/202 2-23/2524/W- 100/57	W0122	PL0507 (#216 Bhavani Chamundi Nilaya)	12.989754914 722056- 77.541047930 71748	2524	29/07/2021
34	EE/ OFC/pole/202 2-23/2524/W- 100/58	W0025,W011 8	PL0602 (#579 Basaveshwar a Nilaya)	12.990112973 83043- 77.540130615 23439	2524	29/07/2021
35	EE/ OFC/pole/202 2-23/2524/W- 100/59	W0122,W000 9	PL0702 (#563 Anantha Nilaya)	12.989734006 145033- 77.539079189 30055	2524	29/07/2021
36	EE/ OFC/pole/202 2-23/2524/W- 100/60	W0007	PL0704 (#536 Chinmai Nilaya)	12.989745767 219828- 77.538829743 86217	2524	29/07/2021

--	--	--	--	--	--	--

In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No. of Poles 36

Pole Charges @ Rs 1500/- Pole	54,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	266.04
Junction Box Charges @ Rs 3000/- Pole	108,000	Total (C)	266.04
Supervision Charge @ Rs 100/- Pole	3,600		
Sub Total (A)	165,600	GST @ 18% (B)	29,808
Grand Total (A + B + C)	195,674.04		

Total Amount Payable Rs: 195,674 In words (Rupees One Lakh Ninety-Five Thousand Six Hundred and seventy-Four Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-301

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

