



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rd Floor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/303/2022-23

Date: 15-10-2022

16

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

Ref :- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
2) M/s. Jio Digital Fibre Private Limited online application Dated: 29-04-2022.
3) Fee Demand Note letter No: 10-2022-303, Date: 12-05-2022.
4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 12-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization from Pipeline Road via 16 th Main Road street ID No-W0085, 3 rd Cross, 13 th Main Road, Street ID No-W0081, 15 th Main, 11 th Cross, 12 th Main Road, 3 rd Cross, 60 feet Road up to Pipeline Road.	41 Poles
02	From Pipeline Road via 17 th Main Road up to 16 th 'C' Main Road.	
03	From 5 th Cross Road via 16 th 'C' Main Road, 4 th Cross Road, 16 th Main Road, 5 th Cross Road, 15 th Main Road. For a total of 41 poles, in Ward No-75, West Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.

No: EE/OFC/PR/303/2022-23, Dt: 15-10-2022


Executive Engineer (OFC), BBMP

2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.

14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**West Zone**) for information.
4. Copy to Zonal Chief Engineer (**West Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Mahalakshmi Layout** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Nagapura** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

303

केनरा बैंक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा/ Branch BCC Extension

दिनांक/ Date 12/10/2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

8401132000010

नाम/Name Commissioner B&M

टेलिफोन / मोबाइल नं

Tel No./Mobile No. ₹ पै/P.

राशि /Amount 1,88,903/-

राशि शब्दों में Rupees in words One Lakh Eighty Eight

Thousand Nine Hundred & Three Only

चेक नं. / दिनांक	दिनांक	बैंक व शाखा का नाम	₹	पै/P.
Cheque No./Date	Date	Name of Bank & Branch		
<u>805836</u>	<u>11/10/2022</u>	<u>BCC Extension</u>	<u>1,88,903/-</u>	

EXECUTED 11/10/2022 1,88,903/-

B.B.M. SANGHVI

अधिकारी / नोक डिया / एस डब्ल्यू जी
BRUHAT BENGALURU

कॉल केंद्र टोल फ्री 24 घंटे कॉल सेंटर

MAHANAGARA PALIKE

Officer/Cashier/BENGALURU 1800 425 0018

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-303 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru – 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-303

With reference to your Demand Note bearing Pole-OFC-10-2022-303, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0479.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-303	41	188903	205836	33948	188903
			Dated		
			01-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



303

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205836

01/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-303 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru – 560 002.

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-303

With reference to your Demand Note bearing Pole-OFC-10-2022-303 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0479 .

Application No.	Poles	Poles Charges (RS.)	DD No.	GST (through RCM) RS.	Total Amount
10-2022-303	41	188903	205836	33948	188903
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

303

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205836

01/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31122022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 01/10/2022
दिनांक 01/10/2022

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर.

मौजे जाने पर
RUPEES One Lac Eighty Eight Thousand Nine Hundred Three Only
रुपये

₹ 188,903.00
अदा करें

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205836

Client Reference 4200008085 19

For Axis Bank Ltd
Authorized Signatory
Authorized Signatory

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Please Signative
Rudresha B
No. 261B2



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-303

PR Number(To be Assigned by AE/JE- OFC, BBMP) CE-POLE-10-2022-303

General Information

Segment ID

OFC/Pole/2022-23/W0083/303

Street ID

19647

Street Name

NA

Zone

West

Ward No.

75

Ward Name

Shankar Mutt

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

29/04/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

41

No.Junction Box

41




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	04/05/2022

Date : 12/05/2022

Time : 02:57:55

20220512025755





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-303

Date: 12/05/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-303, dated : 29/04/2022

Details of Poles added on BBMP GIS Map


(Pole Id:-OFC/Pole/2022-23/W0083/303)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/1498/W- 75/92	10271	BGLRBD0054 528 (Amith Enterprises)	13.001246524 960623- 77.536576688 28966	1498	03/04/2021
2	EE/ OFC/pole/202 2-23/1498/W- 75/93	10271	BGLRBD0379 866 (Rishab Home)	13.001506563 203266- 77.536485493 18315	1498	03/04/2021
3	EE/ OFC/pole/202 2-23/1498/W- 75/94	W0020	BGLRBD0061 249 (Children Clinic)	13.001633968 775455- 77.536441907 28664	1498	03/04/2021
4	EE/ OFC/pole/202 2-23/1498/W- 75/95	W0014	BGLRBD0424 665 (Apolo Pharma)	13.001890739 806788- 77.536356747 15042	1498	03/04/2021
5	EE/ OFC/pole/202 2-23/1498/W- 75/96	10271	BGLRBD0006 809 (Bescom Office)	13.002210886 522015- 77.536261528 73039	1498	03/04/2021


6	EE/ OFC/pole/202 2-23/1498/W- 75/97	W0089	BGLRBD0339 023 (#127/A Royal building)	13.002742721 172654- 77.536074444 65162	1498	03/04/2021
7	EE/ OFC/pole/202 2-23/1498/W- 75/98	W0089,W009 7	BGLRBD0061 052 (#112 Rajanna Nilaya)	13.002427802 020867- 77.535710334 77785	1498	03/04/2021
8	EE/ OFC/pole/202 2-23/1498/W- 75/99	W0008,W008 9	BGLRBD0429 410 (Tejas Nilaya)	13.002363772 766838- 77.535644620 65697	1498	03/04/2021
9	EE/ OFC/pole/202 2-23/1498/W- 75/100	W0008	BGLRBD1366 939 (Tejas Pillama)	13.002481377 506442- 77.535506486 89271	1498	03/04/2021
10	EE/ OFC/pole/202 2-23/1498/W- 75/101	W0008	PL1101 (Thirupara Sundari #13)	13.002728347 278167- 77.535230219 36418	1498	03/04/2021
11	EE/ OFC/pole/202 2-23/1498/W- 75/102	W0008	BGLRBD0417 087 (Kempambi Nilaya #15)	13.003077240 663728- 77.534811794 75786	1498	03/04/2021
12	EE/ OFC/pole/202 2-23/1498/W- 75/103	W0008	BGLRBD0171 720 (Happy House #18)	13.003253647 24497- 77.534602582 4547	1498	03/04/2021
13	EE/ OFC/pole/202 2-23/1498/W- 75/104	W0008	PL1102 (Kaveri Engineering Industries #24)	13.003528057 233153- 77.534267306 32783	1498	03/04/2021
14	EE/ OFC/pole/202 2-23/1498/W- 75/105	W0008	BGLRBD1366 895 (Likitha Marketing #96)	13.003554191 50191- 77.534286752 34318	1498	03/04/2021
15	EE/ OFC/pole/202 2-23/1498/W- 75/106	W0008	PL1003 (Venkateshwar a Nilaya)	13.004202320 486472- 77.533484101 29547	1498	03/04/2021
16	EE/ OFC/pole/202 2-23/1498/W- 75/107	W0008,W005 1	BGLRBD0361 976 (# P9597)	13.004325151 191873- 77.533284276 72386	1498	03/04/2021
17	EE/ OFC/pole/202 2-23/1498/W- 75/108	W0051	BGLRBD0309 681 (Srinivas Nilaya)	13.004242828 49177- 77.533210515 97597	1498	03/04/2021
18	EE/ OFC/pole/202 2-23/1498/W- 75/109	W0020,W005 3,W0051	PL1001 (Mugilu #21/1)	13.003750198 42987- 77.532808184 62373	1498	03/04/2021
19	EE/ OFC/pole/202 2-23/1498/W- 75/110	W0020,W005 5,W0057	BGLRBD0153 739 (Manjunatha Mobile Gallery)	13.003573792 201681- 77.533010691 40434	1498	03/04/2021
20	EE/ OFC/pole/202 2-23/1498/W- 75/111	W0020,W005 5,W0057	BGLRBD1175 006 (Raju Nilaya)	13.003530670 660151- 77.533056288 95761	1498	03/04/2021

21	EE/ OFC/pole/202 2-23/1498/W- 75/112	W0020,W005 9	BGLRBD1175 006 (UR Chaise Mart #29)	13.003358184 419108- 77.533250078 55894	1498	03/04/2021
22	EE/ OFC/pole/202 2-23/1498/W- 75/113	W0020,W001 2	BGLRBD1175 038 (Thirumala tiffan center)	13.003156950 31968- 77.533458620 30983	1498	03/04/2021
23	EE/ OFC/pole/202 2-23/1498/W- 75/114	W0020	PL0701 (Manasa Travelings #88)	13.002691759 179342- 77.533956170 0821	1498	03/04/2021
24	EE/ OFC/pole/202 2-23/1498/W- 75/115	W0020,W007 9,W0081	BGLRBD0332 261 (Impana Chats)	13.002433028 898006- 77.534261941 9098	1498	03/04/2021
25	EE/ OFC/pole/202 2-23/1498/W- 75/116	W0016,W008 1	PL0607 (Mathrushree Nilaya # 46)	13.002623809 838642- 77.534444332 12282	1498	03/04/2021
26	EE/ OFC/pole/202 2-23/1498/W- 75/117	W0081,W001 2	BGLRBD1365 372 (Lakshmi Nivas)	13.002848565 279152- 77.534661591 05302	1498	03/04/2021
28	EE/ OFC/pole/202 2-23/1498/W- 75/119	W0089,W001 6,W0014	BGLRBD1365 444 (Abhiman Bakery)	13.002041012 806183- 77.535356953 74012	1498	03/04/2021
29	EE/ OFC/pole/202 2-23/1498/W- 75/120	W0089,W002 0	PL0301 (Srinivas Nilaya)	13.001692117 963572- 77.535054534 6737	1498	03/04/2021
31	EE/ OFC/pole/202 2-23/1498/W- 75/122	W0020,W008 3	PL5803 (SLN Provision Stores)	13.002153390 81583- 77.534471154 21297	1498	03/04/2021
32	EE/ OFC/pole/202 2-23/1498/W- 75/123	W0083	PL5805 (# 148/6)	13.001978290 174016- 77.534320950 50813	1498	03/04/2021
33	EE/ OFC/pole/202 2-23/1498/W- 75/124	W0083	PL5802 (#107)	13.001753533 945227- 77.534165382 38527	1498	03/04/2021
34	EE/ OFC/pole/202 2-23/1498/W- 75/125	W0032,W008 3	PL5801 (Abdul Basha #109)	13.001618941 454952- 77.534068822 86073	1498	03/04/2021
35	EE/ OFC/pole/202 2-23/1498/W- 75/126	W0032,W007 9	PL5705 (#105 Venkateshwar a Nilaya)	13.001784895 291703- 77.533776462 07811	1498	03/04/2021
36	EE/ OFC/pole/202 2-23/1498/W- 75/127	W0032	BGLRBD0305 120 (Mathru Nilaya #103)	13.001878979 30733- 77.533612847 3282	1498	03/04/2021
37	EE/ OFC/pole/202 2-23/1498/W- 75/128	W0075,W004 2,W0073	BGLRBD1373 076 (Srinivas Nilaya)	13.001577126 29748- 77.533163577 3182	1498	03/04/2021
38	EE/ OFC/pole/202 2-23/1498/W- 75/129	W0143,W007 7,W0050	BGLRBD0138 113 (Lakshmi Paint Store)	13.001141986 896831- 77.532792091 36964	1498	03/04/2021

39	EE/ OFC/pole/202 2-23/1498/W- 75/130	W0050	PL5404 (Samhitha English School)	13.000815305 163647- 77.533178329 46779	1498	03/04/2021
40	EE/ OFC/pole/202 2-23/1498/W- 75/131	W0046	PL5502 (Rithish Beauty parlor #5)	13.001189029 030984- 77.533159554 00468	1498	03/04/2021
41	EE/ OFC/pole/202 2-23/1498/W- 75/132	W0032,W008 7	BGLRBD0060 601 (Ganesha Temple)	13.001267432 568085- 77.534685730 93416	1498	03/04/2021
92	EE/ OFC/pole/202 2-23/1498/W- 75/121	W0020,W008 5	BGLRBD0322 807 (#14)	13.001903807 027736- 77.534801065 9218	1498	03/04/2021
92	EE/ OFC/pole/202 2-23/1498/W- 75/118	W0089,W001 2	BGLRBD1175 892 (Malesh Bike Point)	13.002169071 464298- 77.535463571 54848	1498	03/04/2021



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.



Total No.of Poles 41

Pole Charges @ Rs 1500/- Pole	61,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	302.99
Junction Box Charges @ Rs 3000/- Pole	123,000	Total (C)	302.99
Supervision Charge @ Rs 100/- Pole	4,100		
Sub Total (A)	188,600	GST @ 18% (B)	33,948
Grand Total (A + B + C)	222,850.99		

Total Amount Payable Rs: 222,851 In words (Rupees Two Lakh Twenty-Two Thousand Eight Hundred and Fifty-One Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-303

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-303

1/2

@RIL.COM

Pole Details



10-2022-303

EXECUTIVE ENGINEER

OFC CELL

BRUHAT BENGALURU MAHANAGARA PALIKE

BENGALURU