



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/305/2022-23

Date: 15-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 02-05-2022
 - 3) Fee Demand Note letter No: 10-2022-305, Date: **14-05-2022**.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **14-10-2022**.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 11th Cross Road via 13th Cross up to Vidyaranyapura Main Road.	26 Poles
02	From 11th Cross Road via Street Id No-W0008 up to Vidyaranyapura Main Road.	
03	From 11th Cross Road via Street Id No-W0039 up to W0008.	
04	From 11th Cross Road via Street Id No-W0037 up to W0008.	
05	From Street ID No-W0008 via W0037 up to Road end.	
06	From Street ID No-W0008 via W0041 up to Road end.	
07	From Street ID No-W0008 via W0043	
08	From Street ID No-W0043 via W0014 up to W0045.	
09	From Street ID No-w0014 via W0047	
10	From Vidyaranyapura Main Road via Street ID No-W0008, W0023	
11	From Street ID No-W0023 via W0008 up to W0021	
12	From Street ID No-W0008 via W0027 up to Road end.	
13	From Street ID No-W0008 via W0029 for total No of 26 Poles, in Ward No-09, Yelahanka Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

No: EE/OFC/PR/305/2022-23, Dt: 15-10-2022


Executive Engineer (OFC), BBMP

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Yelahanka** Zone) for information.
4. Copy to Zonal Chief Engineer (**Yelahanka** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Byatarayanapura** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Vidyaranyapura** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-305 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-305

With reference to your Demand Note bearing Pole-OFC-10-2022-305, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0117

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-305	26	119792	205946	21528	119792
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



305

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205946

01/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-305 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-305

With reference to your Demand Note bearing Pole-OFC-10-2022-305 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0117

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-305	26	119792	205946	21528	119792
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

305

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205946

01/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31/12/2022

DATE 0 1 1 0 2 0 2 2
दिनांक D 1 D 1 M 0 M 2 Y 0 Y 2 Y 2 Y

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मांगे जाने पर

RUPEES One Lac Nineteen Thousand Seven Hundred Ninety Two Only

रुपये

अदा करे

₹ 119,792.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205946

Client Reference 4200008085_129

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO:

For Axis Bank Ltd

Authorized Signatory

Please sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-305

PR Number (To be Assigned by AE/JE- OFC, BBMP) CE-POLE-10-2022-305

General Information

Segment ID

OFC/Pole/2022-23/W0037/305

Street ID

63943

Street Name

NA

Zone

Yelahanka

Ward No.

9

Ward Name

Vidyaranyapura

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

02/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

pole installation

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

26

No.Junction Box

26




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	13/05/2022

Date : 14/05/2022

Time : 10:55:02

20220514105502





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-305

Date: 14/05/2022

Demand Notice
GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-305, dated : 02/05/2022


Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0037/305)

Sr No.	Unique Poleid.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/4874/W- 9/35	W0008,W002 3	Narasimpura, vidyaranypur a	13.083020970 86309- 77.559206485 7483	4874	28/12/2021
2	EE/ OFC/pole/202 2-23/4874/W- 9/36	W0008,W002 1	Narasipura Layout Vidyaranypu ra, Bengaluru, Karnata	13.083083672 946902- 77.558954358 10089	4874	28/12/2021
3	EE/ OFC/pole/202 2-23/4874/W- 9/37	W0027	Narasipura Layout Vidyaranypu ra, Bengaluru, Karnata	13.083067997 427435- 77.559453248 97766	4874	28/12/2021
4	EE/ OFC/pole/202 2-23/4874/W- 9/38	W0027	Narasipura Layout Vidyaranypu ra, Bengaluru, Karnata	13.083360606 959655- 77.559533715 24812	4874	28/12/2021

5	EE/ OFC/pole/202 2-23/4874/W- 9/39	W0027	Narasipura Layout Vidyaranya ra, Bengaluru, Karnata	13.083564388 393038- 77.559592723 84645	4874	28/12/2021
6	EE/ OFC/pole/202 2-23/4874/W- 9/40	W0029	Narasipura Layout Vidyaranya ra, Bengaluru, Karnata	13.083830871 551731- 77.559925317 7643	4874	28/12/2021
7	EE/ OFC/pole/202 2-23/4874/W- 9/41	W0029	Narasipura Layout Vidyaranya ra, Bengaluru, Karnata	13.083632315 500044- 77.559882402 42006	4874	28/12/2021
8	EE/ OFC/pole/202 2-23/4874/W- 9/42	W0029	Narasipura Layout Vidyaranya ra, Bengaluru, Karnata	13.083428534 122831- 77.559828758 23975	4874	28/12/2021
9	EE/ OFC/pole/202 2-23/4874/W- 9/43	W0029	Narasipura Layout Vidyaranya ra, Bengaluru, Karnata	13.083250878 425783- 77.559796571 73158	4874	28/12/2021
10	EE/ OFC/pole/202 2-23/4874/W- 9/44	W0029	Narasipura Layout Vidyaranya ra, Bengaluru, Karnata	13.083052321 906987- 77.559753656 38734	4874	28/12/2021
11	EE/ OFC/pole/202 2-23/4874/W- 9/45	W0037	Narasipura Layout Vidyaranya ra, Bengaluru, Karnata	13.083303130 11468- 77.560440301 89516	4874	28/12/2021
12	EE/ OFC/pole/202 2-23/4974/W- 9/46	W0037	Narasipura Layout Vidyaranya ra, Bengaluru, Karnata	13.083073222 600701- 77.560375928 8788	4974	28/12/2021
13	EE/ OFC/pole/202 2-23/4874/W- 9/47	W0037	Narasipura Layout Vidyaranya ra, Bengaluru, Karnata	13.082780612 727397- 77.560284733 77229	4874	28/12/2021
14	EE/ OFC/pole/202 2-23/4874/W- 9/48	W0037	Narasipura Layout Vidyaranya ra, Bengaluru, Karnata	13.082503678 063164- 77.560231089 592	4874	28/12/2021
15	EE/ OFC/pole/202 2-23/4874/W- 9/49	W0037	Narasipura Layout Vidyaranya ra, Bengaluru, Karnata	13.082331246 888655- 77.560182809 82971	4874	28/12/2021
16	EE/ OFC/pole/202 2-23/4874/W- 9/50	W0037	Narasipura Layout Vidyaranya ra, Bengaluru, Karnata	13.082075212 49801- 77.560118436 81337	4874	28/12/2021
17	EE/ OFC/pole/202 2-23/4874/W- 9/51	W0037	Narasipura Layout Vidyaranya ra, Bengaluru, Karnata	13.081881880 230933- 77.560059428 21504	4874	28/12/2021

18	EE/ OFC/pole/202 2-23/4874/W- 9/52	W0037	Narasipura Layout Vidyaranya ra, Bengaluru, Karnata	13.081709448 621591- 77.560021877 28883	4874	28/12/2021
19	EE/ OFC/pole/202 2-23/4874/W- 9/53	W0039	Narasipura Layout Vidyaranya ra, Bengaluru, Karnata	13.083000070 164937- 77.560606598 85408	4874	28/12/2021
20	EE/ OFC/pole/202 2-23/4874/W- 9/54	W0039	Narasipura Layout Vidyaranya ra, Bengaluru, Karnata	13.082759712 008876- 77.560536861 41968	4874	28/12/2021
21	EE/ OFC/pole/202 2-23/4874/W- 9/55	W0008,W004 3	Narasipura Layout Vidyaranya ra, Bengaluru, Karnata	13.082592506 196901- 77.560799717 90315	4874	28/12/2021
22	EE/ OFC/pole/202 2-23/4874/W- 9/56	W0043	Narasipura Layout Vidyaranya ra, Bengaluru, Karnata	13.082326021 699677- 77.560713887 21466	4874	28/12/2021
23	EE/ OFC/pole/202 2-23/4874/W- 9/57	W0043	Narasipura Layout Vidyaranya ra, Bengaluru, Karnata	13.082017735 353363- 77.560622692 10817	4874	28/12/2021
24	EE/ OFC/pole/202 2-23/4874/W- 9/58	W0043	Narasipura Layout Vidyaranya ra, Bengaluru, Karnata	13.081793051 841174- 77.560579776 76393	4874	28/12/2021
25	EE/ OFC/pole/202 2-23/4874/W- 9/59	W0014	Narasipura Layout Vidyaranya ra, Bengaluru, Karnata	13.081939357 407245- 77.560735344 8868	4874	28/12/2021
26	EE/ OFC/pole/202 2-23/4874/W- 9/60	W0047	Narasipura Layout Vidyaranya ra, Bengaluru, Karnata	13.081772151 03894- 77.561078667 6407	4874	28/12/2021



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form

of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 26

Pole Charges @ Rs 1500/- Pole	39,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	192.14
Junction Box Charges @ Rs 3000/- Pole	78,000	Total (C)	192.14
Supervision Charge @ Rs 100/- Pole	2,600		
Sub Total (A)	119,600	GST @ 18% (B)	21,528
Grand Total (A + B + C)	141,320.14		

Total Amount Payable Rs: 141,320 In words (Rupees One Lakh Forty-One Thousand Three Hundred and Twenty Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-305

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

OFC/Pole/2022-23/W0389/317 10-2022-317 Pending ceofc01(ceofc01) OFC Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

Pole Details

10-2022-305



S. S. S.
 EXECUTIVE ENGINEER
 OFC CELL
 BRUHAT BENGALURU MAHANAGARA PALIKE
 BENGALURU