



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/310/2022-23

Date: 15-10-2022

60
Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 03-05-2022
 - 3) Fee Demand Note letter No: 10-2022-310, Date: 13-05-2022.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 12-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles, from 4th Cross Road via Street ID No-W0159, I0465	54 Poles
02	From 4th Cross Road via Street ID No-W0461 up to I0465.	
03	From 4th Cross Road via Street ID No-I0465 up to W0370.	
04	From I0465 via W0401	
05	From Street ID No-I0454 via 4th Main Road	
06	From Street ID No-I0454 via 3rd Main Road	
07	From Street ID No-I0454 via 2nd Main Road	
08	From 2nd Main Road via Street ID No-W0108 up to I0497.	
09	From 2nd Main Road via Street ID No-W0129, W0110 up to I0497.	
10	From 2nd Main Road via Street ID No-W0120	
11	From 2nd Main Road via Street ID No-W0128 up to I0497.	
12	From Street ID No-W0128 via I0497 up to W0161.	
13	From Street ID No-W0120 via W0129, for total No of 54 Poles, in Ward No-194, Bommanahalli Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

No: EE/OFC/PR/310/2022-23, Dt: 15-10-2022

Executive Engineer (OFC), BBMP

Ab

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way (ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way (ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Bommanahalli** Zone) for information.
4. Copy to Zonal Chief Engineer (**Bommanahalli** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Bangalore South** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Anjanapura** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-310 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-310

With reference to your Demand Note bearing Pole-OFC-10-2022-310, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1043.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-310	54	248799	205961	44712	248799
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



310

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205961

01/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-310 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-310

With reference to your Demand Note bearing Pole-OFC-10-2022-310 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1043

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-310	54	248799	205961	44712	248799
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

205961

01/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31/12/2022

DATE 0 D1 D1 M0 M2 Y0 Y2 Y2 Y
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौगे जाने पर
RUPEES Two Lacs Forty Eight Thousand Seven Hundred Ninety Nine Only
रुपये

₹ 248,799.00
अदा करें

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205961

Client Reference 4200008085_144

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd
Authorized Signatory

Please sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-310

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-310

General Information

Segment ID

OFC/Pole/2022-23/10497/310

Street ID

86288

Street Name

NA

Zone

Bommanahalli

Ward No.

194

Ward Name

Gottigere

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

03/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

54

No.Junction Box

54




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	11/05/2022

Date : 13/05/2022

Time : 01:51:12

20220513015112





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-310

Date: 13/05/2022

Demand Notice**GST No.: 29AAALBI608FIZK****To**

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-310, dated : 03/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/10497/310)


Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/4121/W- 194/104	W0131	hcf	12.877157699 048038- 77.583062052 72676	4121	10/12/2021
2	EE/ OFC/pole/202 2-23/4121/W- 194/105	W0131	drr	12.877068797 471694- 77.583072781 56282	4121	10/12/2021
3	EE/ OFC/pole/202 2-23/4121/W- 194/106	W0131	err	12.876948518 818217- 77.583056688 30873	4121	10/12/2021
4	EE/ OFC/pole/202 2-23/4121/W- 194/107	W0131	tgt	12.876781174 50866- 77.583056688 30873	4121	10/12/2021
5	EE/ OFC/pole/202 2-23/4121/W- 194/108	W0129,W013 1	vghvv	12.876666125 231019- 77.583062052 72676	4121	10/12/2021

6	EE/ OFC/pole/202 2-23/4121/W- 194/109	W0131	jygy	12.876519698 801275- 77.583051323 89069	4121	10/12/2021
7	EE/ OFC/pole/202 2-23/4121/W- 194/110	W0131	hn b	12.876341895 164455- 77.583045959 47267	4121	10/12/2021
8	EE/ OFC/pole/202 2-23/4121/W- 194/111	W0116,W013 1	tt6y	12.876148402 828113- 77.583035230 63661	4121	10/12/2021
9	EE/ OFC/pole/202 2-23/4121/W- 194/112	W0131	eerr	12.876001976 095925- 77.583029866 21857	4121	10/12/2021
10	EE/ OFC/pole/202 2-23/4121/W- 194/113	W0131,W011 8	dr	12.875866008 339429- 77.583019137 38251	4121	10/12/2021
11	EE/ OFC/pole/202 2-23/4121/W- 194/114	W0131,W012 0,W0122	rrtt	12.875688204 238898- 77.583019137 38251	4121	10/12/2021
12	EE/ OFC/pole/202 2-23/4121/W- 194/115	W0131	eee	12.875552236 312192- 77.583008408 54645	4121	10/12/2021
13	EE/ OFC/pole/202 2-23/4121/W- 194/116	W0131,W012 6	raju	12.875442416 009866- 77.583013772 96449	4121	10/12/2021
14	EE/ OFC/pole/202 2-23/4121/W- 194/117	W0131	prasad	12.875322136 575921- 77.583003044 12843	4121	10/12/2021
15	EE/ OFC/pole/202 2-23/4121/W- 194/118	W0131	praveen	12.875180938 905899- 77.582997679 7104	4121	10/12/2021
16	EE/ OFC/pole/202 2-23/4121/W- 194/119	W0131,W013 2	dhanu	12.874982216 124472- 77.582949399 94813	4121	10/12/2021
17	EE/ OFC/pole/202 2-23/4121/W- 194/120	W0131	dhanu	12.874814870 50212- 77.582938671 11207	4121	10/12/2021
18	EE/ OFC/pole/202 2-23/4121/W- 194/121	W0131,W013 0	kothanur	12.875123413 906424- 77.582984268 66533	4121	10/12/2021
19	EE/ OFC/pole/202 2-23/4121/W- 194/122	W0135	kothanur	12.874814870 50212- 77.583952546 1197	4121	10/12/2021
20	EE/ OFC/pole/202 2-23/4121/W- 194/123	W0135	kothanur	12.875068503 667336- 77.583936452 86561	4121	10/12/2021
21	EE/ OFC/pole/202 2-23/4121/W- 194/124	W0135	kothanur	12.875314292 26301- 77.583909630 77547	4121	10/12/2021

22	EE/ OFC/pole/202 2-23/4121/W- 194/125	W0135	kothanur	12.875672515 635722- 77.583882808 6853	4121	10/12/2021
23	EE/ OFC/pole/202 2-23/4121/W- 194/126	W0135	kothanur	12.875996746 568186- 77.583845257 75911	4121	10/12/2021
24	EE/ OFC/pole/202 2-23/4121/W- 194/127	W0135	kothanur	12.876268681 865557- 77.583831846 71402	4121	10/12/2021
25	EE/ OFC/pole/202 2-23/4121/W- 194/128	W0135	kothanur	12.876506625 008753- 77.583802342 41487	4121	10/12/2021
26	EE/ OFC/pole/202 2-23/4121/W- 194/129	W0135	kothanur	12.876781174 50866- 77.583786249 16078	4121	10/12/2021
27	EE/ OFC/pole/202 2-23/4121/W- 194/130	W0135	kothanur	12.877040035 190243- 77.583767473 69768	4121	10/12/2021
28	EE/ OFC/pole/202 2-23/4121/W- 194/131	W0135	kothanur	12.875233234 348517- 77.583928406 23857	4121	10/12/2021
29	EE/ OFC/pole/202 2-23/4121/W- 194/132	W0135	kothanur	12.875510400 012224- 77.583901584 14842	4121	10/12/2021
30	EE/ OFC/pole/202 2-23/4121/W- 194/133	W0135	kothanur	12.875826786 857509- 77.583866715 43123	4121	10/12/2021
31	EE/ OFC/pole/202 2-23/4121/W- 194/134	W0135	kothanur	12.876689658 042094- 77.583794295 78783	4121	10/12/2021
32	EE/ OFC/pole/202 2-23/4121/W- 194/135	W0135	kothanur	12.876953748 326084- 77.583764791 48866	4121	10/12/2021
33	EE/ OFC/pole/202 2-23/4121/W- 194/136	W0135	kothanur	12.876425567 479846- 77.583815753 45994	4121	10/12/2021
34	EE/ OFC/pole/202 2-23/4121/W- 194/137	RI-A61	kothanur	12.876841313 882762- 77.584153711 7958	4121	10/12/2021
35	EE/ OFC/pole/202 2-23/4121/W- 194/138	RI-A61	kothanur	12.876713190 850984- 77.584159076 21385	4121	10/12/2021
36	EE/ OFC/pole/202 2-23/4121/W- 194/139	RI-A61	kothanur	12.876613830 08736- 77.584153711 7958	4121	10/12/2021
37	EE/ OFC/pole/202 2-23/4121/W- 194/140	RI-A61	kothanur	12.876514469 28435- 77.584161758 42287	4121	10/12/2021

38	EE/ OFC/pole/202 2-23/4121/W- 194/141	RI-A61	kothanur	12.876388960 845295- 77.584172487 25893	4121	10/12/2021
39	EE/ OFC/pole/202 2-23/4121/W- 194/142	RI-A61	kothanur	12.876273911 387623- 77.584185898 30399	4121	10/12/2021
40	EE/ OFC/pole/202 2-23/4121/W- 194/143	RI-A61	kothanur	12.876171935 687815- 77.584199309 34907	4121	10/12/2021
41	EE/ OFC/pole/202 2-23/4121/W- 194/144	RI-A61	kothanur	12.876046427 077238- 77.584207355 97612	4121	10/12/2021
42	EE/ OFC/pole/202 2-23/4121/W- 194/145	RI-A61	kothanur	12.875902615 050352- 77.584226131 43922	4121	10/12/2021
43	EE/ OFC/pole/202 2-23/4121/W- 194/146	RI-A61	kothanur	12.875808483 497174- 77.584231495 85725	4121	10/12/2021
44	EE/ OFC/pole/202 2-23/4121/W- 194/147	RI-A61	kothanur	12.875730040 509184- 77.584239542 4843	4121	10/12/2021
45	EE/ OFC/pole/202 2-23/4121/W- 194/148	RI-A61	kothanur	12.875625449 820344- 77.584250271 32036	4121	10/12/2021
46	EE/ OFC/pole/202 2-23/4121/W- 194/149	RI-A61,10465	kothanur	12.875489481 859619- 77.584266364 57445	4121	10/12/2021
47	EE/ OFC/pole/202 2-23/4121/W- 194/150	W0459	kothanur	12.876577223 480304- 77.584558725 35707	4121	10/12/2021
48	EE/ OFC/pole/202 2-23/4121/W- 194/151	W0459	kothanur	12.876475247 903901- 77.584564089 7751	4121	10/12/2021
49	EE/ OFC/pole/202 2-23/4121/W- 194/152	W0459	kothanur	12.876370657 526016- 77.584569454 19313	4121	10/12/2021
50	EE/ OFC/pole/202 2-23/4121/W- 194/153	W0459	kothanur	12.876284370 431419- 77.584582865 2382	4121	10/12/2021
51	EE/ OFC/pole/202 2-23/4121/W- 194/154	W0459	kothanur	12.876166706 163625- 77.584588229 65623	4121	10/12/2021
52	EE/ OFC/pole/202 2-23/4121/W- 194/155	W0461	kothanur	12.876841313 882762- 77.584920823 57408	4121	10/12/2021
53	EE/ OFC/pole/202 2-23/4121/W- 194/156	W0461	kothanur	12.876676584 258442- 77.584928870 20113	4121	10/12/2021

54	EE/ OFC/pole/202 2-23/4121/W- 194/157	W0461	kothanur	12.876556305 416727- 77.584936916 82817	4121	10/12/2021
----	--	-------	----------	--	------	------------



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 54

Pole Charges @ Rs 1500/- Pole	81,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	399.06
Junction Box Charges @ Rs 3000/- Pole	162,000	Total (C)	399.06
Supervision Charge @ Rs 100/- Pole	5,400		
Sub Total (A)	248,400	GST @ 18% (B)	44,712
Grand Total (A + B + C)	293,511.06		

Total Amount Payable Rs: 293,511 In words (Rupees Two Lakh Ninety-Three Thousand Five Hundred and Eleven Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-310

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-310

1/2

Navigation icons: Up, Down, Close

@RIL.COM

OFC/Pole/2022-23/W0106/363

10-2022-368

Pending

ceofc01(ceofc01)


OFC Work Created

[Demand Notice](#)

[Permission Letter](#)

[View/Submit](#)

Pole Details



OFC/Pole/2022-23/W0307/298

10-2022-298

Pending

ceofc01(ceofc01)

Pole Work Created

[Demand Notice](#)

[Permission Letter](#)

[View/Submit](#)

EXECUTIVE ENGINEER
OFC CELL

BENGALURU