



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell), 3<sup>rd</sup> Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/311/2022-23

Date: 15-10-2022

**82**  
**Permission for Regularization for Poles**

To,  
M/s. Jio Digital Fibre Private Limited,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
  - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 03-05-2022.
  - 3) Fee Demand Note letter No: 10-2022-311, Date: **12-05-2022**.
  - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
  - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **14-10-2022**.

\*\_\*\_\*\_\*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for laying of OFC by HDD Method from W.O.C. Road via 1st Main Road for a length of 89.78 Mtr.	<b>58 Poles</b>
02	From W.O.C Road via 2nd Main Road up to M.K.K Road.	
03	From W.O.C Road via 3rd Main Road for a length of 482.68 Mtr.	
04	From W.O.C Road via 4th Main Road, Street ID No-W0093 up to W0058.	
05	From W.O.C Road via Street ID No-W0056 for a length of 55.15 Mtr	
06	From 60feet Road via 3rd Main Road, Street ID No-W0072, W0057 for a length of 146.45 Mtr.	
07	From 3rd Main Road via Street ID No-W0053, W0058 up to W0071.	
08	From 60feet Road via Street ID No-W0062, W0049, W0058 up to 60feet Road.	
09	From 3rd Main Road via 2nd Cross Road up to M.K.K Road.	
10	From 2nd Cross Road via 3rd Main Road for a length of 26.67 Mtr.	
11	From 60feet Road via 5th Main up to Street ID No-W0069.	
12	From Street ID No-W0069 via 4th Main Road for a length of 55.57 Mtr.	
13	From Street ID No-W0093 via 5th Main Road, Street ID No-W0069 up to W0054. For a total of 58 poles, in <b>Ward No-99, West Zone.</b> <b>Ref: As per drawing enclosed &amp; demand note GIS co-ordinates.</b>	

No: EE/OFC/PR/311/2022-23, Dt: 15-10-2022

  
Executive Engineer (OFC), BBMP

**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

**Conditions for Regularization of Poles**

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way (ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way (ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

**Copy to:-**

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**West Zone**) for information.
4. Copy to Zonal Chief Engineer (**West Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Rajaji Nagar** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Rajaji Nagar** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-311 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to lay the OFC by HDD method.**

**Ref: Demand Note :-** Pole-OFC-10-2022-311

With reference to your Demand Note bearing Pole-OFC-10-2022-311 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0468

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-311	58	267229	205838	48024	267229
			Dated		
			01-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.





301

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**205838**

01/10/2022  
dated

PAYMENT REFERENCE

---

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-311 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-311

With reference to your Demand Note bearing Pole-OFC-10-2022-311, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0468

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-311	58	267229	205838	48024	267229
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

301

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **205838**  
as per details mentioned below.

01/10/2022  
dated

**PAYMENT REFERENCE**

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31122022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 0 1 10 2022  
दिनांक D D M M Y Y Y Y

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर  
RUPEES Two Lacs Sixty Seven Thousand Two Hundred Twenty Nine Only  
रुपये

अदा करें ₹ 267,229.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205838

Client Reference 4200008085\_21

For Axis Bank Ltd

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

*[Signature]*  
55110:24004  
Authorised Signatory

*[Signature]*  
Authorised Signatory

CODE NO.

Please sign above.  
**Rudresh B**  
cc No. 26182





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-311

PR Number(To be Assigned by AE/JE- OFC, BBMP) CE-POLE-10-2022-311

General Information

Segment ID

OFC/Pole/2022-23/W0069/310

Street ID

17881

Street Name

NA

Zone

West

Ward No.

99

Ward Name

Rajajinagar

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5  
Rasta, Ambawadi, Ahmedabad, Gujarat,  
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

03/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,  
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

58

No.Junction Box

58




**Status of My Application**

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	11/05/2022

Date : 12/05/2022

Time : 03:24:20

20220512032420





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -  
560002

No. : Pole-OFC-10-2022-311

Date: 12/05/2022

### Demand Notice

**GST No.: 29AAALBI608FIZK**

#### To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

**Sub:-** Permission for Poles(Regularization)

**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-311, dated : 03/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0069/310)


Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/2139/W- 99/24	W0046	PL0703 ( Opposite # 716 )	12.997382507 511222- 77.548996657 13312	2139	09/12/2021
2	EE/ OFC/pole/202 2-23/2139/W- 99/25	W0046	PL0705 ( #10A )	12.997309329 731909- 77.549260854 72108	2139	09/12/2021
3	EE/ OFC/pole/202 2-23/2139/W- 99/26	W0046	PL0103/PL01 04 ( #9 )	12.997262286 862387- 77.549604177 47499	2139	09/12/2021
4	EE/ OFC/pole/202 2-23/2139/W- 99/27	W0079	PL0704 ( #716/B )	12.997193029 288265- 77.548989951 61058	2139	09/12/2021
5	EE/ OFC/pole/202 2-23/2139/W- 99/28	W0048	PL0702 ( #20/B )	12.997072808 547678- 77.548879981 04097	2139	09/12/2021

6	EE/ OFC/pole/202 2-23/2139/W- 99/29	W0048	PL0802 ( #34 Veena Venkat Reddy )	12.996949974 252576- 77.549290359 02025	2139	09/12/2021
7	EE/ OFC/pole/202 2-23/2139/W- 99/30	W0048	BGLRBD0370 637 ( #19 Thawkal Azad )	12.996926452 784885- 77.549727559 08967	2139	09/12/2021
8	EE/ OFC/pole/202 2-23/2139/W- 99/31	W0048	PL0803 ( #29 )	12.996861115 362927- 77.549869716 16746	2139	09/12/2021
9	EE/ OFC/pole/202 2-23/2139/W- 99/32	W0048	PL0804 ( #26 )	12.996871569 351603- 77.550180852 41319	2139	09/12/2021
10	EE/ OFC/pole/202 2-23/2139/W- 99/33	W0050	PL0202 /PL0201 ( #72 )	12.996608912 75285- 77.550255954 26561	2139	09/12/2021
11	EE/ OFC/pole/202 2-23/2139/W- 99/34	W0050,W009 3	PL0204 ( #68 Nishal Narsappa Nilaya )	12.996604992 503004- 77.549860328 43591	2139	09/12/2021
12	EE/ OFC/pole/202 2-23/2139/W- 99/35	W0081,W005 0	PL0206 ( #46/A )	12.996638967 999623- 77.549260854 72108	2139	09/12/2021
13	EE/ OFC/pole/202 2-23/2139/W- 99/36	W0050	PL0301 ( #88 )	12.996816685 90617- 77.548845112 32378	2139	09/12/2021
14	EE/ OFC/pole/202 2-23/2139/W- 99/37	W0069	PL0901 ( #340 )	12.997164280 855586- 77.548362314 7011	2139	09/12/2021
15	EE/ OFC/pole/202 2-23/2139/W- 99/38	W0054,W006 9	PL0406 ( #145 )	12.996591925 003058- 77.548263072 96754	2139	09/12/2021
16	EE/ OFC/pole/202 2-23/2139/W- 99/39	W0054	PL1003 ( #141 )	12.996495225 482143- 77.548630535 60258	2139	09/12/2021
17	EE/ OFC/pole/202 2-23/2139/W- 99/40	W0054	BGLRBD0067 623 ( #99/A )	12.996432501 448433- 77.548989951 61058	2139	09/12/2021
18	EE/ OFC/pole/202 2-23/2139/W- 99/41	W0054	PL1002 ( #138 Srinivasa Nilaya )	12.996325347 854178- 77.549134790 89738	2139	09/12/2021
19	EE/ OFC/pole/202 2-23/2139/W- 99/42	W0054	PL1001 ( #134 )	12.996288758 811403- 77.549255490 30305	2139	09/12/2021
20	EE/ OFC/pole/202 2-23/2139/W- 99/43	W0093	PL5102/PL51 04 (Old #61 New #109/A )	12.996280918 301531- 77.549719512 46263	2139	09/12/2021
21	EE/ OFC/pole/202 2-23/2139/W- 99/44	W0054,W009 3	PL5101 (#110/1 )	12.996197286 180847- 77.549742311 23926	2139	09/12/2021

22	EE/ OFC/pole/202 2-23/2139/W- 99/45	W0054	BGLRBD0396 357 ( Old #59 New #111 )	12.996124108 052154- 77.549899220 46661	2139	09/12/2021
23	EE/ OFC/pole/202 2-23/2139/W- 99/46	W0054	PL5103 ( #74 BhagyaShree nilaya )	12.996112347 279462- 77.549804002 0466	2139	09/12/2021
24	EE/ OFC/pole/202 2-23/2139/W- 99/47	W0054,W010 1	PL5105 ( #122 )	12.996036555 619831- 77.550176829 09966	2139	09/12/2021
25	EE/ OFC/pole/202 2-23/2139/W- 99/48	W0056	BGLRBD0291 785 ( #164 )	12.995831395 321659- 77.550241202 11603	2139	09/12/2021
26	EE/ OFC/pole/202 2-23/2139/W- 99/49	W0056	PL0601 ( #177 )	12.995824861 551407- 77.549736946 82121	2139	09/12/2021
27	EE/ OFC/pole/202 2-23/2139/W- 99/50	W0056	PL0602 ( #181,PR Reddy )	12.995960763 937058- 77.549275606 87067	2139	09/12/2021
28	EE/ OFC/pole/202 2-23/2139/W- 99/51	W0056	PL0603 ( #184 Sri Ganesh Vatika )	12.996035248 86688- 77.549034208 05933	2139	09/12/2021
29	EE/ OFC/pole/202 2-23/2139/W- 99/52	W0056	PL0502 ( #190/A )	12.996105813 516614- 77.548796832 56151	2139	09/12/2021
30	EE/ OFC/pole/202 2-23/2139/W- 99/53	W0056,W006 9	PL0503 ( #194 )	12.996288758 811403- 77.548182606 6971	2139	09/12/2021
31	EE/ OFC/pole/202 2-23/2139/W- 99/54	W0069,W005 8	PL0501 ( #195 )	12.996039169 12572- 77.548112869 26271	2139	09/12/2021
32	EE/ OFC/pole/202 2-23/2139/W- 99/55	W0069	PL1101 ( #258 Goutham Groups of institute )	12.996280918 301531- 77.548126280 30778	2139	09/12/2021
33	EE/ OFC/pole/202 2-23/2139/W- 99/56	W0056	PL1102 ( #254 )	12.996418127 188463- 77.547760158 77724	2139	09/12/2021
34	EE/ OFC/pole/202 2-23/2139/W- 99/57	W0056	PL1104 ( #250 )	12.996476930 973943- 77.547549605 36958	2139	09/12/2021
35	EE/ OFC/pole/202 2-23/2139/W- 99/58	W0056,W004 7	PL5802 ( #272 Sri Balaji Nilaya )	12.996721293 222146- 77.546932697 29614	2139	09/12/2021
36	EE/ OFC/pole/202 2-23/2139/W- 99/59	W0056	BGLRBD0330 738 ( #239 )	12.996832366 891814- 77.546366751 19401	2139	09/12/2021

37	EE/ OFC/pole/202 2-23/2139/W- 99/60	W0054	BGLRBD0631 423 ( #281 Beereshwara Nilaya )	12.997004857 668545- 77.546758353 71019	2139	09/12/2021
38	EE/ OFC/pole/202 2-23/2139/W- 99/61	W0047	PL5901 ( #285 Indrani Nilayam )	12.996908158 308477- 77.546972930 43138	2139	09/12/2021
39	EE/ OFC/pole/202 2-23/2139/W- 99/62	W0054	PL6002 ( #287 )	12.996858501 865688- 77.547262609 00499	2139	09/12/2021
40	EE/ OFC/pole/202 2-23/2139/W- 99/63	W0054	PL6004 ( #291 Divya Shiva Nilaya )	12.996767029 445087- 77.547592520 71382	2139	09/12/2021
41	EE/ OFC/pole/202 2-23/2139/W- 99/64	W0054	PL0403 ( #296 )	12.996689931 235831- 77.547894269 22798	2139	09/12/2021
42	EE/ OFC/pole/202 2-23/2139/W- 99/65	W0058	PL5701 ( #238 )	12.996638967 999623- 77.546343952 41737	2139	09/12/2021
43	EE/ OFC/pole/202 2-23/2139/W- 99/66	W0058	BGLRBD0863 545 ( #235 )	12.996563176 500775- 77.546569257 97464	2139	09/12/2021
44	EE/ OFC/pole/202 2-23/2139/W- 99/67	W0047	BGLRBD0635 591 ( #232 )	12.996501759 234736- 77.546879053 11586	2139	09/12/2021
45	EE/ OFC/pole/202 2-23/2139/W- 99/68	W0053,W005 8	BGLRBD0127 344 ( #228 )	12.996346255 876194- 77.547206282 61568	2139	09/12/2021
46	EE/ OFC/pole/202 2-23/2139/W- 99/69	W0058	PL5301 ( #225 )	12.996237795 492817- 77.547538876 53352	2139	09/12/2021
47	EE/ OFC/pole/202 2-23/2139/W- 99/70	W0053	PL5404 ( #268 )	12.996124108 052154- 77.547184824 94356	2139	09/12/2021
48	EE/ OFC/pole/202 2-23/2139/W- 99/71	W0045	BGLRBD1349 053 ( #324/B1 )	12.995988205 755916- 77.546415030 95628	2139	09/12/2021
49	EE/ OFC/pole/202 2-23/2139/W- 99/72	W0045	PL5601 ( #324/B2 )	12.995826168 305477- 77.546390891 07513	2139	09/12/2021
50	EE/ OFC/pole/202 2-23/2139/W- 99/73	W0045	PL5602 / BGLRBD0149 066 ( #514 )	12.995507320 11031- 77.546342611 31288	2139	09/12/2021
51	EE/ OFC/pole/202 2-23/2139/W- 99/74	W0049	PL5501 ( #272 )	12.995543909 26826- 77.546696662 90285	2139	09/12/2021
52	EE/ OFC/pole/202 2-23/2139/W- 99/75	W0049,W006 2	PL5502 ( #277 Sri Vinayaka Nilaya )	12.995920254 579897- 77.546761035 9192	2139	09/12/2021

53	EE/ OFC/pole/202 2-23/2139/W- 99/76	W0060,W005 3	BGLRBD0291 443 ( #282 )	12.995867984 431849- 77.547080218 79198	2139	09/12/2021
54	EE/ OFC/pole/202 2-23/2139/W- 99/77	W0053	PL5503 ( #303 )	12.995585725 442162- 77.547029256 8207	2139	09/12/2021
55	EE/ OFC/pole/202 2-23/2139/W- 99/78	W0053,W007 2	BGLRBD0012 247 ( Poornapragna Vasathi Nilaya )	12.995293012 07689- 77.547021210 19365	2139	09/12/2021
56	EE/ OFC/pole/202 2-23/2139/W- 99/79	W0057,W005 5,W0072	BGLRBD0161 720 ( #324 )	12.995193698 535257- 77.547246515 7509	2139	09/12/2021
57	EE/ OFC/pole/202 2-23/2139/W- 99/80	W0060,W005 7	BGLRBD0410 963 ( #326/1 )	12.995776511 64626- 77.547377943 99263	2139	09/12/2021
58	EE/ OFC/pole/202 2-23/2139/W- 99/81	W0091,W005 8,W0093	PL5204 ( #211 Sri Vittala )	12.995543909 26826- 77.549488842 48735	2139	09/12/2021



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

**Total No.of Poles 58**

Pole Charges @ Rs 1500/- Pole	87,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	428.62
Junction Box Charges @ Rs 3000/- Pole	174,000	Total (C)	428.62
Supervision Charge @ Rs 100/- Pole	5,800		
Sub Total (A)	266,800	GST @ 18% (B)	48,024
Grand Total (A + B + C)	315,252.62		

**Total Amount Payable Rs: 315,253 In words (Rupees Three Lakh Fifteen Thousand Two Hundred and Fifty-**

**Three Only)**

**Note:** The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)  
Bruhat Bangalore Mahanagara Palike

**Copy to**

No.: 10-2022-311

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.





# BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-311

1/2

@RIL.COM

OFC/Pole/2022-23/W0142/371    10-2022-373    Pending    ceofc01(ceofc01)    OFC Work Created    Demand Notice    Permission Letter    View/Submit

## Pole Details



OFC/Pole/2022-23/W0281/300    10-2022-300    Pending    ceofc01(ceofc01)    Pole Work Created    Demand Notice    Permission Letter    View/Submit

EXECUTIVE ENGINEER  
OFC CELL

DEPUTY COMMISSIONER  
BENGALURU