



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rd Floor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/327/2022-23

Date: 15-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 03-05-2022
 - 3) Fee Demand Note letter No: 10-2022-327, Date: 12-05-2022.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 14-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

SI No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from Sidedahalli Main Road via 19 th Main Road up to 7 th 'B' Cross.	47 Poles
02	From 19 th Main Road via Street ID No-W0310	
03	From 19 th Main Road via Street ID No-W0308	
04	From 19 th Main Road via Street ID No-W0306	
05	From 19 th Main Road via Street ID No-W0306	
05	From Sidedahalli Main Road via 2 nd 'A' Cross, Street ID No-W0282, W0315, W0286, W0311, W0307, W0246, W0237, 11 th Cross up to Street ID No-W0307.	
06	From Street ID No-W0286 via W0313 up to road end.	
07	From the junction of Street ID No-W0246 via W0307 up to 4 th Cross.	
08	From Street ID No-W0308 via 3 rd Cross	
09	From the junction of 2 nd 'A' Cross via 11 th Cross up to 3 rd Cross junction.	
10	From 11 th Cross via Street ID No-W0244 up to W0231.	
11	From Street ID No-W0244 via W0235 up to w0256.	
12	From Street ID No-W0235 via W0252	
13	From Street ID No-W0235 via W0248	
14	From Sidedahalli Main Road via Street ID No-W0231 up to W0244, for total No of 47 Poles, in Ward No-14, Dasarahalli Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

No: EE/OFC/PR/327/2022-23, Dt: 15-10-2022

Executive Engineer (OFC), BBMP

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Dasarahalli Zone**) for information.
4. Copy to Zonal Chief Engineer (**Dasarahalli Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Dasarahalli Division**) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**T. Dasarahalli Sub Division**) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-327 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-327

With reference to your Demand Note bearing Pole-OFC-10-2022-327 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0218

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-327	47	216547	205825	38916	216547
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



327

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205825

01/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-327 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-327

With reference to your Demand Note bearing Pole-OFC-10-2022-327 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0218 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-327	47	216547	205825	38916	216547
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205825

01/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31/12/2022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 01/10/2022
दिनांक 01 10 20 22

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

RUPEES Two Lacs Sixteen Thousand Five Hundred Forty Seven Only

रुपये

₹ 216,547.00
अदा करे

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205825

Client Reference 4200008085 8

For Axis Bank Ltd
Rudresha B
Authorised Signatory

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO. 7 000

Please sign above
Rudresha B
o. 26182



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-327

PR Number(To be Assigned by AE/JE- OFC, BBMP) CE-POLE-10-2022-327

General Information

Segment ID

OFC/Pole/2022-23/W0233/327

Street ID

53260

Street Name

NA

Zone

Dasarahalli

Ward No.

14

Ward Name

Bagalakunte

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

03/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC Pole regularization

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

47

No.Junction Box

47




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	11/05/2022

Date : 12/05/2022

Time : 03:17:08

20220512031708





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-327

Date: 12/05/2022

Demand Notice
GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-327, dated : 03/05/2022

Details of Poles added on BBMP GIS Map


(Pole Id:-OFC/Pole/2022-23/W0233/327)

Sr No.	Unique Poleld.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/1416/W- 14/183	W0254	BGLRBD1281 496(orange color bldg)	13.059509700 918104- 77.495299671 11582	1416	08/03/2021
2	EE/ OFC/pole/202 2-23/1416/W- 14/184	W0254	BGLRBD1283 35555 (Cream color)	13.059384284 754332- 77.495836035 32508	1416	08/03/2021
3	EE/ OFC/pole/202 2-23/1416/W- 14/185	W0307,W025 4	PL6102 (#427)	13.059232740 138134- 77.496415308 67105	1416	08/03/2021
4	EE/ OFC/pole/202 2-23/1416/W- 14/186	W0268	PL6104 (stone duplex house)	13.059117775 194858- 77.495208489 20025	1416	08/03/2021
5	EE/ OFC/pole/202 2-23/1416/W- 14/187	W0268	PL6103 (#445)	13.058793782 794124- 77.496259763 05038	1416	08/03/2021

6	EE/ OFC/pole/202 2-23/1416/W- 14/188	W0251	PL5204 (SBR Enterprises)	13.062149696 450055- 77.497412143 95328	1416	08/03/2021
7	EE/ OFC/pole/202 2-23/1416/W- 14/189	W0251	Nagajothi	13.061924994 846642- 77.497385325 74284	1416	08/03/2021
8	EE/ OFC/pole/202 2-23/1416/W- 14/190	W0249	PL5204 (SBR Enterprises)	13.062168508 50058- 77.497235132 00406	1416	08/03/2021
9	EE/ OFC/pole/202 2-23/1416/W- 14/191	W0249	Nagajothi	13.061996063 115403- 77.497208313 79362	1416	08/03/2021
10	EE/ OFC/pole/202 2-23/1416/W- 14/192	W0249	PL5203 (Guru raghav)	13.061827797 96481- 77.497144953 97917	1416	08/03/2021
11	EE/ OFC/pole/202 2-23/1416/W- 14/193	W0249	PL5201 (Sadguru)	13.061158917 299908- 77.497043044 7794	1416	08/03/2021
12	EE/ OFC/pole/202 2-23/1416/W- 14/194	W0249	PL5202 (Ahad manzil)	13.061529937 26746- 77.497134226 69498	1416	08/03/2021
13	EE/ OFC/pole/202 2-23/1416/W- 14/195	W0251	PL5103 (Bharadwaz)	13.062019055 808488- 77.497402495 7046	1416	08/03/2021
14	EE/ OFC/pole/202 2-23/1416/W- 14/196	W0251	PL5102 (red gate)	13.061668939 082555- 77.497359586 56784	1416	08/03/2021
15	EE/ OFC/pole/202 2-23/1416/W- 14/197	W0251	BGLRBD1434 635 (Sai Nilaya)	13.061386755 091466- 77.497338131 99947	1416	08/03/2021
16	EE/ OFC/pole/202 2-23/1416/W- 14/198	W0251	PL5101 (Hanuman nilaya)	13.061020960 549055- 77.497289859 22066	1416	08/03/2021
17	EE/ OFC/pole/202 2-23/1416/W- 14/199	W0253	BGLRBD 1283480 (Megasri)	13.062141335 192711- 77.497740451 71266	1416	08/03/2021
18	EE/ OFC/pole/202 2-23/1416/W- 14/200	W0253	PL0104 (Red gate)	13.061885279 852273- 77.497702906 21802	1416	08/03/2021
19	EE/ OFC/pole/202 2-23/1416/W- 14/201	W0253	PL0102 (Ananya Nilaya)	13.061427514 917549- 77.497659987 77004	1416	08/03/2021
20	EE/ OFC/pole/202 2-23/1416/W- 14/202	W0253	BGLRBD 0751422 (Rangasri)	13.061199677 323073- 77.497668546 2053	1416	08/03/2021
21	EE/ OFC/pole/202 2-23/1416/W- 14/203	W0253	PL0101 (Lakshmi venky nilaya)	13.060891364 582531- 77.497647091 63696	1416	08/03/2021

22	EE/ OFC/pole/202 2-23/1416/W- 14/204	W0278	BGLRBD0606 410 (black gate house)	13.060886138 939548- 77.497459364 16372	1416	08/03/2021
23	EE/ OFC/pole/202 2-23/1416/W- 14/205	W0280	PL1001 (white color bldg)	13.060684429 003835- 77.497390681 05595	1416	08/03/2021
24	EE/ OFC/pole/202 2-23/1416/W- 14/206	W0280,W025 3	PL1002 (Black gate Bldg)	13.060647849 469952- 77.497626681 308	1416	08/03/2021
25	EE/ OFC/pole/202 2-23/1416/W- 14/207	W0282	PL0901 (pink color bldg)	13.060432552 850457- 77.497343635 6377	1416	08/03/2021
26	EE/ OFC/pole/202 2-23/1416/W- 14/208	W0282,W025 3	BGLRBD 1373245	13.060411650 239022- 77.497574272 24768	1416	08/03/2021
27	EE/ OFC/pole/202 2-23/1416/W- 14/209	WA253,WA28 2	PL0903 (white color bldg)	13.059789796 739464- 77.497252453 72213	1416	08/03/2021
28	EE/ OFC/pole/202 2-23/1416/W- 14/210	W0315	PL0701 (SRS)	13.059700960 397429- 77.497660090 52115	1416	08/03/2021
29	EE/ OFC/pole/202 2-23/1416/W- 14/211	W0282	BGLRBD 1283527 (Pink bldg)	13.060281008 877418- 77.497772727 0051	1416	08/03/2021
30	EE/ OFC/pole/202 2-23/1416/W- 14/212	W0313	PL0803 (Anugraha)	13.059423999 831903- 77.497354362 92188	1416	08/03/2021
31	EE/ OFC/pole/202 2-23/1416/W- 14/213	W0311,W028 6	PL0802 (#151)	13.059173167 353626- 77.497080817 17517	1416	08/03/2021
32	EE/ OFC/pole/202 2-23/1416/W- 14/214	W0315	PL0704 (Green Bldg)	13.059325757 205382- 77.497528205 89013	1416	08/03/2021
33	EE/ OFC/pole/202 2-23/1416/W- 14/215	W0315,W028 6	PL0703 (Annapoornes hwari)	13.059153309 835349- 77.497555024 1006	1416	08/03/2021
34	EE/ OFC/pole/202 2-23/1416/W- 14/216	W0286	PL0702 (Chamudesh wari)	13.059048796 219159- 77.497957297 25753	1416	08/03/2021
35	EE/ OFC/pole/202 2-23/1416/W- 14/217	W0255	BGLRBD 1283630 (Ana #03)	13.062188365 73659- 77.498003406 41272	1416	08/03/2021
36	EE/ OFC/pole/202 2-23/1416/W- 14/218	W0255	BGLRBD 807891 (Kanasu)	13.061858106 553107- 77.497987331 00519	1416	08/03/2021
37	EE/ OFC/pole/202 2-23/1416/W- 14/219	W0255	PL0202 (Ashirwad)	13.061633404 684384- 77.497998058 28937	1416	08/03/2021

38	EE/ OFC/pole/202 2-23/1416/W- 14/220	W0255	BGLRBD 0774180 (Radhamma)	13.061455733 294608- 77.497960512 79473	1416	08/03/2021
39	EE/ OFC/pole/202 2-23/1416/W- 14/221	W0255	PL0201 (Red Gate)	13.061147420 873725- 77.497960512 79473	1416	08/03/2021
40	EE/ OFC/pole/202 2-23/1416/W- 14/222	W0255	PL0601 (White color Bldg)	13.060872552 394834- 77.497925136 47638	1416	08/03/2021
41	EE/ OFC/pole/202 2-23/1416/W- 14/223	W0255	PL0602 (Sai nilaya)	13.060579916 194985- 77.497876863 69756	1416	08/03/2021
42	EE/ OFC/pole/202 2-23/1416/W- 14/224	W0282,W025 7	BGLRBD 1283180 (Black gate)	13.060177540 85405- 77.498198682 2231	1416	08/03/2021
43	EE/ OFC/pole/202 2-23/1416/W- 14/225	W0257	PL0502 (Kamadhenu)	13.060499441 211128- 77.498181568 8655	1416	08/03/2021
44	EE/ OFC/pole/202 2-23/1416/W- 14/226	W0257	PL0503 (Brindavana)	13.060875687 812711- 77.498251296 21273	1416	08/03/2021
45	EE/ OFC/pole/202 2-23/1416/W- 14/227	W0257	BGLRBD 1283795 (JP Nivas)	13.061241482 49055- 77.498309193 06507	1416	08/03/2021
46	EE/ OFC/pole/202 2-23/1416/W- 14/228	W0257	BGLRBD 1283482 (Black gate)	13.061701337 988524- 77.498309193 06507	1416	08/03/2021
47	EE/ OFC/pole/202 2-23/1416/W- 14/229	W0257	PL0501 (Govindalaya)	13.061988747 239937- 77.498330647 63347	1416	08/03/2021



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 47


Pole Charges @ Rs 1500/- Pole	70,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	347.33
Junction Box Charges @ Rs 3000/- Pole	141,000	Total (C)	347.33
Supervision Charge @ Rs 100/- Pole	4,700		
Sub Total (A)	216,200	GST @ 18% (B)	38,916
Grand Total (A + B + C)	255,463.33		

Total Amount Payable Rs: 255,463 In words (Rupees Two Lakh Fifty-Five Thousand Four Hundred and Sixty-Three Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-327

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)


10-2022-327

1/2

@RIL.COM

OFC/Pole/2022-23/W0229/388 10-2022-388 Pending ceofc01(ceofc01) OFC Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

Pole Details



10-2022-327

OFC/Pole/2022-23/W0062/302 10-2022-302 Pending ceofc01(ceofc01) Pole Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

S. Yash
EXECUTIVE ENGINEER
OFC CELL

BENGALURU