



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/350/2022-23

Date: 20-10-2022

Permission for Regularization for Poles

To,

M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 04-05-2022
 - 3) Fee Demand Note letter No: 10-2022-350, Date: 17-10-2022.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 19-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 80 feet Road via 10 th 'A' Main Road, 3 rd 'A' Main Road, 5 th Main Road, 3 rd Main Road up to 59 th Main Road.	46 Poles
02	From 3 rd Main Road via 1 st Main Road, 3 rd 'A' Main Road, 2 nd Main Road up to 12 th Main Road.	
03	From 5 th Main Road via 3 rd Main, 6 th Cross	
04	From 3 rd Main Road via 4 th Main Road	
05	From 4 th Main Road via 3 rd 'A' Main Road up to 2 nd Main Road.	
06	From 3 rd 'A' Main Road via 3 rd 'B' Main Road	
07	From 3 rd Main Road via 3 rd 'B' Main Road	
08	From 10 th 'A' Main Road via 1 st Main Road	
09	From 3 rd 'A' Main Road via 1 st Main Road for total No of 46 Poles, in Ward No-108, West Zone.	
Ref: As per drawing enclosed & demand note GIS co-ordinates.		

No: EE/OFC/PR/350/2022-23, Dt: 20-10-2022


Executive Engineer (OFC), BBMP

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0


23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**West Zone**) for information.
4. Copy to Zonal Chief Engineer (**West Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Rajaji Nagar Division**) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Sri Rama Mandira Sub Division**) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

केनरा बैंक  Canara Bank ³⁵⁰ जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा/ Branch BCC Extension

दिनांक/ Date 20/10/2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

वचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

8401132000010

नाम/Name Commissioner BBMP

टेलिफोन / मोबाइल नं
Tel No./Mobile No. _____ ₹ _____ पैं/P.

राशि /Amount 2,11,940.00/-

राशि शब्दों में
Rupees in words Two lakhs Eleven thousand nine hundred forty rupees only.

चेक नं. / दिनांक तथा बैंक व शाखा का नाम Cheque No./Date/ Name of Bank & Branch	₹	₹/P.
<u>2061132000010</u> <u>20/10/22</u> <u>BANK OF BARODA</u>	<u>2,11,940.00/-</u>	
<u>80 OCT 2022</u>		

EXECUTED / Total 2,11,940.00/-

अधिकारी / अधिकारी का नाम
Officer/Cashier/SWO M. O. Srinivas

Canara Bank Toll Free No. 1800 425 0018
BRUHAT BHAYANDUR MAHANAGARA PALIKE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-350 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-350

With reference to your Demand Note bearing Pole-OFC-10-2022-350 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0434 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-350	46	211940	206149	38088	211940
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Ab

Authorized Signatory.



S. Y. J.

350

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206149

18/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-350 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-350

With reference to your Demand Note bearing Pole-OFC-10-2022-350 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0434 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-350	46	211940	206149	38088	211940
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Ab

Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206149**
as per details mentioned below.

18/10/2022
dated

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH) Valid Until: 17/01/2023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 18/10/2022
दिनांक 18/10/2022

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर
RUPEES Two Lacs Eleven Thousand Nine Hundred Forty Only

रुपये

अदा करे ₹ 211,940.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206149

Client Reference 4200008920_13

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

Madhavi...
33718124004
Authorised Signatory

Rudhresha...
Authorised Signatory

Rudhresha
26/10/22
cc: Please sign above

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-350 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-350

With reference to your Demand Note bearing Pole-OFC-10-2022-350 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0434 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-350	46	211940	206149	38088	211940
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206149**
as per details mentioned below.

18/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17/01/2023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 18/10/2022
दिनांक 18/10/2022

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर
RUPEES Two Lacs Eleven Thousand Nine Hundred Forty Only

रुपये

अदा करे ₹ 211,940.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206149

Client Reference 4200008920_13

For Axis Bank Ltd
Authorized Signatory
Rudresh B
26182

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

CC No. sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-350

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-350

General Information

Segment ID

OFC/Pole/2022-23/W0053/349

Street ID

18067

Street Name

NA

Zone

West

Ward No.

108

Ward Name

Srirammandir

Service Provider Category

.elecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

04/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

Nb 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

46

No.Junction Box


46



Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	20/05/2022
ceofc01(ceofc01)	CE	17/10/2022

Date : 17/10/2022



20221017064746



Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-350

Date: 17/10/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Jabu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0



Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-350, dated : 04/05/2022

Details of Poles added on BBMP GIS Map


(Pole Id:-OFC/Pole/2022-23/W0053/349)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/1979/W- 108/5	W0018	PL0204 #980/1 MOTHI PHARMA	12.988465113 582421- 77.558672726 15433	1979	05/04/2021
2	EE/ OFC/pole/202 2-23/1979/W- 108/6	W0053	PL0203 #977 YASHODARA APPAERTME NT	12.988088756 972463- 77.558840364 21777	1979	05/04/2021
3	EE/ OFC/pole/202 2-23/1979/W- 108/7	W0018	PL0204 #980/1 MOTHI PHARMA	12.988459886 411196- 77.558674067 25885	1979	05/04/2021
4	EE/ OFC/pole/202 2-23/1979/W- 108/8	W0053	PL0203 #977 YASHODARA APPARTMAN T	12.988108358 8933- 77.558861821 88989	1979	05/04/2021
5	EE/ OFC/pole/202 2-23/1979/W- 108/9	W0053	PL0701 #870 SRI KRISHNA	12.987274622 49384- 77.559222579 0024	1979	05/04/2021

6	EE/ OFC/pole/202 2-23/1979/W- 108/10	W0053	PL0704 #964/100 SKANDA KRUPA	12.986749288 717384- 77.559335231 78102	1979	05/04/2021
7	EE/ OFC/pole/202 2-23/1979/W- 108/11	W0054,W005 3	BGLRBD0348 533 #960/150	12.985758730 96266- 77.559421062 4695	1979	05/04/2021
8	EE/ OFC/pole/202 2-23/1979/W- 108/12	W0053	PL6201 #955 ARADHANA	12.985243848 459016- 77.559463977 81372	1979	05/04/2021
9	EE/ OFC/pole/202 2-23/1979/W- 108/13	W0053	PL6203 #953/A	12.984642715 251944- 77.559496164 3219	1979	05/04/2021
10	EE/ OFC/pole/202 2-23/1979/W- 108/14	W0053	PL6204 #950/165	12.984263739 221802- 77.559528350 83009	1979	05/04/2021
11	EE/ OFC/pole/202 2-23/1979/W- 108/15	W0051,W001 8	PL0303 #835/64	12.988210288 856758- 77.558289170 26521	1979	05/04/2021
12	EE/ OFC/pole/202 2-23/1979/W- 108/16	W0051,W004 7	PL0302 #830/69 TEJASWI	12.987836545 45294- 77.558538615 70358	1979	05/04/2021
13	EE/ OFC/pole/202 2-23/1979/W- 108/17	W0051	PL0301 #826/73	12.987580413 285032- 77.558718323 7076	1979	05/04/2021
14	EE/ OFC/pole/202 2-23/1979/W- 108/18	W0047	PL0408 # NEXT TO SHANI TEMPLE	12.987712399 792294- 77.558487653 73231	1979	05/04/2021
15	EE/ OFC/pole/202 2-23/1979/W- 108/19	W0047	PL0407 OPPOSITE TO #147/A	12.987653593 931388- 77.558542639 0171	1979	05/04/2021
16	EE/ OFC/pole/202 2-23/1979/W- 108/20	W0047	PL0403 #152/A LAKSHMI NIVASA	12.986957070 119969- 77.558451443 9106	1979	05/04/2021
17	EE/ OFC/pole/202 2-23/1979/W- 108/21	W0051	PL0505 #820 CHORADIYA NIVAS	12.987339962 438105- 77.558814883 23213	1979	05/04/2021
18	EE/ OFC/pole/202 2-23/1979/W- 108/22	W0051	PL0504 #819/A	12.986921786 497822- 77.558927536 01076	1979	05/04/2021
19	EE/ OFC/pole/202 2-23/1979/W- 108/23	W0049	PL0502 #166/B VINAYAKA NILAYA	12.986770197 545633- 77.558804154 39607	1979	05/04/2021
20	EE/ OFC/pole/202 2-23/1979/W- 108/24	W0049	PL0501 #171/A KRISHNA JOIS	12.986237021 875574- 77.558774650 09691	1979	05/04/2021
21	EE/ OFC/pole/202 2-23/1979/W- 108/25	W0051	PL0503 #816	12.986453951 33038- 77.558994591 23613	1979	05/04/2021

22	EE/ OFC/pole/202 2-23/1979/W- 108/26	W0051	PL0607 #808 SRINIVASA KRUPA	12.986082818 89493- 77.559016048 90823	1979	05/04/2021
23	EE/ OFC/pole/202 2-23/1979/W- 108/27	W0054,W005 1	PL0605 OPPOSITE TO #805	12.985761344 576714- 77.559064328 67052	1979	05/04/2021
24	EE/ OFC/pole/202 2-23/1979/W- 108/28	W0054,W005 1	PL0608 #805 VEENA	12.985689470 180363- 77.559069693 08855	1979	05/04/2021
25	EE/ OFC/pole/202 2-23/1979/W- 108/29	W0054	PL0601 #SANJAY NILAYA	12.985733248 224257- 77.558828964 82944	1979	05/04/2021
26	EE/ OFC/pole/202 2-23/1979/W- 108/30	W0049	PL0602 #172 ROOP RAM CHOUDARY	12.985856088 067377- 77.558754533 52928	1979	05/04/2021
27	EE/ OFC/pole/202 2-23/1979/W- 108/31	W0049	pl0603 #126 mathru krupa	12.985643731 917326- 77.558743804 69322	1979	05/04/2021
28	EE/ OFC/pole/202 2-23/1979/W- 108/32	W0049	pl6002 #127/A	12.985480380 909166- 77.558739781 37971	1979	05/04/2021
29	EE/ OFC/pole/202 2-23/1979/W- 108/33	W0049	BGLRBD0019 139 #128/B MARUDAR MANSSION	12.985236007 600456- 77.558737099 1707	1979	05/04/2021
30	EE/ OFC/pole/202 2-23/1979/W- 108/34	W0049	PL6004 #132/A KASTURI NILAYA	12.984817828 118906- 77.558715641 49857	1979	05/04/2021
31	EE/ OFC/pole/202 2-23/1979/W- 108/35	W0049,W007 0	PL6005 #134/B ANANTHAN SUNDARAM	12.984099080 49066- 77.558674067 258857	1979	05/04/2021
32	EE/ OFC/pole/202 2-23/1979/W- 108/36	W0045	PL5602 #143/B	12.987826091 083909- 77.558133602 14235	1979	05/04/2021
33	EE/ OFC/pole/202 2-23/1979/W- 108/37	W0045	PL5606 #138/B SRINIVASAM	12.987230191 321924- 77.558109462 26121	1979	05/04/2021
34	EE/ OFC/pole/202 2-23/1979/W- 108/38	W0045	PL5603 #565 LAKSHMI NIVAS	12.986561109 183947- 77.558101415 63416	1979	05/04/2021
35	EE/ OFC/pole/202 2-23/1979/W- 108/39	W0045	PL5901 #560 SINDURA	12.985458165 16376- 77.558061182 49895	1979	05/04/2021
36	EE/ OFC/pole/202 2-23/1979/W- 108/40	W0045	PL5903 #VASANTHI NIVAS	12.985246462 078477- 77.558050453 66289	1979	05/04/2021
37	EE/ OFC/pole/202 2-23/1979/W- 108/41	W0045	BGLRBD0833 038 #SPANDANA HOSPITAL	12.984764248 82197- 77.558030337 09527	1979	05/04/2021

38	EE/ OFC/pole/202 2-23/1979/W- 108/42	W0045	PL5904 #218/A	12.984630953 935566- 77.558030337 09527	1979	05/04/2021
39	EE/ OFC/pole/202 2-23/1979/W- 108/43	W0045,W007 0	BGLRBD0621 015 # SRI GAYATHRI RAGAPRIYA	12.984228455 217176- 77.558007538 31863	1979	05/04/2021
40	EE/ OFC/pole/202 2-23/1979/W- 108/44	W0047,W007 0	PL5905 #114/A RAGA PRIYA	12.984140898 591443- 77.558332085 60945	1979	05/04/2021
41	EE/ OFC/pole/202 2-23/1979/W- 108/45	W0047	PL5801 #221/B MOHAN REKHA	12.984522488 436014- 77.558356225 49058	1979	05/04/2021
42	EE/ OFC/pole/202 2-23/1979/W- 108/46	W0047	PL5806 #625 SRI THARA NIVAS	12.984953736 527599- 77.558375000 95369	1979	05/04/2021
43	EE/ OFC/pole/202 2-23/1979/W- 108/47	W0054,W004 7	PL5807 #124/B	12.985766571 80472- 77.558407187 46187	1979	05/04/2021
44	EE/ OFC/pole/202 2-23/1979/W- 108/48	W0054,W004 7	PL5705 #618	12.985831258 74228- 77.558403834 7006	1979	05/04/2021
45	EE/ OFC/pole/202 2-23/1979/W- 108/49	W0047	PL5704 #612 MADHULI	12.986184749 689466- 77.558420598 50694	1979	05/04/2021
46	EE/ OFC/pole/202 2-23/1979/W- 108/50	W0045	PL5601 #145 GANESHA TEMPLE	12.988133187 990822- 77.558148354 29192	1979	05/04/2021



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 46

Pole Charges @ Rs 1500/- Pole	69,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	339.94
----------------------------------	--------	--	--------


Junction Box Charges @ Rs 3000/- Pole	1,38,000	Total (C)	339.94
Supervision Charge @ Rs 100/- Pole	4,600		
Sub Total (A)	2,11,600	GST @ 18% (B)	38,088
Grand Total (A + B + C)	2,50,027.94		

Total Amount Payable Rs: 2,50,028 In words (Rupees Two Lakh Fifty Thousand and Twenty-Eight Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-350

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

OFC/Pole/2022-23/W0230/1759

Draft

Draft


Draft

[Demand Notice](#)

[Permission Letter](#)

[View/Submit](#)

Pole Details



10-2022-350

OFC/Pole/2022-23/W0162/1726

Draft

Draft

Draft

[Demand Notice](#)

[Permission Letter](#)

[View/Submit](#)

S. J. K.
 EXECUTIVE ENGINEER
 OFC CELL
 BENGALURU MAHANAGARA PALIKE
 BENGALURU