



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/373/2022-23

Date: 15-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 04-05-2022
 - 3) Fee Demand Note letter No: 10-2022-373, Date: **13-05-2022**.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **12-10-2022**.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 8th Main Road via 11th Main Road, Street ID No-W0152, W0239	31 Poles
02	From Street ID No-W0152 via 12th Main Road, 1st Main Road, 13th Main Road back to Street ID No-W0152.	
03	From 13th Main Road via 1st Main Road, 2nd Cross Road, 10th Main Road up to Vidyaranyapura Main Road.	
04	From Vidyaranyapura Main Road via 2nd Cross Road, 10th Main Road for a length of 178.14 Mtr.	
05	From 2nd Cross Road via 9th Main Road up to 4th Cross Road.	
06	From 2nd Cross Road via Street ID No-W0223, 4th Cross Road, 13th Main Road up to 1st Main Road.	
07	From 13th Main Road via 30th Cross Road up to 11th Main Road, for total No of 31Poles, in Ward No-09, Yelahanka Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/373/2022-23, Dt: 15-10-2022


Executive Engineer (OFC), BBMP

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.

13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way (ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way (ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.


25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Yelahanka** Zone) for information.
4. Copy to Zonal Chief Engineer (**Yelahanka** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Byatarayanapura** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Vidyaranya** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

313

केनरा बैंक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा / Branch BCC Extension

दिनांक / Date

1	2	1	0	2	0	2	2
---	---	---	---	---	---	---	---

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.
बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

8	4	0	1	1	3	2	0	0	0	0	1	0		
---	---	---	---	---	---	---	---	---	---	---	---	---	--	--

नाम / Name Ganullibnd, BBMP

टेलिफोन / मोबाइल नं
Tel No./Mobile No.

राशि / Amount 1,42,829/- ₹ पै/P.

राशि शब्दों में
Rupees in words

चेक नं. / दिनांक तथा बैंक व शाखा का नाम Cheque No./Date / Name of Bank & Branch	₹	पै/P.
<u>205855</u> / <u>17/10/2022</u> / <u>BCC</u>	<u>1,42,829/-</u>	
<u>82</u> / <u>13 OCT</u>		
कुल / Total	<u>1,42,829/-</u>	

अधिकारी / रोकडिया
एस डब्ल्यू ओ
Officer/Cashier/SWO

केनरा बैंक टोल फ्री 24 घंटे कॉल सेंटर
Canara Bank Toll Free No.
1800 425 0018

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-373 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-373

With reference to your Demand Note bearing Pole-OFC-10-2022-373 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0129

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-373	31	142829	205855	25668	142829
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.



Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



373

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205855

01/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasathanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-373 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-373

With reference to your Demand Note bearing Pole-OFC-10-2022-373 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0129

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-373	31	142829	205855	25668	142829
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED


Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

205855

01/10/2022
dated

PAYMENT REFERENCE



AXIS BANK LTD

IFS CODE - UTIB0000274

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31/12/2022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 01/10/2022
दिनांक 0 1 1 0 2 0 2 2

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर
RUPEES One Lac Forty Two Thousand Eight Hundred Twenty Nine Only
रुपये

अदा करें ₹ 142,829.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205855

Client Reference 4200008085_38

For Axis Bank Ltd
Authorized Signatory
Rudresha B

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO:

Rudresha B
CC No. 26182



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-373

PR Number(To be Assigned by AE/JE- OFC, BBMP) CE-POLE-10-2022-373

General Information

Segment ID

OFC/Pole/2022-23/W0142/371

Street ID

64579

Street Name

NA

Zone

Yelahanka

Ward No.

9

Ward Name

Vidyaranyapura

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5 Rasta, Ambawadi, Ahmedabad, Gujarat, India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

04/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

Purpose

pole installation

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

31

No.Junction Box

31




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	12/05/2022

Date : 13/05/2022

Time : 01:20:48

20220513012048





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-373

Date: 13/05/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-373, dated : 04/05/2022


Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0142/371)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/2501/W- 9/228	W0219	9th Main Rd BEL Layout 4th Block, NTI Layout, Vi	13.076583472 07687- 77.558369636 53566	2501	19/07/2021
2	EE/ OFC/pole/202 2-23/2501/W- 9/229	W0219	9th Main Rd BEL Layout 4th Block, NTI Layout,	13.076494641 778703- 77.558718323 7076	2501	19/07/2021
3	EE/ OFC/pole/202 2-23/2501/W- 9/230	W0219	9th Main Rd BEL Layout 4th Block, NTI Layout,	13.076902215 824644- 77.558868527 41243	2501	19/07/2021
4	EE/ OFC/pole/202 2-23/2501/W- 9/231	W0219	9th Main Rd BEL Layout 4th Block, NTI Layout,	13.077226184 457666- 77.558981180 19105	2501	19/07/2021
5	EE/ OFC/pole/202 2-23/2501/W- 9/232	W0219	9th Main Rd BEL Layout 4th Block, NTI Layout,	13.077492674 465889- 77.559077739 71559	2501	19/07/2021

6	EE/ OFC/pole/202 2-23/2501/W- 9/233	W0219	9th Main Rd BEL Layout 4th Block, NTI Layout,	13.077733037 755735- 77.559168934 8221	2501	19/07/2021
7	EE/ OFC/pole/202 2-23/2501/W- 9/234	W0142	9th Main Rd BEL Layout 4th Block, NTI Layout,	13.078098807 529983- 77.558814883 23213	2501	19/07/2021
8	EE/ OFC/pole/202 2-23/2501/W- 9/235	W0142,W021 7	9th Main Rd BEL Layout 4th Block, NTI Layout,	13.077968175 530023- 77.559249401 09254	2501	19/07/2021
9	EE/ OFC/pole/202 2-23/2501/W- 9/236	W0217	9th Main Rd BEL Layout 4th Block, NTI Layout,	13.078192862 52712- 77.559319138 52692	2501	19/07/2021
10	EE/ OFC/pole/202 2-23/2501/W- 9/237	W0217	9th Main Rd BEL Layout 4th Block, NTI Layout,	13.078469802 032615- 77.559383511 54329	2501	19/07/2021
11	EE/ OFC/pole/202 2-23/2501/W- 9/238	W0217	9th Main Rd BEL Layout 4th Block, NTI Layout,	13.078704939 104483- 77.559437155 72359	2501	19/07/2021
12	EE/ OFC/pole/202 2-23/2501/W- 9/239	W0221	9th Main Rd BEL Layout 4th Block, NTI Layout,	13.078464576 761807- 77.559877038 00203	2501	19/07/2021
13	EE/ OFC/pole/202 2-23/2501/W- 9/240	W0221	9th Main Rd BEL Layout 4th Block, NTI Layout,	13.077994301 93556- 77.559769749 64143	2501	19/07/2021
14	EE/ OFC/pole/202 2-23/2501/W- 9/241	W0132	9th Main Rd BEL Layout 4th Block, NTI Layout,	13.078370521 86828- 77.560418844 22304	2501	19/07/2021
15	EE/ OFC/pole/202 2-23/2501/W- 9/242	W0223	9th Main Rd BEL Layout 4th Block, NTI Layout,	13.078025653 618532- 77.560129165 64943	2501	19/07/2021
16	EE/ OFC/pole/202 2-23/2501/W- 9/243	W0132	9th Main Rd BEL Layout 4th Block, NTI Layout,	13.078077906 414643- 77.561293244 36189	2501	19/07/2021
17	EE/ OFC/pole/202 2-23/2501/W- 9/244	W0142	9th Main Rd BEL Layout 4th Block, NTI Layout,	13.077382943 320895- 77.560794353 48512	2501	19/07/2021
18	EE/ OFC/pole/202 2-23/2501/W- 9/245	W0142	Vidyaranya pu ra, Bengaluru, Karnatak	13.077398619 201752- 77.560735344 8868	2501	19/07/2021
19	EE/ OFC/pole/202 2-23/2501/W- 9/246	W0142	Vidyaranya pu ra, Bengaluru, Karnatak	13.077309789 197136- 77.561003565 78828	2501	19/07/2021
20	EE/ OFC/pole/202 2-23/2501/W- 9/247	W0235	13th Main Rd HMT Layout 1st Block, Doddabomm	13.076985820 673894- 77.561513185 50111	2501	19/07/2021
21	EE/ OFC/pole/202 2-23/2501/W- 9/248	W0235	13th Main Rd HMT Layout 1st Block, Doddabomm	13.076672302 343066- 77.561389803 88641	2501	19/07/2021

22	EE/ OFC/pole/202 2-23/2501/W- 9/249	W0235	13th Main Rd HMT Layout 1st Block, Doddabomm	13.076358783 61373- 77.561266422 27174	2501	19/07/2021
23	EE/ OFC/pole/202 2-23/2501/W- 9/250	W0235	13th Main Rd HMT Layout 1st Block, Doddabomm	13.075925082 047949- 77.561084032 05873	2501	19/07/2021
24	EE/ OFC/pole/202 2-23/2501/W- 9/251	W0152,W023 5	13th Main Rd HMT Layout 1st Block, Doddabomm	13.075491379 719676- 77.560917735 0998	2501	19/07/2021
25	EE/ OFC/pole/202 2-23/2501/W- 9/252	W0231	13th Main Rd HMT Layout 1st Block, Doddabomm	13.075601111 706117- 77.560563683 50984	2501	19/07/2021
26	EE/ OFC/pole/202 2-23/2501/W- 9/253	W0152,W022 9	13th Main Rd HMT Layout 1st Block, Doddabomm	13.075674266 336616- 77.560177445 4117	2501	19/07/2021
27	EE/ OFC/pole/202 2-23/2501/W- 9/254	W0231	11th Main Rd HMT Layout 1st Block, Doddabomm	13.076003461 905453- 77.560746073 72285	2501	19/07/2021
28	EE/ OFC/pole/202 2-23/2501/W- 9/255	W0231	11th Main Rd HMT Layout 1st Block, Doddabomm	13.076525993 652291- 77.560976743 69813	2501	19/07/2021
29	EE/ OFC/pole/202 2-23/2501/W- 9/256	W0231	11th Main Rd HMT Layout 1st Block, Doddabomm	13.076938792 949678- 77.561148405 07509	2501	19/07/2021
30	EE/ OFC/pole/202 2-23/2501/W- 9/257	W0239	11th Main Rd HMT Layout 1st Block, Doddabomm	13.075548858 385329- 77.561314702 03401	2501	19/07/2021
31	EE/ OFC/pole/202 2-23/2501/W- 9/258	W0239	11th Main Rd HMT Layout 1st Block, Doddabomm	13.075846702 16555- 77.561432719 23067	2501	19/07/2021



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 31


Pole Charges @ Rs 1500/- Pole	46,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	229.09
Junction Box Charges @ Rs 3000/- Pole	93,000	Total (C)	229.09
Supervision Charge @ Rs 100/- Pole	3,100		
Sub Total (A)	142,600	GST @ 18% (B)	25,668
Grand Total (A + B + C)	168,497.09		

Total Amount Payable Rs: 168,497 In words (Rupees One Lakh Sixty-Eight Thousand Four Hundred and Ninety-Seven Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-373

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-373

1/2

Map navigation icons: up, down, close

@RIL.COM

OFC/Pole/2022-23/W0229/388

10-2022-388

Pending

ceofc01(ceofc01)

OFC Work Created


[Demand Notice](#)

[Permission Letter](#)

[View/Submit](#)

Pole Details

10-2022-373



OFC/Pole/2022-23/W0422/360

10-2022-360

Pending

ceofc01(ceofc01)

Pole Work Created

[Demand Notice](#)

[Permission Letter](#)

[View/Submit](#)

S. J. K.
 EXECUTIVE ENGINEER
 OFC CELL
 BANGALURU