



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell), 3<sup>rd</sup>Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/386/2022-23

Date: 17-11-2022

**Permission for Regularization of Poles**  
**(already installed)**

To,  
M/s. Jio Digital Fibre Private Limited,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for Regularization of poles (already installed).

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
  - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 05-05-2022
  - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
  - 4) Fee Demand Note letter No: 10-2022-386, Date: 19-10-2022.
  - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 27-10-2022.

\*\_\*\_\*\_\*

With reference to your application for the regularization of poles already installed, we have pleasure to inform you that permission has been accorded for regularization of the poles installed details of which are as mentioned below.

| SL No. | Unique Pole Id.                     | Street Id        | Landmark or address | Coordinates                                      | Permissi on Letter No. | Permission Letter Date |
|--------|-------------------------------------|------------------|---------------------|--|------------------------|------------------------|
| 01     | EE/ OFC/pole/202 2-23/6719/W-193/66 | W0778            | mysore shelter      | 12.884311557<br>80218-<br>77.612700462<br>34132  | 6719                   | 30/03/2022             |
| 02     | EE/ OFC/pole/202 2-23/6719/W-193/67 | W0778,<br>W103 3 | skanda              | 12.884206970<br>695317-<br>77.613172531<br>12794 | 6719                   | 30/03/2022             |
| 03     | EE/ OFC/pole/202 2-23/6719/W-193/68 | W0756,<br>W103 3 | sri krupa           | 12.884463209<br>029567-<br>77.613161802<br>29188 | 6719                   | 30/03/2022             |
| 04     | EE/ OFC/pole/202 2-23/6719/W-193/69 | W0778,<br>W103 5 | samruddhi           | 12.884128530<br>336515-<br>77.613537311<br>55397 | 6719                   | 30/03/2022             |

No: EE/OFC/PR/386/2022-23, Dt: 17-11-2022

  
Executive Engineer (OFC), BBMP

|    |                                     |                 |                   |  |      |            |
|----|-------------------------------------|-----------------|-------------------|--|------|------------|
| 05 | EE/ OFC/pole/202 2-23/6719/W-193/70 | W1033, W075 4   | jesus             | 12.884745593<br>829008-<br>77.613167166<br>70991 | 6719 | 30/03/2022 |
| 06 | EE/ OFC/pole/202 2-23/6719/W-193/71 | W0756, W103 5   | sri laxmi         | 12.884384768<br>751001-<br>77.613596320<br>1523  | 6719 | 30/03/2022 |
| 07 | EE/ OFC/pole/202 2-23/6719/W-193/72 | W1033           | sai               | 12.885116877<br>062304-<br>77.613167166<br>70991 | 6719 | 30/03/2022 |
| 08 | EE/ OFC/pole/202 2-23/6719/W-193/73 | W1035, W075 4   | sumukha           | 12.884672382<br>98564-<br>77.613692879<br>67683  | 6719 | 30/03/2022 |
| 09 | EE/ OFC/pole/202 2-23/6719/W-193/74 | W1035, W075 2   | lavanya           | 12.884954767<br>549264-<br>77.613762617<br>11122 | 6719 | 30/03/2022 |
| 10 | EE/ OFC/pole/202 2-23/6719/W-193/75 | W0778, W103 9   | jesus             | 12.884050089<br>953131-<br>77.613826990<br>12758 | 6719 | 30/03/2022 |
| 11 | EE/ OFC/pole/202 2-23/6719/W-193/76 | W1039           | nagasan           | 12.884557337<br>331415-<br>77.613928914<br>07014 | 6719 | 30/03/2022 |
| 12 | EE/ OFC/pole/202 2-23/6719/W-193/77 | W1039           | anupama<br>nilaya | 12.885001831<br>612245-<br>77.614068388<br>9389  | 6719 | 30/03/2022 |
| 13 | EE/ OFC/pole/202 2-23/6719/W-193/78 | W0778, W104 3   | rentel cars       | 12.883966420<br>1838-<br>77.614148855<br>20936   | 6719 | 30/03/2022 |
| 14 | EE/ OFC/pole/202 2-23/6719/W-193/79 | I0780,W<br>1119 | malavika          | 12.883856603<br>569122-<br>77.612775564<br>19374 | 6719 | 30/03/2022 |
| 15 | EE/ OFC/pole/202 2-23/6719/W-193/80 | I0780           | olt               | 12.883720640<br>074737-<br>77.613440752<br>02943 | 6719 | 30/03/2022 |
| 16 | EE/ OFC/pole/202 2-23/6719/W-193/81 | I0780           | balaji            | 12.883553300<br>288028-<br>77.614105939<br>86513 | 6719 | 30/03/2022 |

|    |                                     |               |                     |  |      |            |
|----|-------------------------------------|---------------|---------------------|--|------|------------|
| 17 | EE/ OFC/pole/202 2-23/6719/W-193/82 | W0768, W104 3 | white house         | 12.884531190<br>58445-<br>77.614299058<br>9142   | 6719 | 30/03/2022 |
| 18 | EE/ OFC/pole/202 2-23/6719/W-193/83 | W0768         | masha allaha        | 12.884478897<br>082328-<br>77.614631652<br>83203 | 6719 | 30/03/2022 |
| 19 | EE/ OFC/pole/202 2-23/6719/W-193/84 | W0768, W104 7 | ganesh nilaya       | 12.884384768<br>751001-<br>77.615066170<br>69246 | 6719 | 30/03/2022 |
| 20 | EE/ OFC/pole/202 2-23/6719/W-193/85 | W0766         | veerabhadre s hwara | 12.884708988<br>410003-<br>77.614749670<br>0287  | 6719 | 30/03/2022 |
| 21 | EE/ OFC/pole/202 2-23/6719/W-193/86 | W0776, W104 7 | athman              | 12.884102383<br>54478-<br>77.614991068<br>84004  | 6719 | 30/03/2022 |
| 22 | EE/ OFC/pole/202 2-23/6719/W-193/87 | W1047         | faradeen            | 12.883605593<br>983388-<br>77.614787220<br>9549  | 6719 | 30/03/2022 |

|    |             |                          |
|----|-------------|--------------------------|
| 01 | No of Poles | <b>22</b>                |
| 02 | Ward No     | <b>193</b>               |
| 03 | Zone Name   | <b>Bommanahalli Zone</b> |

The locational details of poles are also given in the map enclosed with this permission letter.

**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

**Conditions for Regularization of Poles**

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.

2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do the same at its own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at its own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to poles and resultant losses, if any during performance of official duties by any employee of corporation.
13. **Any dispute** arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlined in the MOU i.e, all the disputes shall be settled at the level of BBMP competent

authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. If any dispute arise it will be settled as per the MOU.

14. Operational and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operational and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

| Sl No | Transmission Voltage | Width of the Right-of-way(ROW) in meters. |
|-------|----------------------|---|
| 01    | 11kV                 | 7.0                                       |
| 02    | 33kV                 | 15.0                                      |
| 03    | 66kV                 | 18.0                                      |
| 04    | 110kV                | 22.0                                      |
| 05    | 132kV                | 27.0                                      |
| 06    | 220kV                | 35.0                                      |
| 07    | 400kV                | 52.0                                      |

23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

|     |   | Vertically in m.   | Horizontally in m.   |
|-----|---|--|--|
| i   | Low and medium voltage lines and service lines  | 2.5  | 1.2  |
| ii  | High voltage lines upto and including 33,000 V. | 3.7  | 2.0  |
| iii | Extra high voltage lines beyond 33000 v.        | 3.7 (plus 0.3m for every additional 33,000 V. or part thereof) | 2.0 (plus 0.3m for every additional 33,000 V. or part thereof) |

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

**Copy to:-**

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Bommanahalli Zone**) for information.
4. Copy to Zonal Chief Engineer (**Bommanahalli Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Bommanahalli Division**) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Arekere Sub Division**) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.



# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-386 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-386

With reference to your Demand Note bearing Pole-OFC-10-2022-386, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1059

| Application No. | Poles | Poles Charges (Rs.) | DD No.     | GST (through RCM) Rs. | Total Amount |
|-----------------|-------|---------------------|------------|-----------------------|--------------|
| 10-2022-386     | 22    | 101363              | 206358     | 18216                 | 101363       |
|                 |       |                     | Dated      |                       |              |
|                 |       |                     | 19-10-2022 |                       |              |

Request you to kindly issue permission letter for the same.

Thanking you,


Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.

3 DA

27/10





386

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206358**

dated 19/10/2022

PAYMENT REFERENCE

---

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-386 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-386

With reference to your Demand Note bearing Pole-OFC-10-2022-386 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1059 .

| Application No. | Poles | Poles Charges (Rs.) | DD No.     | GST (through RCM) Rs. | Total Amount |
|-----------------|-------|---------------------|------------|-----------------------|--------------|
| 10-2022-386     | 22    | 101363              | 206358     | 18216                 | 101363       |
|                 |       |                     | Dated      |                       |              |
|                 |       |                     | 19-10-2022 |                       |              |


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206358**

dated 19/10/2022

**PAYMENT REFERENCE**

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 18/10/2023

DATE 19 10 2022  
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौजे जाने पर

RUPEES One Lac One Thousand Three Hundred Sixty Three Only

रुपये

अदा करें

₹ 101,363.00

DD Sr. No. 206358

Payable at par at all Branches of AXIS Bank Ltd.

Client Reference 4200009020 54

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

For Axis Bank Ltd

*[Signature]*  
Authorized Signatory

*[Signature]*  
Rudresha B  
55. No. 26782

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-386 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-386

With reference to your Demand Note bearing Pole-OFC-10-2022-386 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1059 .

| Application No. | Poles | Poles Charges (Rs.) | DD No.     | GST (through RCM) Rs. | Total Amount |
|-----------------|-------|---------------------|------------|-----------------------|--------------|
| 10-2022-386     | 22    | 101363              | 206358     | 18216                 | 101363       |
|                 |       |                     | Dated      |                       |              |
|                 |       |                     | 19-10-2022 |                       |              |

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206358**

dated 19/10/2022

**PAYMENT REFERENCE**

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 18/10/2023

DATE 19 10 2022  
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT. LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौजे जाने पर

RUPEES One Lac One Thousand Three Hundred Sixty Three Only

रुपये

अदा करें

₹ 101,363.00

Payable at par. at all Branches of AXIS Bank Ltd.

DD Sr. No. 206358

Client Reference 4200009020 54

For Axis Bank Ltd

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

*[Signature]*  
Authorised Signatory

*[Signature]*  
Authorised Signatory  
Rudresha B  
55. No. 15182



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-386

PR Number(To be Assigned by AE/JE-  
OFC, BBMP)

CE-POLE-10-2022-386

General Information

Segment ID

OFC/Pole/2022-23/W0766/386

Street ID

90549

Street Name

NA

Zone

Bommanahalli

Ward No.

193

Ward Name

Arakere

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5  
Rasta, Ambawadi, Ahmedabad, Gujarat,  
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

05/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,  
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

22

No.Junction Box

22




### Status of My Application

| Approver Name    | Designation | Date       |
|------------------|-------------|------------|
| ceofc01(ceofc01) | CE          | 21/05/2022 |

Date : 19/10/2022

Time : 03:19:16

20221019031916





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -  
560002

No. : Pole-OFC-10-2022-386

Date: 19/10/2022

**Demand Notice**  
**GST No.: 29AAALBI608FIZK**

**To**

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

**Sub:-** Permission for Poles(Regularization)**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-386, dated : 05/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0766/386)

| Sr No. | Unique PoleId.                                | Street Id       | Landmark or address | Coordinates                                      | Permission Letter No. | Permission Letter Date |
|--------|---|-----------------|---------------------|--|-----------------------|------------------------|
| 1      | EE/<br>OFC/pole/202<br>2-23/6719/W-<br>193/66 | W0778           | mysore<br>shelter   | 12.884311557<br>80218-<br>77.612700462<br>34132  | 6719                  | 30/03/2022             |
| 2      | EE/<br>OFC/pole/202<br>2-23/6719/W-<br>193/67 | W0778,W103<br>3 | skanda              | 12.884206970<br>695317-<br>77.613172531<br>12794 | 6719                  | 30/03/2022             |
| 3      | EE/<br>OFC/pole/202<br>2-23/6719/W-<br>193/68 | W0756,W103<br>3 | sri krupa           | 12.884463209<br>029567-<br>77.613161802<br>29188 | 6719                  | 30/03/2022             |
| 4      | EE/<br>OFC/pole/202<br>2-23/6719/W-<br>193/69 | W0778,W103<br>5 | samruddhi           | 12.884128530<br>336515-<br>77.613537311<br>55397 | 6719                  | 30/03/2022             |
| 5      | EE/<br>OFC/pole/202<br>2-23/6719/W-<br>193/70 | W1033,W075<br>4 | jesus               | 12.884745593<br>829008-<br>77.613167166<br>70991 | 6719                  | 30/03/2022             |



|    |   |                 |                       |  |      |            |
|----|---|-----------------|-----------------------|--|------|------------|
| 6  | EE/<br>OFC/pole/202<br>2-23/6719/W-<br>193/71 | W0756,W103<br>5 | sri laxmi             | 12.884384768<br>751001-<br>77.613596320<br>1523  | 6719 | 30/03/2022 |
| 7  | EE/<br>OFC/pole/202<br>2-23/6719/W-<br>193/72 | W1033           | sai                   | 12.885116877<br>062304-<br>77.613167166<br>70991 | 6719 | 30/03/2022 |
| 8  | EE/<br>OFC/pole/202<br>2-23/6719/W-<br>193/73 | W1035,W075<br>4 | sumukha               | 12.884672382<br>98564-<br>77.613692879<br>67683  | 6719 | 30/03/2022 |
| 9  | EE/<br>OFC/pole/202<br>2-23/6719/W-<br>193/74 | W1035,W075<br>2 | lavanya               | 12.884954767<br>549264-<br>77.613762617<br>11122 | 6719 | 30/03/2022 |
| 10 | EE/<br>OFC/pole/202<br>2-23/6719/W-<br>193/75 | W0778,W103<br>9 | jesus                 | 12.884050089<br>953131-<br>77.613826990<br>12758 | 6719 | 30/03/2022 |
| 11 | EE/<br>OFC/pole/202<br>2-23/6719/W-<br>193/76 | W1039           | nagasan               | 12.884557337<br>331415-<br>77.613928914<br>07014 | 6719 | 30/03/2022 |
| 12 | EE/<br>OFC/pole/202<br>2-23/6719/W-<br>193/77 | W1039           | anupama<br>nilaya     | 12.885001831<br>612245-<br>77.614068388<br>9389  | 6719 | 30/03/2022 |
| 13 | EE/<br>OFC/pole/202<br>2-23/6719/W-<br>193/78 | W0778,W104<br>3 | rentel cars           | 12.883966420<br>1838-<br>77.614148855<br>20936   | 6719 | 30/03/2022 |
| 14 | EE/<br>OFC/pole/202<br>2-23/6719/W-<br>193/79 | I0780,W1119     | malavika              | 12.883856603<br>569122-<br>77.612775564<br>19374 | 6719 | 30/03/2022 |
| 15 | EE/<br>OFC/pole/202<br>2-23/6719/W-<br>193/80 | I0780           | olt                   | 12.883720640<br>074737-<br>77.613440752<br>02943 | 6719 | 30/03/2022 |
| 16 | EE/<br>OFC/pole/202<br>2-23/6719/W-<br>193/81 | I0780           | balaji                | 12.883553300<br>288028-<br>77.614105939<br>86513 | 6719 | 30/03/2022 |
| 17 | EE/<br>OFC/pole/202<br>2-23/6719/W-<br>193/82 | W0768,W104<br>3 | white house           | 12.884531190<br>58445-<br>77.614299058<br>9142   | 6719 | 30/03/2022 |
| 18 | EE/<br>OFC/pole/202<br>2-23/6719/W-<br>193/83 | W0768           | masha allaha          | 12.884478897<br>082328-<br>77.614631652<br>83203 | 6719 | 30/03/2022 |
| 19 | EE/<br>OFC/pole/202<br>2-23/6719/W-<br>193/84 | W0768,W104<br>7 | ganesh nilaya         | 12.884384768<br>751001-<br>77.615066170<br>69246 | 6719 | 30/03/2022 |
| 20 | EE/<br>OFC/pole/202<br>2-23/6719/W-<br>193/85 | W0766           | veerabhadres<br>hwara | 12.884708988<br>410003-<br>77.614749670<br>0287  | 6719 | 30/03/2022 |
| 21 | EE/<br>OFC/pole/202<br>2-23/6719/W-<br>193/86 | W0776,W104<br>7 | athman                | 12.884102383<br>54478-<br>77.614991068<br>84004  | 6719 | 30/03/2022 |

|    |   |       |          |   |      |            |
|----|---|-------|----------|---|------|------------|
| 22 | EE/<br>OFC/pole/202<br>2-23/6719/W-<br>193/87 | W1047 | faradeen | 12.883605593<br>983388-<br>77.614787220<br>9549 | 6719 | 30/03/2022 |
|----|---|-------|----------|---|------|------------|



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

**Total No.of Poles 22**

|                                       |             |   |        |
|---------------------------------------|-------------|---|--------|
| Pole Charges @ Rs 1500/- Pole         | 33,000      | Worker Welfare Cess Amount @ Rs 7.39/- Pole | 162.58 |
| Junction Box Charges @ Rs 3000/- Pole | 66,000      | Total (C)                                   | 162.58 |
| Supervision Charge @ Rs 100/- Pole    | 2,200       |   |        |
| Sub Total (A)                         | 1,01,200    | GST @ 18% (B)                               | 18,216 |
| Grand Total (A + B + C)               | 1,19,578.58 |   |        |

**Total Amount Payable Rs: 1,19,579 In words (Rupees One Lakh Nineteen Thousand Five Hundred and seventy-Nine Only)**

**Note:** The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)  
Bruhat Bangalore Mahanagara Palike

**Copy to**

No.: 10-2022-386

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



# BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

BABU VEERABHADRE@RIL.COM

OFC/Pole/2022-23/W0178/406    10-2022-408    Pending    Ceoico (Ceoico T)    Pole work Created    Demand Notice    Permission Letter    View/Submit

## Pole Details



OFC/Pole/2022-23/W0178/386    10-2022-386    Pending    Ceoico (Ceoico T)    Pole work Created    Demand Notice    Permission Letter    View/Submit

*S. Srinivas*  
ASSISTANT EXECUTIVE ENGINEER  
OFC CELL

EXECUTIVE ENGINEER

BRUHAT BENGALURU MAHANAGARA PALIKE  
BENGALURU

BRUHAT BENGALURU MAHANAGARA PALIKE  
BENGALURU