

### BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell ), 3<sup>rd</sup>Floor, Annexe II Building, N.R. Square, Bangalore -560002

No: EE/OFC/PR/388/2022-23

Date: 15-10-2022

# Permission for Regularization for Poles

To, M/s. Jio Digital Fibre Private Limited, RMZ ICON, No-51, Palace Road Cross, Vasanth Nagar, Bengaluru-52.

Sir,

<u>Sub</u>:- Permission for Regularization for poles.

Ref: 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.

2) M/s. Jio Digital Fibre Private Limited online application Dated: 05-05-2022

3) Fee Demand Note letter No: 10-2022-388, Date: 12-05-2022.

4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022: 15-10-2022.

5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 14-10-2022.

\*\_\*\_\*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization from 19th 'A' Main Road via 19th Main Road, 12th Main Road up to 4th Cross road.	18.
02	From 19th 'A' Main Road via 18th Cross Road	
03	From 19th 'A' Main Road via 16th Cross Road	
04	From 19th 'A' Main Road via 11th Cross Road	
05	From 19th 'A' Main Road via Street ID No-W0172 up to Chord Road.	
06	From 12th Main Road via 17th Cross Road	
07	From 12th Main Road via 15th Cross Road	
08	From 80feet Road via 4th Cross Road, 9th Main Road up to 11th Cross Road.	49 Poles
09	From 4th Cross Road via 13th Cross Road	
10	From 4th Cross Road via Street ID No-W0223 up to 12th Cross Road.	
11	From 12th Cross Road via 13th Cross Road, Street ID No-W0182, W0245 up to 12th Cross Road.	
12	From Street ID No-W0182 via W0247 up to W0190.	
13	From Dr.Rajkumar Road via 12th Cross Road up to 9th Main Road. For a total of 49 poles, in <b>Ward No-67</b> , <b>West Zone</b> .	
	Ref: As per drawing enclosed & demand note GIS co-ordinates.	

No: EE/OFC/PR/388/2022-23, Dt: 15-10-2022

**Special Condition:** 

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

# **Conditions for Regularization of Poles**

- 1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
- 2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
- 3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
- 4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
- 5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
- 6. The minimum distance between two poles shall be 40 mtrs.
- 7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
- 8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
- 9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in
- 10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
- 11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

- 12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
- 13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
- 14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
- 15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
- 16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
- 17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
- 18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
- 19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
- 20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
- 21.Electrical Lines: The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
- 22. Right-of-way(ROW) for Electrical lines.-

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage	2.5	1.2
	lines and service lines		2.0
ii	High voltage lines upto and	3.7	2.0
	including 33,000 V.		
iii	Extra high voltage lines	3.7 (plus 0.3m for every	2.0 (plus 0.3m for
	beyond 33000 v.	additional 33,000 V. or	every additional
	20) 0.2 8.55	part thereof)	13,000 V. or part
		1	thereof)

- 24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
- 25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
- 26. The agency shall abide by all the terms and conditions laid in these rules.

### Copy to:-

- 1. Copy to the Chief Commissioner for kind information.
- 2. Copy to the Special Commissioner (Project) for kind information.
- 3. Copy to the Zonal Additional/Joint Commissioner (West Zone) for information.
- 4. Copy to Zonal Chief Engineer (West Zone) for information.
- 5. Copy to the Chief Engineer (Road Infrastructure) for information.
- 6. Copy to the Concerned Executive Engineer of (Mahalakshmi Layout Division) for information.
- 7. Copy to the Concerned Assistant Executive Engineer of (Nagapura Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
- 8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
- 9. Office Copy

#### JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/

10-2022-388

/DD

Date:

3-Oct-22

The Chief Engineer (OFC cell) Bruhat Bengaluru Mahanagar Palike 4<sup>th</sup> floor Annex Building, N R Square Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note:-

Pole-OFC-10-2022-388

With reference to your Demand Note bearing

Pole-OFC-10-2022-388

.Please find mentioned

below-the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment

to get permission for laying Poles on

BGLR0459

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-388	49	225762	205960 Dated 01-10-2022	40572	225762

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.

Uhal Bengaluru



- MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

205960

01/10/2022 lated

PAYMENT REFERENCE

#### JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/

10-2022-388

/DD

Date:

3-Oct-22

The Chief Engineer (OFC cell) Bruhat Bengaluru Mahanagar Palike 4<sup>th</sup> floor Annex Building, N R Square Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note:-

Pole-OFC-10-2022-388

With reference to your Demand Note bearing Pole-OFC-10-2022-388 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0459

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-388	49	225762	205960 Dated	40572	225762
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE


Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

205960

01/10/2022 dated

PAYMENT REFERENCE



## BBMP ENGINEERING DEPARTMENT Pole Form

Application No. :10-2022-388

PR Number(To be Assigned by AE/JE- CE-POLE-10-2022-388 OFC, BBMP)

**General Information** 

Seament ID

OFC/Pole/2022-23/W0229/388

Street ID

18533

**Street Name** 

NA

Zone

West

Ward No.

67

**Ward Name** 

Nagapura

**Service Provider Category** 

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

**Registered Office Address** 

101, Saffron, Nr Centra Point, Panchwati 5 380006 Rasta, Ambawadi, Ahmedabad, Gujarat,

Pin Code

Official Phone No. 9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

**Penalized Details** 

No

Vat Reg No.

29AAECJ4213B1Z0

**Turnover for Last 3 Years** 

AHMJ08610A

**Application Submission Date** 

05/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

**Email ID** 

babu.veerabhadre@ril.com

**Local Address** 

No 51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

**Purpose** 

OFC

Phone No.

9845117017

Mobile No.

**Attachments** 

9845117017

Pole Related Information

**No.of Poles** 

**No.Junction Box** 




## Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	11/05/2022

Date: 12/05/2022 Time: 03:25:30 20220512032530

No: 10-2022-388



Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore - 560002

No.: Pole-OFC-10-2022-388

Date: 12/05/2022

### **Demand Notice**

**GST No.: 29AAALBI608FIZK** 

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No.: 10-2022-388, dated: 05/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0229/388)

Sr No.	Unique Poleld.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/2138/W- 67/58		PL0301 #16/3 NEXT TO EB POLE 10000202037	13.001877672 58514- 77.552555948 49588	2138	10/12/2021
2	EE/ OFC/pole/202 2-23/2138/W- 67/59	W0245	PL0302 #16 GANAPAYHI JEWELERS	13.002084134 60661- 77.552578747 2725	2138	10/12/2021
3	EE/ OFC/pole/202 2-23/2138/W- 67/60		PL0204 #130 SRI GAJANANA TRADERS BACKSIDE	13.001158320 972193- 77.552560642 36164	2138	10/12/2021
4	EE/ OFC/pole/202 2-23/2138/W- 67/61	W0190,W024 7	PL0703 #NALLE GIRLS PG OPPOSITE TO Madamma nilaya	13.000543505 633912- 77.552525773 64446	2138	10/12/2021

5	EE/ OFC/pole/202 2-23/2138/W- 67/62	W0190,W024 7	pl0702 govt school backside	13.000548732 550746- 77.552488222 71824		10/12/2021
6	EE/ OFC/pole/202 2-23/2138/W- 67/63	W0182	pl0206 #78/3 venkateshwar a nilaya	13.001197522		10/12/2021
7	EE/ OFC/pole/202 2-23/2138/W- 67/64	W0229	pl0902 #varadha swamy temple next to EB pole 10000427377	13.000934870 727894- 77.551806941 62847	2138	10/12/2021
8	EE/ OFC/pole/202 2-23/2138/W- 67/65	W0229,W017 8,W0231	pl0307 #k15 (1902) sapthagiri nilaya	13.001714332 256558- 77.551819682 12129	2138	10/12/2021
9	EE/ OFC/pole/202 2-23/2138/W- 67/66	W0231	pl0306 #32k hebal beauty parlour	13.001864605 362819- 77.551889419 55568		10/12/2021
10	EE/ OFC/pole/202 2-23/2138/W- 67/67	W0176	6 #28 giri	13.001936475 077102- 77.551492452 62147	2138	10/12/2021
11	EE/ OFC/pole/202 2-23/2138/W- 67/68	W0178	pl0303 #anjaneya temple backside near house #32k	13.001777054 955452- 77.552117407 32194	2138	10/12/2021
12	EE/ OFC/pole/202 2-23/2138/W- 67/69	W0178	pl0305 #18/2 bhuvi	13.001645729 286503- 77.551683560 01379	2138 .	10/12/2021
13	EE/ OFC/pole/202 2-23/2138/W- 67/70	W0223		13.001174655 046487- 77.551006972 78978	2138	10/12/2021
14	EE/ OFC/pole/202 2-23/2138/W- 67/71	W0223	pl0408 #29	13.001270046 0189- 77.550953328 60948	2138	10/12/2021
15	EE/ OFC/pole/202 2-23/2138/W- 67/72	W0223,W018 4	pl0407 #30/A (R RESIDENCY)	13.001108665 379734- 77.550976797 93836	2138	10/12/2021
17	EE/ OFC/pole/202 2-23/2138/W- 67/73	W0223	TO EB POLE	13.000718607 288146- 77.551047205 925	2138	10/12/2021
18	EE/ OFC/pole/202 2-23/2138/W- 67/74	W0223	PL0402 #44/1 NANDEESH WARA SWAMY NILAYA	13.000323975 027177- 77.551145106 55403	2138	10/12/2021
19	EE/ OFC/pole/202 2-23/2138/W- 67/75	W0223	ATESHWARA	13.000219436 574762- 77.551167905 33066	2138	10/12/2021
20	EE/ OFC/pole/202 2-23/2138/W- 67/76	W0223,W019 4	MANGALORE STORE	12.999972464 306033- 77.551222890 61548	2138	10/12/2021

21	EE/ OFC/pole/202 2-23/2138/W- 67/77		BGLRBD1453 7 #164/K EPIC TATOO	12.999912354 616136- 77.550926506 51933		10/12/2021
22	EE/ OFC/pole/202 2-23/2138/W- 67/78	W0221	PL0801 #125 SHANKAR NIVASA	13.000096603 83691- 77.550938576 4599		10/12/2021
23	EE/ OFC/pole/202 2-23/2138/W- 67/79	W0221	PL0804 #K161 SRINIVASA	13.000282159 651492- 77.550872862 33903		10/12/2021
24	EE/ OFC/pole/202 2-23/2138/W- 67/80	W0221	PL0803 #128K	13.000513450 859934- 77.550872862 33903		10/12/2021
25	EE/ OFC/pole/202 2-23/2138/W- 67/81	W0221	PL0802 #155K	13.000674178 521912- 77.550807148 21817		10/12/2021
26	EE/ OFC/pole/202 2-23/2138/W- 67/82	W0221	PL6301 #149 RAM TAILOR	13.001098864 932683- 77.550741434 09729		10/12/2021
27	EE/ OFC/pole/202 2-23/2138/W- 67/83	W0178,W022 1	PL6303 #145K OPPOSITE TO BENAKA HOUSE	13.001476508 545926- 77.550729364 15672	2138	10/12/2021
28	EE/ OFC/pole/202 2-23/2138/W- 67/84	W0176	BASAVESHW	13.001850231 417457- 77.551124989 98643	2138	10/12/2021
29	EE/ OFC/pole/202 2-23/2138/W- 67/85	W0176	PL6203 #185K (128) PRINCE COSTLY HOME	13.001688197 794016- 77.550386041 40282	2138	10/12/2021
30	EE/ OFC/pole/202 2-23/2138/W- 67/86			12.999861392 04156- 77.551114261 15037	2138	10/12/2021
31	EE/ OFC/pole/202 2-23/2138/W- 67/87		JAGADEESH	12.999986838 360158- 77.551513910 2936	2138	10/12/2021
32	EE/ OFC/pole/202 2-23/2138/W- 67/88		PL0504 #ASHIRVAD HOME	13.000041721 104608- 77.551564872 26488	2138	10/12/2021
33	EE/ OFC/pole/202 2-23/2138/W- 67/89		4 #19 CHENNAKES	13.000110324 518095- 77.551811635 49425	2138	10/12/2021
34	OFC/pole/202 2-23/2138/W- 67/90		DEVA HABITAT	13.000129272 124195- 77.552015483 37938	2138	10/12/2021
35	EE/ OFC/pole/202 2-23/2138/W- 67/91	-	#GOVT HIGH   SCHOOL	13.000180234 64376- 77.552242130 04114	2138	10/12/2021

36	EE/ OFC/pole/202 2-23/2138/W- 67/92	W0247	PL5105 #114 ANNAPOOR NESHWARI TIFFIN CENTER	13.000239037 537947- 77.552472800 01642	2138	10/12/2021
37	EE/ OFC/pole/202 2-23/2138/W- 67/93	W0237	BGLRBD0015 378 #46/8 SRI RAM MEDICAL	12.999759466 861008- 77.552028894 42445	2138	10/12/2021
38	EE/ OFC/pole/202 2-23/2138/W- 67/94	W0196	PL5202 #1222 MOTHI KRUPA	12.999606579 011697- 77.551273852 58676	2138	10/12/2021
39	EE/ OFC/pole/202 2-23/2138/W- 67/95	W0196	PL5201 #60 VAIMA TEMPLE	12.999551696 171029- 77.551020383 83485	2138	10/12/2021
40 ·	EE/ OFC/pole/202 2-23/2138/W- 67/96	W0198	PL5706 #135/13 DREAM MENS SALOON	12.999217171 92734- 77.550833299 75605	2138	10/12/2021
41	EE/ OFC/pole/202 2-23/2138/W- 67/97	W0198	PL5501	12.999151835 108364- 77.550846040 24887	2138	10/12/2021
42	EE/ OFC/pole/202 2-23/2138/W- 67/98	W0198	PL5703 # 117 ALAR SINGER KRUPA	12.999201491 092352- 77.551096826 79178	2138	10/12/2021
43	EE/ OFC/pole/202 2-23/2138/W- 67/99	W0198	PL5701 #122 SHARAN NIVASA	12.999269441 370144- 77.551431432 36639	2138	10/12/2021
44	EE/ OFC/pole/202 2-23/2138/W- 67/100	W0198	PL5205 #124 LOKESH EMBROIDER	12.999439316 983203- 77.551933676 00441	2138	10/12/2021
45	EE/ OFC/pole/202 2-23/2138/W- 67/101	W0237,W019	PL5305 OPPOSITE TO #123 FRIENDS SHOP	12.999383127 37022 77.552026882 76769	2138	10/12/2021
46	EE/ OFC/pole/202 2-23/2138/W- 67/102	W0200	PL5302 #22 KOSHAL	12.999105445 956452- 77.551933005 45217	2138	10/12/2021
47	EE/ OFC/pole/202 2-23/2138/W- 67/103	W0200	PL5303 #60/77	12.998927076 319724- 77.551155835 39009	2138	10/12/2021
48	EE/ OFC/pole/202 2-23/2138/VV- 67/104	W0202	PL5602 #7715 SUNDAR (120)	12.998523294 031203- 77.551481723 78541	2138	10/12/2021
49	EE/ OFC/pole/202 2-23/2138/W- 67/105	W0204	PL5505 #51 SRINIVASA	12.998238424 578082- 77.551548779 01079		10/12/2021
50	EE/ OFC/pole/202 2-23/2138/W- 67/106	W0204	PL5407 #1209/52 AMMA LAY CHAMBERS	12.998290694 226998- 77.551803588 86719		10/12/2021

In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Banglore" within seven(7) days. Then only your request can be processed further.

#### Total No. of Poles 49

Pole Charges @ Rs 1500/- Pole	73,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	362.11
Junction Box Charges @ Rs 3000/- Pole	147,000	Total (C)	362.11
Supervision Charge @ Rs 100/- Pole	4,900		
Sub Total (A)	225,400	GST @ 18% (B)	40,572
Grand Total (A + B + C)	266,334.11		

Total Amount Payable Rs: 266,334 In words (Rupees Two Lakh Sixty-Six Thousand Three Hundred and Thirty-Four Only)

**Note:** The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-388

- 1. Copy submitted to Commissioner for kind information.
- 2. Copy submitted to Special Commissioner (Project) for kind information.
- 3. Copy submitted to CAO for information.
- 4. Copy to Office file.