



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell ), 3<sup>rd</sup>Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/401/2022-23

Date: 15-10-2022

**Permission for Regularization for Poles**

To,

M/s. Jio Digital Fibre Private Limited ,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
  - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 05-05-2022
  - 3) Fee Demand Note letter No: 10-2022-401, Date: **14-05-2022**.
  - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
  - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **14-10-2022**.

\*\_\*\_\*\_\*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from Hosur Main Road via Berlie Street up to Kadidal Manjappa Road.	27 Poles
02	From Hosur Main Road via Street ID No-W0210 up to W0167.	
03	From Kadidal Manjappa Road via Cagies Street up to Road end.	
04	From Kadidal Manjappa Road via Street ID No-W0165 up to W0161.	
05	From Kadidal Manjappa Road via Street ID No-W0163 up to W0161.	
06	From Street ID No-W0165 via Noyeen Villa Road up to Street ID No-W0157.	
07	From Berle Street via Berle Street Cross Road, for total No of <b>27 Poles</b> in <b>Ward No-117, East Zone.</b> <b>Ref: As per drawing enclosed &amp; demand note GIS co-ordinates.</b>	

No: EE/OFC/PR/401/2022-23, Dt: 15-10-2022

  
Executive Engineer (OFC), BBMP

**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

**Conditions for Regularization of Poles**

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.



12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way (ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way (ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0



23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

**Copy to:-**

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**East Zone**) for information.
4. Copy to Zonal Chief Engineer (**East Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Shanthi Nagara** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Shanthi Nagara** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-401 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to lay the OFC by HDD method.**

**Ref: Demand Note :-** Pole-OFC-10-2022-401

With reference to your Demand Note bearing Pole-OFC-10-2022-401, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1258.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-401	27	124400	205912	22356	124400
			Dated		
			01-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

  
Authorized Signatory.





401

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**205912**

01/10/2022  
dated

PAYMENT REFERENCE

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasathanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-401 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to lay the OFC by HDD method.**

**Ref: Demand Note :-** Pole-OFC-10-2022-401

With reference to your Demand Note bearing Pole-OFC-10-2022-401 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1258 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-401	27	124400	205912	22356	124400
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

401

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

**205912**

01/10/2022  
dated

**PAYMENT REFERENCE**

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31/12/2022

DATE 01/10/2022  
दिनांक 01/10/2022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर

RUPEES One Lac Twenty Four Thousand Four Hundred Only

रुपये

अदा करें ₹ 124,400.00

Payable at par at all Branches of AXIS Bank Ltd .

DD Sr. No. 205912

Client Reference 420000808595

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

For Axis Bank Ltd

Authorized Signatory [Signature]

Please sign above





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

## BBMP ENGINEERING DEPARTMENT

### Pole Form

Application No. :10-2022-401

PR Number(To be Assigned by AE/JE- OFC, BBMP) CE-POLE-10-2022-401

#### General Information

**Segment ID**

OFC/Pole/2022-23/W0167/401

**Street ID**

40698

**Street Name**

NA

**Zone**

East

**Ward No.**

117

**Ward Name**

Shanthi Nagara

**Service Provider Category**

Telecom

**Organization**

M/s. Jio Digital Fibre Private Limited

**Year of Incorporation**

2009-10

**Registered Office Address**

101, Saffron, Nr Centra Point, Panchwati 5  
Rasta, Ambawadi, Ahmedabad, Gujarat,  
India

**Pin Code**

380006

**Official Phone No.**

9845117017

**Previous Relevant Exp.**

10

**Fax**

08035485012

**Official Phone No.**

www.jio.com

**Penalized Details**

No

**Vat Reg No.**

0

**GST**

29AAECJ4213B1Z0

**Turnover for Last 3 Years**

60

**TAN**

AHMJ08610A

**Application Submission Date**

05/05/2022

**Name of the Authorized Person**

Babu Veerabhadre

**Designation**

DGM

**Email ID**

babu.veerabhadre@ril.com

**Local Address**

No 51, RMZ Icon, Palace Cross Road,  
Vasanthanagar, Bangalore 560052

**Purpose**

pole

**Phone No.**

9845117017

**Mobile No.**

9845117017

**Attachments**


#### Pole Related Information

**No.of Poles**

27

**No.Junction Box**

27




**Status of My Application**

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	13/05/2022

Date : 14/05/2022

Time : 11:11:04

20220514111104





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -  
560002

No. : Pole-OFC-10-2022-401

Date: 14/05/2022

### Demand Notice

**GST No.: 29AAALBI608FIZK**

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-401, dated : 05/05/2022

Details of Poles added on BBMP GIS Map


(Pole Id:-OFC/Pole/2022-23/W0167/401)

Sr No.	Unique Poleid.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/2671/W- 117/33	W0167	green home	12.955697738 614466- 77.604691386 22284	2671	10/08/2021
2	EE/ OFC/pole/202 2-23/2671/W- 117/34	W0167	under Construction Building	12.956000954 301189- 77.604766488 07527	2671	10/08/2021
3	EE/ OFC/pole/202 2-23/2671/W- 117/35	W0167	kids School	12.956298941 771568- 77.604852318 76375	2671	10/08/2021
4	EE/ OFC/pole/202 2-23/2671/W- 117/36	W0210	Grace Land Apartment	12.956544650 470155- 77.604959607 12434	2671	10/08/2021
5	EE/ OFC/pole/202 2-23/2671/W- 117/37	W0210	aashina Building	12.956518511 258421- 77.605141997 33736	2671	10/08/2021



6	EE/ OFC/pole/202 2-23/2671/W- 117/38	W0210	Hassan Villa	12.956450549 295091- 77.605383396 1487	2671	10/08/2021
7	EE/ OFC/pole/202 2-23/2671/W- 117/39	W0210	Reshma Building	12.956398270 849117- 77.605619430 542	2671	10/08/2021
8	EE/ OFC/pole/202 2-23/2671/W- 117/40	W0167	Ebgin Court	12.956962877 484726- 77.605002522 46857	2671	10/08/2021
9	EE/ OFC/pole/202 2-23/2671/W- 117/41	W0161	Eagle Street	12.957360192 497985- 77.605152726 17342	2671	10/08/2021
10	EE/ OFC/pole/202 2-23/2671/W- 117/42	W0161,W017 1	Cauvery	12.957276547 284724- 77.605485320 09126	2671	10/08/2021
11	EE/ OFC/pole/202 2-23/2671/W- 117/43	W0161	Home	12.957171990 728629- 77.605796456 33699	2671	10/08/2021
12	EE/ OFC/pole/202 2-23/2671/W- 117/44	W0167	Elysian Manor	12.957720912 158363- 77.605195641 51765	2671	10/08/2021
13	EE/ OFC/pole/202 2-23/2671/W- 117/45	W0167	Mr Shirazi	12.958024125 381709- 77.605270743 37007	2671	10/08/2021
14	EE/ OFC/pole/202 2-23/2671/W- 117/46	W0161	Galery Ske	12.957438609 859903- 77.604771852 4933	2671	10/08/2021
15	EE/ OFC/pole/202 2-23/2671/W- 117/47	W0161	Amber Partment	12.957522255 018738- 77.604535818 09999	2671	10/08/2021
16	EE/ OFC/pole/202 2-23/2671/W- 117/48	W0161,W016 5	Amber Apartment	12.957605900 14947- 77.604272961 61653	2671	10/08/2021
17	EE/ OFC/pole/202 2-23/2671/W- 117/49	W0165	Supreme Residency	12.957935252 578647- 77.604380249 97713	2671	10/08/2021
18	EE/ OFC/pole/202 2-23/2671/W- 117/50	W0165,W017 8	Clarace Home	12.958212326 507054- 77.604460716 24757	2671	10/08/2021
19	EE/ OFC/pole/202 2-23/2671/W- 117/51	W0165	Sanchi	12.958473716 722922- 77.604530453 68196	2671	10/08/2021
20	EE/ OFC/pole/202 2-23/2671/W- 117/52	W0178	Landmark	12.958311654 821397- 77.604063749 31337	2671	10/08/2021
21	EE/ OFC/pole/202 2-23/2671/W- 117/53	W0163	Eralil House	12.958196643 08537- 77.603650689 12508	2671	10/08/2021

22	EE/ OFC/pole/202 2-23/2671/W- 117/54	W0161,W016 3	Shanti Gruha	12.957877746 630336- 77.603532671 92842	2671	10/08/2021
23	EE/ OFC/pole/202 2-23/2671/W- 117/55	W0161	lucelle Court	12.958065947 8663- 77.602969408 03529	2671	10/08/2021
24	EE/ OFC/pole/202 2-23/2671/W- 117/56	W0161	Sona Residency	12.958248921 153787- 77.602577805 5191	2671	10/08/2021
25	EE/ OFC/pole/202 2-23/2671/W- 117/57	W0161	Irshad ahmed	12.958322110 431137- 77.602186203 00294	2671	10/08/2021
26	EE/ OFC/pole/202 2-23/2671/W- 117/58	W0157	home	12.958609639 526742- 77.601537108 42133	2671	10/08/2021
27	EE/ OFC/pole/202 2-23/2671/W- 117/59	W0157	Share peares	12.958823979 181986- 77.601569294 92952	2671	10/08/2021



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

**Total No.of Poles 27**

Pole Charges @ Rs 1500/- Pole	40,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	199.53
Junction Box Charges @ Rs 3000/- Pole	81,000	Total (C)	199.53
Supervision Charge @ Rs 100/- Pole	2,700		
Sub Total (A)	124,200	GST @ 18% (B)	22,356
Grand Total (A + B + C)	146,755.53		

**Total Amount Payable Rs: 146,756 In words (Rupees One Lakh Forty-Six Thousand Seven Hundred and Fifty-Six Only)**

**Note:** The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)  
Bruhat Bangalore Mahanagara Palike

**Copy to**

No.: 10-2022-401

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.





# BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

OFC/Pole/2022-23/W0109/413    10-2022-415    Pending    ceofc01(ceofc01)    Pole Work Created    [Demand Notice](#)    [Permission Letter](#)    [View/Submit](#)

## Pole Details

The map displays a grid of streets including 8th Cross Laxmi Rd, B St, C St, D St, E St, G St, R St, N St, and Berlie St. Numerous blue location pins are placed across the map, indicating the locations of road cutting work. Key landmarks and businesses labeled on the map include: Green House PG for girls, Sudha Chaats (Fast Food), Hafele Design Center (Home improvement store), The Café, Tulsi Pharma, Adler stays pg for girls, Mittal Berlie, Narayana Medical Center, Shantinagar Muslim Graveyard, Christian Cemetery, and CMP Officers Mess. The map also shows 'Gate no. 1' and 'CMP Junction'.

10-2022-401

OFC/Pole/2022-23/W0229/388    10-2022-388    Pending    ceofc01(ceofc01)    OFC Work Created    [Demand Notice](#)    [Permission Letter](#)    [View/Submit](#)

*S. Y. J.*  
EXECUTIVE ENGINEER  
OFC CELL

BANGALURU MAHANAGARA PALIKE

BENGALURU