



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rd Floor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/402/2022-23

Date: 15-10-2022

120

Permission for Regularization for Poles

To,

M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 05-05-2022
 - 3) Fee Demand Note letter No: 10-2022-402, Date: 14-05-2022.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 14-10-2022.

*_*_*_*


With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

SI No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 6th Cross via 4th Main Road.	34 Poles
02	From 6th Cross via 3rd Main Road.	
03	From 6th Cross via 2nd Main Road.	
04	From 6th Cross via 1st Main Road.	
05	From 6th Cross via Street ID No-W0065.	
06	From 1st Cross Road via 6th Main, 4th Cross.	
07	From 1st Cross Road via 5th Cross, 2nd Cross.	
08	From 2nd Cross via 5th Cross Road, 4th Cross Road, 1st Main	
09	From 5th Cross via 3rd up to 1st Main Road, for total No of 34 Poles, in Ward No-193, Bommanahalli Zone.	
Ref: As per drawing enclosed & demand note GIS co-ordinates.		

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/402/2022-23, Dt: 15-10-2022


Executive Engineer (OFC), BBMP



Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.

13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.


25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Bommanahalli Zone**) for information.
4. Copy to Zonal Chief Engineer (**Bommanahalli Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Bommanahalli Division**) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Arekere Sub Division**) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

10-2022 - 402 jio

केनरा बैंक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा/ Branch SCC Extension

दिनांक/ Date

1	3	1	0	2	0	2	2
---	---	---	---	---	---	---	---

paid

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

1	5	4	0	1	1	3	2	0	0	0	1	0
---	---	---	---	---	---	---	---	---	---	---	---	---

नाम/Name Commissioner BMR

टेलिफोन / मोबाइल नं
Tel No./Mobile No. _____

राशि /Amount

₹	1	5	6	6	5	1	00	/	—
---	---	---	---	---	---	---	----	---	---

राशि शब्दों में
Rupees in words one lakh fifty six thousand six hundred sixty

चेक नं. / दिनांक तथा बैंक व शाखा का नाम Cheque No./Date/ Name of Bank & Branch	₹	₹/P.
<u>206016</u>	<u>156651.00</u>	
<u>20/08/22</u>	<u>SCC EXTENSION</u>	<u>CANARA BANK</u>

EXECUTIVE ENGINEER

अधिकारी / रोकड़िया OFFICER
BANGALURU MAHANGARA BALIKE
Officer/Cashier/SWO
BENGALURU

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-402 /DD

Date: 12-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-402

With reference to your Demand Note bearing Pole-OFC-10-2022-402 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1016 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-402	34	156651	206016	28152	156651
			Dated		
			11-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



402

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206016

11/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-402 /DD

Date: 12-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-402

With reference to your Demand Note bearing Pole-OFC-10-2022-402 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1016 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-402	34	156651	206016	28152	156651
			Dated		
			11-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206016**
as per details mentioned below.

11/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 10012023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE
दिनांक

D	D	M	M	Y	Y	Y	Y
---	---	---	---	---	---	---	---

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौजे जाने पर
RUPEES One Lac Fifty Six Thousand Six Hundred Fifty One Only

रुपये

₹	156,651.00
---	------------

 अदा करे

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206016

Client Reference 4200008447_5

For Axis Bank Ltd
[Signature]
5518:24004
Authorized Signatory
[Signature]
Worked Signatory

Under CMS Arrangement,
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Rudresh B
Please see above
CC No. 55182



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-402

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-402

General Information

Segment ID

OFC/Pole/2022-23/W0018/401

Street ID

91232

Street Name

NA

Zone

Bommanahalli

Ward No.

193

Ward Name

Arakere

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

05/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

34

No.Junction Box

34




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	13/05/2022

Date : 14/05/2022

Time : 11:12:30

20220514111230





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-402

Date: 14/05/2022

Demand Notice
GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-402, dated : 05/05/2022


Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0018/401)

Sr No.	Unique Poleld.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/6717/W- 193/135	W0039	kalpanad	12.890947520 428352- 77.593941092 49116	6717	30/03/2022
2	EE/ OFC/pole/202 2-23/6717/W- 193/136	W0018	sapthagiri	12.890769727 03223- 77.594080567 35994	6717	30/03/2022
3	EE/ OFC/pole/202 2-23/6717/W- 193/137	W0018	tapti	12.890717434 832863- 77.594541907 31049	6717	30/03/2022
4	EE/ OFC/pole/202 2-23/6717/W- 193/138	W0018	nandi	12.890665142 62258- 77.594917416 57257	6717	30/03/2022
5	EE/ OFC/pole/202 2-23/6717/W- 193/139	W0022	vijayalakshmi	12.890403681 407342- 77.594085931 77797	6717	30/03/2022

6	EE/ OFC/pole/202 2-23/6717/W- 193/140	W0022	123	12.890377535 270803- 77.594311237 33522	6717	30/03/2022
7	EE/ OFC/pole/202 2-23/6717/W- 193/141	W0022	18	12.890314784 53196- 77.594708204 26941	6717	30/03/2022
8	EE/ OFC/pole/202 2-23/6717/W- 193/142	W0022	nayak	12.890257263 007532- 77.595019340 51515	6717	30/03/2022
9	EE/ OFC/pole/202 2-23/6717/W- 193/143	W0026	srinivasan	12.889995801 366316- 77.594445347 78596	6717	30/03/2022
10	EE/ OFC/pole/202 2-23/6717/W- 193/144	W0059	chakra	12.888474089 195663- 77.595040798 18727	6717	30/03/2022
11	EE/ OFC/pole/202 2-23/6717/W- 193/145	W0059	anugraha	12.887496214 294487- 77.594697475 43336	6717	30/03/2022
12	EE/ OFC/pole/202 2-23/6717/W- 193/146	W0057	lakshmi nilaya	12.887538048 593047- 77.594375610 35156	6717	30/03/2022
13	EE/ OFC/pole/202 2-23/6717/W- 193/147	W0057	prerana	12.887940703 359321- 77.594520449 63838	6717	30/03/2022
14	EE/ OFC/pole/202 2-23/6717/W- 193/148	W0057	guru krupa	12.888845366 901243- 77.594820857 04805	6717	30/03/2022
15	EE/ OFC/pole/202 2-23/6717/W- 193/149	W0057	pavala	12.889404897 051335- 77.594869136 81032	6717	30/03/2022
16	EE/ OFC/pole/202 2-23/6717/W- 193/150	W0057	satya	12.889765714 896175- 77.594912052 15456	6717	30/03/2022
17	EE/ OFC/pole/202 2-23/6717/W- 193/151	W0055	viswanath	12.889666359 309619- 77.594536542 89247	6717	30/03/2022
18	EE/ OFC/pole/202 2-23/6717/W- 193/152	W0055	aksh ganga	12.887203374 008877- 77.593876719 4748	6717	30/03/2022
19	EE/ OFC/pole/202 2-23/6717/W- 193/153	W0055	maruthi	12.888552528 193417- 77.594327330 58931	6717	30/03/2022
20	EE/ OFC/pole/202 2-23/6717/W- 193/154	W0049,W003 4	varsha	12.889169580 785426- 77.593892812 7289	6717	30/03/2022
21	EE/ OFC/pole/202 2-23/6717/W- 193/155	W0049	sri rama	12.888850596 160772- 77.593796253 20436	6717	30/03/2022

22	EE/ OFC/pole/202 2-23/6717/W- 193/156	W0049	ganesha	12.888468859 928272- 77.593683600 42573	6717	30/03/2022
23	EE/ OFC/pole/202 2-23/6717/W- 193/157	W0049	sri nilaya	12.888338128 208025- 77.593629956 24544	6717	30/03/2022
24	EE/ OFC/pole/202 2-23/6717/W- 193/158	W0049	sri krupa	12.888139415 862518- 77.593570947 64711	6717	30/03/2022
25	EE/ OFC/pole/202 2-23/6717/W- 193/159	W0049	vasavi nilaya	12.887799512 800703- 77.593463659 28651	6717	30/03/2022
26	EE/ OFC/pole/202 2-23/6717/W- 193/160	W0049	salaji	12.887564195 026103- 77.593388557 4341	6717	30/03/2022
27	EE/ OFC/pole/202 2-23/6717/W- 193/161	W0049	dr rajesh	12.887412545 676401- 77.593340277 67183	6717	30/03/2022
28	EE/ OFC/pole/202 2-23/6717/W- 193/162	W0049,W005 0	swathi krupa	12.887124934 588515- 77.593243718 14729	6717	30/03/2022
29	EE/ OFC/pole/202 2-23/6717/W- 193/163	W0053	nanda goul	12.887239979 063315- 77.593592405 31923	6717	30/03/2022
30	EE/ OFC/pole/202 2-23/6717/W- 193/164	W0053	swetha	12.887689697 866746- 77.593742609 02406	6717	30/03/2022
31	EE/ OFC/pole/202 2-23/6717/W- 193/165	W0053	sakada	12.888092352 389174- 77.593865990 63873	6717	30/03/2022
32	EE/ OFC/pole/202 2-23/6717/W- 193/166	W0053	hardha	12.888991786 126727- 77.594166398 04842	6717	30/03/2022
33	EE/ OFC/pole/202 2-23/6717/W- 193/167	W0053	sri maruthi	12.889472877 264751- 77.594166398 04842	6717	30/03/2022
34	EE/ OFC/pole/202 2-23/6717/W- 193/168	W0055	veerabhadra nilaya	12.889064995 707363- 77.594498991 96626	6717	30/03/2022



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 34

Pole Charges @ Rs 1500/- Pole	51,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	251.26
Junction Box Charges @ Rs 3000/- Pole	102,000	Total (C)	251.26
Supervision Charge @ Rs 100/- Pole	3,400		
Sub Total (A)	156,400	GST @ 18% (B)	28,152
Grand Total (A + B + C)	184,803.26		

Total Amount Payable Rs: 184,803 In words (Rupees One Lakh Eighty-Four Thousand Eight Hundred and Three Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-402

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)


10-2022-402

1/2

@RILCOM

OFC/Pole/2022-23/W0008/413 10-2022-418 Pending ceofc01(ceofc01) OFC Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

Pole Details



10-2022-402

OFC/Pole/2022-23/W0096/392 10-2022-393 Pending ceofc01(ceofc01) OFC Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

S. Yashwanth
EXECUTIVE ENGINEER
OFC CELL

BENGALURU