



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell ), 3<sup>rd</sup>Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/412/2022-23

Date: 15-10-2022

**Permission for Regularization for Poles**

To,  
M/s. Jio Digital Fibre Private Limited ,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
  - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 05-05-2022.
  - 3) Fee Demand Note letter No: 10-2022-412, Date: **18-05-2022**.
  - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
  - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **12-10-2022**.

\*\_\*\_\*\_\*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization from Rajaji Nagar Road via 18th 'B' Main Road	<b>33 Poles</b>
02	From Rajaji Nagar Road via 18th 'A' Main Road, 65th Cross Road, 18th 'B' Main Road, 11th 'A' Cross Road	
03	From Rajaji Nagar Road via 17th 'G' Main Road, 64th Cross Road, 18th Main Road up to 65th Cross Road.	
04	From 64th Cross Road via 18th Main Road	
05	From 18th 'A' Main Road via 64th Cross Road, 18th 'B' Main Road	
06	From 18th 'B' Main Road via 66th Cross Road up to WOC Road.	
07	From 18th Main Road via 66th Cross Road	
08	From 18th Main Road via 71st 'A' Cross Road, 18th 'B' Main Road up to 72nd Cross Road. For a total of 33 poles, in <b>Ward No-108, West Zone.</b> <b>Ref: As per drawing enclosed &amp; demand note GIS co-ordinates.</b>	

**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/412/2022-23, Dt: 15-10-2022

  
Executive Engineer (OFC), BBMP



### Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.



13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

**Copy to:-**

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**West Zone**) for information.
4. Copy to Zonal Chief Engineer (**West Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Rajaji Nagar** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Sri Rama Mandira** Sub Division maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy



# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-412 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to lay the OFC by HDD method.**

**Ref: Demand Note :-** Pole-OFC-10-2022-412

With reference to your Demand Note bearing Pole-OFC-10-2022-412 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0412 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-412	33	152044	205860	27324	152044
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



412

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**205860**01/10/2022  
dated

---

PAYMENT REFERENCE

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-412 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-412

With reference to your Demand Note bearing Pole-OFC-10-2022-412, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0412.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-412	33	152044	205860	27324	152044
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE  
Thane-400701

We are pleased to send to you Demand Draft No. **205860**  
as per details mentioned below.

01/10/2022  
dated

**PAYMENT REFERENCE**

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31122022

DATE 0 D D M M Y Y Y Y Y  
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या वक्रे आदेश पर

मौमे जाने पर  
RUPEES One Lac Fifty Two Thousand Forty Four Only

रुपये अदा करे

₹ 152,044.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205860

Client Reference 4200008085\_43

For Axis Bank Ltd  
Authorized Signatory

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

Rudresha B  
SS. No. 26182





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

## BBMP ENGINEERING DEPARTMENT

### Pole Form

Application No. :10-2022-412

PR Number(To be Assigned by AE/JE-  
OFC, BBMP)

CE-POLE-10-2022-412

#### General Information

Segment ID

OFC/Pole/2022-23/W0073/410

Street ID

17923

Street Name

NA

Zone

West

Ward No.

108

Ward Name

Srirammandir

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5  
Rasta, Ambawadi, Ahmedabad, Gujarat,  
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

05/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,  
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


#### Pole Related Information

No.of Poles

33

No.Junction Box

33




**Status of My Application**

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	12/05/2022

Date : 13/05/2022

Time : 01:02:27

20220513010227





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -  
560002

No. : Pole-OFC-10-2022-412

Date: 18/05/2022

**Demand Notice**

**GST No.: 29AAALBI608FIZK**

**To**

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited


GST No.: 29AAECJ4213B1Z0

**Sub:-** Permission for Poles(Regularization)

**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).  
2)Your request letter No. : 10-2022-412, dated : 05/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0073/410)



Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/2133/W- 108/51	W0093	PL0705 #8511/8 MV VISHWANAT H	12.983950103 449413- 77.551323473 45354	2133	21/12/2021
2	EE/ OFC/pole/202 2-23/2133/W- 108/52	W0093	PL0706 #NANDINI SHOP (NEAR EAST WEST ACADEMY) NEAR PARK	12.983709649 089167- 77.551296651 36339	2133	21/12/2021
3	EE/ OFC/pole/202 2-23/2133/W- 108/53	W0090	PL0704 #887/18/1 SWARNAKA MALA	12.983314989 797899- 77.551024407 14838	2133	21/12/2021
4	EE/ OFC/pole/202 2-23/2133/W- 108/54	W0090,W007 5	PL0702 #888	12.983326751 176563- 77.550783008 33704	2133	21/12/2021



5	EE/ OFC/pole/202 2-23/2133/W- 108/55	W0075	PL0703 #892 RENUKA	12.983725330 902356- 77.550835311 41281	2133	21/12/2021
6	EE/ OFC/pole/202 2-23/2133/W- 108/56	W0075	PL5403 NEXT TO EB POLE 10001518569 OPPOSITE TO #878	12.984501579 41861- 77.550918459 89227	2133	21/12/2021
7	EE/ OFC/pole/202 2-23/2133/W- 108/57	W0090,W007 3	PL0801 #1054/38	12.983348967 112523- 77.550360560 41719	2133	21/12/2021
8	EE/ OFC/pole/202 2-23/2133/W- 108/58	W0073	PL0903 #SKANDA NILAYA	12.984146125 853545- 77.550478577 61384	2133	21/12/2021
9	EE/ OFC/pole/202 2-23/2133/W- 108/59	W0073	PL5305 #924/B MALTHESH NILAYA	12.984402261 561916- 77.550497353 07695	2133	21/12/2021
10	EE/ OFC/pole/202 2-23/2133/W- 108/60	W0073	PL5304 #924/14 RADMA VILLA	12.984676692 385035- 77.550534904 00316	2133	21/12/2021
11	EE/ OFC/pole/202 2-23/2133/W- 108/61	W0073	BGLRBD0014 106 #934 SRI VENKATESH A	12.983264023 817227- 77.550398111 34338	2133	21/12/2021
12	EE/ OFC/pole/202 2-23/2133/W- 108/62	W0090,W006 3	BGLRBD0232 770 #1059/A JK-VILLA	12.983375103 505242- 77.549922019 24325	2133	21/12/2021
13	EE/ OFC/pole/202 2-23/2133/W- 108/63	W0090,W006 1	PL0805 #1059/A JK VILLA BACKSIDE	12.983393398 9785- 77.549728900 19417	2133	21/12/2021
14	EE/ OFC/pole/202 2-23/2133/W- 108/64	W0063	PL0803 #OPPOSITE TO 1147/A BESIDE INTERNATIO NAL SCHOOL	12.983921353 483808- 77.549971640 11002	2133	21/12/2021
15	EE/ OFC/pole/202 2-23/2133/W- 108/65	W0063	PL5802 #OPPOSITE TO #1147/E	12.984376125 277247- 77.550014555 45427	2133	21/12/2021
16	EE/ OFC/pole/202 2-23/2133/W- 108/66	W0063	PL5203 #INTERNATI ONAL SCHOOL	12.984752487 511344- 77.550042718 64891	2133	21/12/2021
17	EE/ OFC/pole/202 2-23/2133/W- 108/67	W0094,W006 1	PL0104 #56/60 NEXT TO EB POLE NUMBER 10000202252	12.983071921 180782- 77.549763768 91138	2133	21/12/2021
18	EE/ OFC/pole/202 2-23/2133/W- 108/68	W0094	BGLRBD0126 119 #1064	12.983039250 649604- 77.550247907 63856	2133	21/12/2021

19	EE/ OFC/pole/202 2-23/2133/W- 108/69	W0094,W007 3	BGLRBD0013 810 #959	12.983035330 18558- 77.550395429 13438	2133	21/12/2021
21	EE/ OFC/pole/202 2-23/2133/W- 108/70	W0110,W006 1	PL0103 #ANJANADRI	12.982721692 86281- 77.549750357 86629	2133	21/12/2021
22	EE/ OFC/pole/202 2-23/2133/W- 108/71	W0110	PL0203 #1070/B USHA NEAR PARK	12.982780499 890966- 77.549511641 26396	2133	21/12/2021
23	EE/ OFC/pole/202 2-23/2133/W- 108/72	W0110	PL0204 #1033 VENKATESH WARA NILAYA	12.982744562 264301- 77.549198493 36149	2133	21/12/2021
24	EE/ OFC/pole/202 2-23/2133/W- 108/73	W0061	PL0101 #1086 KIDZEE SCHOOL	12.982330952 477755- 77.549736946 82121	2133	21/12/2021
25	EE/ OFC/pole/202 2-23/2133/W- 108/74	W0061	PL0102 #1084 SV RAJA RAO	12.981932370 515588- 77.549731582 4032	2133	21/12/2021
26	EE/ OFC/pole/202 2-23/2133/W- 108/75	W0061	PL0202 #1109/46 SRI LAKSHMI NILAYA	12.981750721 474892- 77.549728900 19417	2133	21/12/2021
27	EE/ OFC/pole/202 2-23/2133/W- 108/76	W0126	BGLRBD0265 471 #RUKMINI NIVASA	12.981772937 551737- 77.549441903 82959	2133	21/12/2021
28	EE/ OFC/pole/202 2-23/2133/W- 108/77	W0126	BGLRBD0013 336 #10/26/A POORVIKAS	12.981775551 207711- 77.549198493 36149	2133	21/12/2021
29	EE/ OFC/pole/202 2-23/2133/W- 108/78	W0061	BGLRBD0193 892 #1106 DS MURTHY	12.981109068 045324- 77.549724876 88066	2133	21/12/2021
30	EE/ OFC/pole/202 2-23/2133/W- 108/79	W0126	BGLRBD0068 087 #SUNRISE APPARTMEN T	12.981759869 271487- 77.549994438 88666	2133	21/12/2021
31	EE/ OFC/pole/202 2-23/2133/W- 108/80	W0126,W007 5	BGLRBD0013 948 #10/12 LAKSHMI NILAYA	12.981716743 941751- 77.550612688 06459	2133	21/12/2021
32	EE/ OFC/pole/202 2-23/2133/W- 108/81	W0126,W007 5	BGLRBD0068 222 #1006	12.981774244 379723- 77.550597935 91501	2133	21/12/2021
33	EE/ OFC/pole/202 2-23/2133/W- 108/82	W0110,W007 5	PL0606 #1012 SRI SHIVAPRIYA	12.982663539 232362- 77.550719976 42519	2133	21/12/2021
34	EE/ OFC/pole/202 2-23/2133/W- 108/83	W0110	PL0605 #985 GURUKRUPA	12.982738681 561248- 77.550459802 15074	2133	21/12/2021



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

**Total No.of Poles 33**


Pole Charges @ Rs 1500/- Pole	49,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	243.87
Junction Box Charges @ Rs 3000/- Pole	99,000	Total (C)	243.87
Supervision Charge @ Rs 100/- Pole	3,300		
Sub Total (A)	151,800	GST @ 18% (B)	27,324
Grand Total (A + B + C)	179,367.87		

**Total Amount Payable Rs: 179,368 In words (Rupees One Lakh seventy-Nine Thousand Three Hundred and Sixty-Eight Only)**

**Note:**The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)  
Bruhat Bangalore Mahanagara Palike

**Copy to**

No.: 10-2022-412

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



# BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-412

1/2

@RIL.COM

OFC/Pole/2022-23/W0034/420

10-2022-423

Pending

ceofc01(ceofc01)

Pole Work Created

[Demand Notice](#)

[Permission Letter](#)

[View/Submit](#)

## Pole Details



OFC/Pole/2022-23/W0284/397

10-2022-398

Pending

ceofc01(ceofc01)

Pole Work Created

[Demand Notice](#)

[Permission Letter](#)

[View/Submit](#)

**EXECUTIVE ENGINEER**  
**OFC CELL**  
**BRUHAT BENGALURU MAHANAGARA PALIKE**