



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/418/2022-23

Date: 15-10-2022

Permission for Regularization for Poles

To,

M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 05-05-2022
 - 3) Fee Demand Note letter No: 10-2022-418, Date: 12-05-2022.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 14-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from the junction of 3 rd Cross Road via 7 th Main Road up to junction of 10 th Cross Road.	44 Poles
02	From the junction of 3 rd Cross Road via 6 th Main Road, 11 th Cross Road towards 6 th Cross Road	
03	From the junction of Street ID No-I0784 along Street ID No-W1033	
04	From the junction of Street ID No-I0784 along Street ID No-W1031	
05	From the junction of Street ID No-I0784 along Street ID No-W1028	
06	From the junction of Street ID No-I0784 along Street ID No-W1027	
07	From the junction of Street ID No-I0784 along Street ID No-W1025, for total No of 44 Poles, in Ward No-15, Dasarahalli Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/418/2022-23, Dt: 15-10-2022

Executive Engineer (OFC), BBMP

Ab

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent

- authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
 15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
 16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
 17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
 18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
 19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
 20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
 21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
 22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Dasarahalli** Zone) for information.
4. Copy to Zonal Chief Engineer (**Dasarahalli** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Dasarahalli** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**T. Dasarahalli** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-418 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-418

With reference to your Demand Note bearing Pole-OFC-10-2022-418 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0211

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-418	44	202725	205820	36432	202725
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205820

01/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.61, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-418 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-418

With reference to your Demand Note bearing Pole-OFC-10-2022-418 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0211 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-418	44	202725	205820	36432	202725
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE
Thane-400701

We are pleased to send to you Demand Draft No. **205820**
as per details mentioned below.

01/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31/12/2022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 0 1 10 2022
दिनांक D D M M Y Y Y Y

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मांगे जाने पर
RUPEES Two Lacs Two Thousand Seven Hundred Twenty Five Only
रुपये

₹ 202,725.00
अदा करे

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205820

Client Reference 4200008085-3

For Axis Bank Ltd
Authorized Signatory
Authorized Signatory

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Please sign above
Rudresha B
No. 26182



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-418

PR Number(To be Assigned by AE/JE- OFC, BBMP) CE-POLE-10-2022-418

General Information

Segment ID

OFC/Pole/2022-23/W0008/413

Street ID

54209

Street Name

NA

Zone

Dasarahalli

Ward No.

15

Ward Name

T Dasarahalli

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

05/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

ofc pole regularisation

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

44

No.Junction Box

44




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	11/05/2022

Date : 12/05/2022

Time : 03:13:06

20220512031306





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-418

Date: 12/05/2022

Demand Notice
GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private.Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-418, dated : 05/05/2022

Details of Poles added on BBMP GIS Map


(Pole Id:-OFC/Pole/2022-23/W0008/413)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/4259/W- 15/45	W0014	BGLRBD0914 897	13.047565616 23984- 77.508080899 71544	4259	25/06/2020
2	EE/ OFC/pole/202 2-23/4257/W- 15/46	W0008	PL5201 (ranga nilaya)	13.048383472 109204- 77.508037984 3712	4257	24/06/2020
3	EE/ OFC/pole/202 2-23/4257/W- 15/47	W0008,W000 7	PL5203 (kushala)	13.048169209 810723- 77.508754134 17818	4257	24/06/2020
4	EE/ OFC/pole/202 2-23/4257/W- 15/48	W0008,W001 5	PL5204 (jawad)	13.047936656 618106- 77.509285211 56312	4257	24/06/2020
5	EE/ OFC/pole/202 2-23/4257/W- 15/49	W0008	BGLRBD0669 455	13.047683199 518575- 77.509816288 94807	4257	24/06/2020

6	EE/ OFC/pole/202 2-23/4257/W- 15/50	W0035,W000 8	PL5303(gold palace)	13.047596971 786309- 77.510046958 92335	4257	24/06/2020
7	EE/ OFC/pole/202 2-23/4257/W- 15/51	W0035	Pole (venky nilaya)	13.047853041 933577- 77.510162293 911	4257	24/06/2020
8	EE/ OFC/pole/202 2-23/4257/W- 15/52	W0024,W003 9	Pole (new bldg)	13.047881784 48457- 77.510489523 41081	4257	24/06/2020
9	EE/ OFC/pole/202 2-23/4257/W- 15/53	W0039	PL5403(yello w bldg)	13.047542099 577395- 77.510347366 33302	4257	24/06/2020
10	EE/ OFC/pole/202 2-23/4257/W- 15/54	W0039	PL5402(sima dri)	13.047286029 108063- 77.510237395 76341	4257	24/06/2020
11	EE/ OFC/pole/202 2-23/4257/W- 15/55	W0039	PL5401 (#63)	13.047022119 469327- 77.510119378 56676	4257	24/06/2020
12	EE/ OFC/pole/202 2-23/4257/W- 15/56	W0043,W002 4	Pole (maruthi nilaya)	13.047792943 861598- 77.510736286 64018	4257	24/06/2020
13	EE/ OFC/pole/202 2-23/4257/W- 15/57	W0043	PL5501(ranga nath prasanna)	13.047644005 098556- 77.510679960 25087	4257	24/06/2020
14	EE/ OFC/pole/202 2-23/4257/W- 15/58	W0043	PL6002(sat sahib)	13.047286029 108063- 77.510537803 17308	4257	24/06/2020
15	EE/ OFC/pole/202 2-23/4257/W- 15/59	W0043	BGLRBD0686 080(kiran nilaya)	13.047027345 405505- 77.510443925 85756	4257	24/06/2020
16	EE/ OFC/pole/202 2-23/4257/W- 15/60	W0043	PL6001(roopa nilaya)	13.046839211 633635- 77.510765790 93935	4257	24/06/2020
17	EE/ OFC/pole/202 2-23/4257/W- 15/61	W0047	BGLRBD 0899507(pre ma sadana)	13.047372256 948787- 77.510899901 39009	4257	24/06/2020
18	EE/ OFC/pole/202 2-23/4257/W- 15/62	W0047,W002 4	Pole (ranganath swamy nilaya)	13.047697570 80437- 77.511025965 21379	4257	24/06/2020
19	EE/ OFC/pole/202 2-23/4257/W- 15/63	W0024,W005 1	Pole (green bldg)	13.047566922 721034- 77.511400133 37137	4257	24/06/2020
20	EE/ OFC/pole/202 2-23/4257/W- 15/64	W0051	PL5702(sahin a buty parlor)	13.047189349 37212- 77.511286139 48823	4257	24/06/2020
21	EE/ OFC/pole/202 2-23/4257/W- 15/65	W0043,W005 1	BGLRBD0910 21(ganga nilaya)	13.046698111 210791- 77.511135935 78339	4257	24/06/2020

22	EE/ OFC/pole/202 2-23/4257/W- 15/66	W0051	PL5801(#89)	13.045971704 05593- 77.510910630 22615	4257	24/06/2020
23	EE/ OFC/pole/202 2-23/4257/W- 15/67	W0050,W004 8,W0051	Pole (#177)	13.045898540 627089- 77.510915994 64418	4257	24/06/2020
24	EE/ OFC/pole/202 2-23/4257/W- 15/68	W0051	BGLRBD 0789314 (sewing)	13.044916058 199636- 77.510620951 65254	4257	24/06/2020
25	EE/ OFC/pole/202 2-23/4257/W- 15/69	W0051	PL5805 (sapthagiri)	13.044184419 813659- 77.510395646 09529	4257	24/06/2020
26	EE/ OFC/pole/202 2-23/4257/W- 15/70	W0049	Pole (DTDC office)	13.044367329 613088- 77.510084509 84955	4257	24/06/2020
27	EE/ OFC/pole/202 2-23/4257/W- 15/71	W0049	PL6104(relian ce digital)	13.044691340 925695- 77.510256171 22652	4257	24/06/2020
28	EE/ OFC/pole/202 2-23/4257/W- 15/72	W0049	PL6102(aksh ai nilaya)	13.045051933 66156- 77.510379552 8412	4257	24/06/2020
29	EE/ OFC/pole/202 2-23/4257/W- 15/73	W0049	PL6103(laksh mi narasima nilaya)	13.045386396 018982- 77.510492205 61983	4257	24/06/2020
30	EE/ OFC/pole/202 2-23/4257/W- 15/74	W0049	PL6101(byra weshwara nilaya)	13.045645081 438302- 77.510540485 3821	4257	24/06/2020
32	EE/ OFC/pole/202 2-23/4257/W- 15/75	W0035,W005 6	PL0102(yello w bldg)	13.045663372 316294- 77.509247660 63692	4257	24/06/2020
33	EE/ OFC/pole/202 2-23/4257/W- 15/76	W0056	PL0101(surab hi)	13.045577143 879637- 77.509540021 41954	4257	24/06/2020
34	EE/ OFC/pole/202 2-23/4257/W- 15/77	W0056	PL0201(#15)	13.045422977 811887- 77.509781420 23088	4257	24/06/2020
35	EE/ OFC/pole/202 2-23/4257/W- 15/78	W0016,W005 6	PL0204(rmp apt.)	13.045268811 648008- 77.510127425 1938	4257	24/06/2020
36	EE/ OFC/pole/202 2-23/4257/W- 15/79	W0016	BGLRBD0911 057(akahai nilaya)	13.045493528 397195- 77.510202527 04622	4257	24/06/2020
37	EE/ OFC/pole/202 2-23/4257/W- 15/80	W0016,W005 4	BGLRBD 0750140(byra weswara nilaya)	13.045647694 420952- 77.510197162 62819	4257	24/06/2020
38	EE/ OFC/pole/202 2-23/4257/W- 15/81	W0052	PL0301(empty site)	13.045911605 526676- 77.510280311 10765	4257	24/06/2020

39	EE/ OFC/pole/202 2-23/4257/W- 15/82	W0016	PL1101(green bldg)	13.045929896 38495- 77.510358095 16908	4257	24/06/2020
40	EE/ OFC/pole/202 2-23/4257/W- 15/83	W0016,W004 5	Pole (manunath swamy nilaya)	13.046157225 510637- 77.510374188 42317	4257	24/06/2020
41	EE/ OFC/pole/202 2-23/4257/W- 15/84	W0016	PL0403(samr udi)	13.046227775 886448- 77.510240077 97243	4257	24/06/2020
42	EE/ OFC/pole/202 2-23/4257/W- 15/85	W0016,W003 7	Pole(chennak eava nilaya)	13.046418523 098042- 77.509888708 59148	4257	24/06/2020
43	EE/ OFC/pole/202 2-23/4257/W- 15/86	W0016,W003 5	Pole (bakery)	13.046580527 463574- 77.509572207 92772	4257	24/06/2020
44	EE/ OFC/pole/202 2-23/4257/W- 15/87	W0012,W003 5	PL5302(suga n nilaya)	13.046967247 132834- 77.509742528 20016	4257	24/06/2020
45	EE/ OFC/pole/202 2-23/4257/W- 15/88	W0035	PL5301(manj unath nilaya)	13.047212866 068127- 77.509900778 53204	4257	24/06/2020



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No. of Poles 44

Pole Charges @ Rs 1500/- Pole	66,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	325.16
Junction Box Charges @ Rs 3000/- Pole	132,000	Total (C)	325.16
Supervision Charge @ Rs 100/- Pole	4,400		
Sub Total (A)	202,400	GST @ 18% (B)	36,432

Grand Total (A + B + C)	239,157.16
-------------------------	------------

Total Amount Payable Rs: 239,157 In words (Rupees Two Lakh Thirty-Nine Thousand One Hundred and Fifty-Seven Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

No.: 10-2022-418



BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

OFC/Pole/2022-23/W0137/479 10-2022-481 Pending ceofc01(ceofc01) OFC Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

Pole Details

10-2022-418



OFC/Pole/2022-23/W0106/363 10-2022-368 Pending ceofc01(ceofc01) OFC Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

EXECUTIVE ENGINEER
 OFC CELL
 BRIHAT BENGALURU MAHANAGARA DALIKE
 BENGALURU