



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/452/2022-23

Date: 15-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 05-05-2022
 - 3) Fee Demand Note letter No: 10-2022-452, Date: 14-05-2022.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 12-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from Thindlu Main Road via 1st Cross, Street ID No-W0613, W0408, W0599, W0392, W0585, W0398	24 Poles
02	From Thindlu Main Road via Street ID No-W0565	
03	From Thindlu Main Road via Street ID No-W0300	
04	From 1st Cross via Thindlu Main Road up to W0557.	
05	From Street ID No-W0557 via W0559	
06	From Street ID No-W0358 via W0565	
07	From Street ID No-W0521 via W0519	
08	From Street ID No-W0362 via 2nd Main, 4th Cross, 11th Cross, for total No of 24 Poles, in Ward No-09, Yelahanka Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/452/2022-23, Dt: 15-10-2022


Executive Engineer (OFC), BBMP

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.

13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Yelahanka** Zone) for information.
4. Copy to Zonal Chief Engineer (**Yelahanka** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Byatarayanapura** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Vidyaranyapura** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-452 /DD

Date: 12-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-452

With reference to your Demand Note bearing Pole-OFC-10-2022-452 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0151 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-452	24	110577	206031	19872	110577
			Dated		
			11-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



8/12

452

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206031

11/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-452 /DD

Date: 12-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-452

With reference to your Demand Note bearing Pole-OFC-10-2022-452 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0151 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-452	24	110577	206031	19872	110577
			Dated		
			11-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206031**
as per details mentioned below.

11/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 10/10/2023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE
दिनांक

D	D	M	M	Y	Y	Y	Y
---	---	---	---	---	---	---	---

ON DEMAND PAY **COMMISSIONER BBMP BANGALORE**

OR ORDER / या उनके आदेश पर

मौजे जाने पर
RUPEES **One Lac Ten Thousand Five Hundred Seventy Seven Only**
रुपये

अदा करे ₹ **110,577.00**

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. **206031**

Client Reference **4200008447 20**

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

[Signature]
SSNo: 24004
Authorised Signatory

[Signature]
Rudresha B
Please sign above
SS No. 24004



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-452

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-452

General Information

Segment ID

OFC/Pole/2022-23/W0410/443

Street ID

64438

Street Name

NA

Zone

Yelahanka

Ward No.

9

Ward Name

Vidyaranyaपुरa

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

05/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

pole installation

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

24

No.Junction Box

24




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	13/05/2022

Date : 14/05/2022

Time : 11:28:51

20220514112851





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-452

Date: 14/05/2022

Demand Notice
GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-452, dated : 05/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0410/443)




Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/6446/W- 9/289	W0426	Sir MV Layout, Tindlu, Vidyaranya pu ra, Bengaluru, Karnataka 560097	13.069633710 940636- 77.570461034 7748	6446	23/02/2022
2	EE/ OFC/pole/202 2-23/6446/W- 9/290	W0426	Sir MV Layout, Tindlu, Vidyaranya pu ra, Bengaluru, Karnataka 560097	13.069450819 846468- 77.570906281 47127	6446	23/02/2022
3	EE/ OFC/pole/202 2-23/6446/W- 9/291	W0426	Sir MV Layout, Tindlu, Vidyaranya pu ra, Bengaluru, Karnataka 560097	13.069267928 616783- 77.571437358 85622	6446	23/02/2022

4	EE/ OFC/pole/202 2-23/6446/W- 9/292	W0601	Sir MV Layout, Tindlu, Vidyaranya ra, Bengaluru, Karnataka 560097	13.069450819 846468- 77.571871876 71661	6446	23/02/2022
5	EE/ OFC/pole/202 2-23/6446/W- 9/293	W0398	Sir MV Layout, Tindlu, Vidyaranya ra, Bengaluru, Karnataka 560097	13.070365273 96202- 77.570900917 05324	6446	23/02/2022
6	EE/ OFC/pole/202 2-23/6446/W- 9/294	W0398	Sir MV Layout, Tindlu, Vidyaranya ra, Bengaluru, Karnataka 560097	13.070177157 963636- 77.571383714 67592	6446	23/02/2022
7	EE/ OFC/pole/202 2-23/6446/W- 9/295	W0392,W059 9	Sir MV Layout, Tindlu, Vidyaranya ra, Bengaluru, Karnataka, 560097	13.070171932 517185- 77.572118639 946	6446	23/02/2022
8	EE/ OFC/pole/202 2-23/6446/W- 9/296	W0408,W060 5	Sir MV Layout, Tindlu, Vidyaranya ra, Bengaluru, Karnataka 560097	13.069706867 340376- 77.572247385 97871	6446	23/02/2022
9	EE/ OFC/pole/202 2-23/6446/W- 9/297	W0408,W060 7	Sir MV Layout, Tindlu, Vidyaranya ra, Bengaluru, Karnataka 560097	13.069591907 27392- 77.572585344 31459	6446	23/02/2022
10	EE/ OFC/pole/202 2-23/6446/W- 9/298	W0408,W060 9	Sir MV Layout, Tindlu, Vidyaranya ra, Bengaluru, Karnataka 560097	13.069440368 922717- 77.572976946 83076	6446	23/02/2022
11	EE/ OFC/pole/202 2-23/6446/W- 9/299	W0408	Sir MV Layout, Tindlu, Vidyaranya ra, Bengaluru, Karnataka 560097	13.069299281 408636- 77.573352456 09285	6446	23/02/2022
12	EE/ OFC/pole/202 2-23/6446/W- 9/300	W0408,W061 3	Sir MV Layout, Tindlu, Vidyaranya ra, Bengaluru, Karnataka 560097	13.069220899 421524- 77.573572397 23207	6446	23/02/2022

13	EE/ OFC/pole/202 2-23/6446/W- 9/301	W0422,W061 3	Sir MV Layout, Tindlu, Vidyaranya ra, Bengaluru, Karnataka 560097	13.068771508 881602- 77.573363184 92891	6446	23/02/2022
14	EE/ OFC/pole/202 2-23/6446/W- 9/302	W0613	Sir MV Layout, Tindlu, Vidyaranya ra, Bengaluru, Karnataka 560097	13.068029490 152744- 77.573159337 04378	6446	23/02/2022
15	EE/ OFC/pole/202 2-23/6446/W- 9/303	W0458,W072 7	Sir MV Layout, Tindlu, Vidyaranya ra, Bengaluru, Karnataka 560097	13.067642803 45221- 77.572864294 05214	6446	23/02/2022
16	EE/ OFC/pole/202 2-23/6446/W- 9/304	W0458	Sir MV Layout, Tindlu, Vidyaranya ra, Bengaluru, Karnataka 560097	13.068290764 607491- 77.571179866 79079	6446	23/02/2022
17	EE/ OFC/pole/202 2-23/6446/W- 9/305	W0565	Sir MV Layout, Tindlu, Vidyaranya ra, Bengaluru, Karnataka 560097	13.069288830 47846- 77.569345235 8246	6446	23/02/2022
18	EE/ OFC/pole/202 2-23/6446/W- 9/306	RI- A23,W0557	Sir MV Layout, Tindlu, Vidyaranya ra, Bengaluru, Karnataka 560097	13.069602358 191261- 77.568830251 69374	6446	23/02/2022
19	EE/ OFC/pole/202 2-23/6446/W- 9/307	W0559	Sir MV Layout, Tindlu, Vidyaranya ra, Bengaluru, Karnataka 560097	13.069696416 42745- 77.569168210 02962	6446	23/02/2022
20	EE/ OFC/pole/202 2-23/6446/W- 9/308	W0559	Sir MV Layout, Tindlu, Vidyaranya ra, Bengaluru, Karnataka 560097	13.070213736 085671- 77.569313049 31642	6446	23/02/2022
21	EE/ OFC/pole/202 2-23/6446/W- 9/309	W0559	Sir MV Layout, Tindlu, Vidyaranya ra, Bengaluru, Karnataka 560097	13.070600418 758351- 77.569425702 09503	6446	23/02/2022

22	EE/ OFC/pole/202 2-23/6446/W- 9/310	W0352,W056 5	Sir MV Layout, Tindlu, Vidyaranya ra, Bengaluru, Karnataka 560097	13.070605644 19573- 77.569731473 92274	6446	23/02/2022
23	EE/ OFC/pole/202 2-23/6446/W- 9/311	W0559	Sir MV Layout, Tindlu, Vidyaranya ra, Bengaluru, Karnataka 560097	13.070981875 395884- 77.569549083 70973	6446	23/02/2022
24	EE/ OFC/pole/202 2-23/6446/W- 9/312	W0559	Sir MV Layout, Tindlu, Vidyaranya ra, Bengaluru, Karnataka 560097	13.069727769 164878- 77.569018006 32478	6446	23/02/2022



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 24

Pole Charges @ Rs 1500/- Pole	36,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	177.36
Junction Box Charges @ Rs 3000/- Pole	72,000	Total (C)	177.36
Supervision Charge @ Rs 100/- Pole	2,400		
Sub Total (A)	110,400	GST @ 18% (B)	19,872
Grand Total (A + B + C)	130,449.36		

Total Amount Payable Rs: 130,449 In words (Rupees One Lakh Thirty Thousand Four Hundred and Forty-Nine Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-452

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

OFC/Pole/2022-23/W0005/464 10-2022-470 Pending ceofc01(ceofc01) OFC Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

Pole Details

10-2022-452



OFC/Pole/2022-23/W0184/427 10-2022-433 Pending ceofc01(ceofc01) Pole Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

S. J. J.
 EXECUTIVE ENGINEER
 OFC CELL

BENGALURU