



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rd Floor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/458/2022-23

Date: 15-10-2022

130

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 05-05-2022
 - 3) Fee Demand Note letter No: 10-2022-458, Date: 13-05-2022.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 14-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

| Sl No | Name of the Road and Route | No of Poles |
|-------|---|-------------|
| 01 | Permission for Regularization for poles on Street ID No-W0957 from Gottigere Main Road | 32 Poles |
| 02 | On Street ID No-W0963 from Gottigere Main Road to Street ID No-W1126. | |
| 03 | From Street ID No-W1124 via W0957, W1126 up to I0435. | |
| 04 | On Street ID No-W1128 from W0931 to I0413. | |
| 05 | On Street ID No-W1120 from W0931 to I0943. | |
| 06 | On Street ID No-W0935 from W1120 to W1128. | |
| 07 | On Street ID No-W0939 from W1120 to W1128. | |
| 08 | On Street ID No-W0941 from W1120 to W1128. | |
| 09 | On Street ID No-I0943 from W1120 to W1128. | |
| 10 | On Street ID No-I0943 from W1128 | |
| 11 | On Street ID No-I0411 from W1128 | |
| 11 | On Street ID No-I0413 from W1128 for total No of 32 Poles, in Ward No-196, Bommanahalli Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates. | |

No: EE/OFC/PR/458/2022-23, Dt: 15-10-2022


Executive Engineer (OFC), BBMP

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way (ROW) for Electrical lines.-**

| Sl No | Transmission Voltage | Width of the Right-of-way (ROW) in meters. |
|-------|----------------------|--|
| 01 | 11kV | 7.0 |
| 02 | 33kV | 15.0 |
| 03 | 66kV | 18.0 |
| 04 | 110kV | 22.0 |
| 05 | 132kV | 27.0 |
| 06 | 220kV | 35.0 |
| 07 | 400kV | 52.0 |

23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

| | | Vertically in m. | Horizontally in m. |
|-----|---|--|--|
| i | Low and medium voltage lines and service lines | 2.5 | 1.2 |
| ii | High voltage lines upto and including 33,000 V. | 3.7 | 2.0 |
| iii | Extra high voltage lines beyond 33000 v. | 3.7 (plus 0.3m for every additional 33,000 V. or part thereof) | 2.0 (plus 0.3m for every additional 13,000 V. or part thereof) |

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Bommanahalli** Zone) for information.
4. Copy to Zonal Chief Engineer (**Bommanahalli** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Bangalore South** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Anjanapura** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-458 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-458

With reference to your Demand Note bearing Pole-OFC-10-2022-458, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1047.

| Application No. | Poles | Poles Charges (Rs.) | DD No. | GST (through RCM) Rs. | Total Amount |
|-----------------|-------|---------------------|------------|-----------------------|--------------|
| 10-2022-458 | 32 | 147436 | 205852 | 26496 | 147436 |
| | | | Dated | | |
| | | | 01-10-2022 | | |

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



SVE

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205852

01/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-458 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-458

With reference to your Demand Note bearing Pole-OFC-10-2022-458, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1047.

| Application No. | Poles | Poles Charges (Rs.) | DD No. | GST (through RCM) Rs. | Total Amount |
|-----------------|-------|------------------------|-------------------------------|-----------------------------|--------------|
| 10-2022-458 | 32 | 147436 | 205852 Dated 01-10-2022 | 26496 | 147436 |

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **205852**
as per details mentioned below.

01/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31/12/2022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE
दिनांक

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| D | D | M | M | Y | Y | Y | Y |
|---|---|---|---|---|---|---|---|

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौगे जाने पर
RUPEES One Lac Forty Seven Thousand Four Hundred Thirty Six Only

रुपये

₹ 147,436.00

अदा करें

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205852

Client Reference 4200008085_35

For Axis Bank Ltd

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

[Signature]
5570124004
Authorised Signatory

[Signature]
Authorised Signatory

[Signature]
Rudresh B
SS. No. 26182



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-458

PR Number(To be Assigned by AE/JE- OFC, BBMP) CE-POLE-10-2022-458

General Information

Segment ID

OFC/Pole/2022-23/10413/449

Street ID

83852

Street Name

NA

Zone

Bommanahalli

Ward No.

196

Ward Name

Anjanapura

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5 Rasta, Ambawadi, Ahmedabad, Gujarat, India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

05/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

32

No.Junction Box

32




Status of My Application

| Approver Name | Designation | Date |
|------------------|-------------|------------|
| ceofc01(ceofc01) | CE | 12/05/2022 |

Date : 13/05/2022

Time : 01:16:54

20220513011654





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-458

Date: 13/05/2022

Demand Notice
GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-458, dated : 05/05/2022


Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/10413/449)

| Sr No. | Unique PoleId. | Street Id | Landmark or address | Coordinates | Permission Letter No. | Permission Letter Date |
|--------|---|-----------------|---------------------|--|-----------------------|------------------------|
| 1 | EE/ OFC/pole/202 2-23/1835/W- 196/67 | W0955 | FLOOR MILL | 12.856631057 464622- 77.576490640 64027 | 1835 | 09/04/2021 |
| 2 | EE/ OFC/pole/202 2-23/1835/W- 196/68 | W0955 | KEMBATHAL LI | 12.856385250 56226- 77.576412856 57884 | 1835 | 09/04/2021 |
| 3 | EE/ OFC/pole/202 2-23/1835/W- 196/69 | W0949 | KEMBATHAL LI | 12.856521228 878412- 77.575653791 42763 | 1835 | 09/04/2021 |
| 4 | EE/ OFC/pole/202 2-23/1835/W- 196/70 | W1134,W094 9 | KEMBATHAL LI | 12.856709506 42535- 77.575723528 862 | 1835 | 09/04/2021 |
| 5 | EE/ OFC/pole/202 2-23/1835/W- 196/71 | W1134 | KEMBATHAL LI | 12.856879479 08951- 77.575224637 98524 | 1835 | 09/04/2021 |

| | | | | | | |
|----|---|-----------------|-----------------|--|------|------------|
| 6 | EE/ OFC/pole/202 2-23/1835/W- 196/72 | W1132,W094 9 | KEMBATHAL LI | 12.857112210 704503- 77.575849592 68571 | 1835 | 09/04/2021 |
| 7 | EE/ OFC/pole/202 2-23/1835/W- 196/73 | W0949 | KEMBATHAL LI | 12.856971002 78405- 77.575798630 71443 | 1835 | 09/04/2021 |
| 8 | EE/ OFC/pole/202 2-23/1835/W- 196/74 | W1132 | KEMBATHAL LI | 12.857012842 176179- 77.576184868 81258 | 1835 | 09/04/2021 |
| 9 | EE/ OFC/pole/202 2-23/1835/W- 196/75 | W1132 | KEMBATHAL LI | 12.857392011 349257- 77.575125396 25169 | 1835 | 09/04/2021 |
| 10 | EE/ OFC/pole/202 2-23/1835/W- 196/76 | W1128 | KEMBATHAL LI | 12.857201119 354402- 77.576517462 73042 | 1835 | 09/04/2021 |
| 11 | EE/ OFC/pole/202 2-23/1835/W- 196/77 | I0413 | KEMBATHAL LI | 12.857603822 844892- 77.576318979 26332 | 1835 | 09/04/2021 |
| 12 | EE/ OFC/pole/202 2-23/1835/W- 196/78 | I0413 | KEMBATHAL LI | 12.858247101 10635- 77.576474547 38618 | 1835 | 09/04/2021 |
| 13 | EE/ OFC/pole/202 2-23/1835/W- 196/79 | I0411,W1128 | KEMBATHAL LI | 12.857462615 201007- 77.575884461 40291 | 1835 | 09/04/2021 |
| 14 | EE/ OFC/pole/202 2-23/1835/W- 196/80 | I0411 | KEMBATHAL LI | 12.857907157 515045- 77.575986385 34547 | 1835 | 09/04/2021 |
| 15 | EE/ OFC/pole/202 2-23/1835/W- 196/81 | I0411 | KEMBATHAL LI | 12.858341239 250235- 77.576115131 37819 | 1835 | 09/04/2021 |
| 16 | EE/ OFC/pole/202 2-23/1835/W- 196/82 | W1128,I0945 | KEMBATHAL LI | 12.857603822 844892- 77.575546503 06702 | 1835 | 09/04/2021 |
| 17 | EE/ OFC/pole/202 2-23/1835/W- 196/83 | I0945 | KEMBATHAL LI | 12.857938536 94276- 77.575589418 41127 | 1835 | 09/04/2021 |
| 18 | EE/ OFC/pole/202 2-23/1835/W- 196/84 | I0945 | KEMBATHAL LI | 12.858372618 623676- 77.575696706 77186 | 1835 | 09/04/2021 |
| 19 | EE/ OFC/pole/202 2-23/1835/W- 196/85 | I0943,W1128 | KEMBATHAL LI | 12.857739800 500989- 77.575283646 58357 | 1835 | 09/04/2021 |
| 20 | EE/ OFC/pole/202 2-23/1835/W- 196/86 | I0943 | KEMBATHAL LI | 12.858299400 079524- 77.575412392 61629 | 1835 | 09/04/2021 |
| 21 | EE/ OFC/pole/202 2-23/1835/W- 196/87 | W0941,W112 8 | KEMBATHAL LI | 12.857802559 39433- 77.575079798 69844 | 1835 | 09/04/2021 |

| | | | | | | |
|----|---|-----------------|-----------------|--|------|------------|
| 22 | EE/ OFC/pole/202 2-23/1835/W- 196/88 | W0937 | KEMBATHAL LI | 12.857284798 054947- 77.574548721 31349 | 1835 | 09/04/2021 |
| 23 | EE/ OFC/pole/202 2-23/1835/W- 196/89 | W0941,W112 0 | KEMBATHAL LI | 12.858832848 983555- 77.575278282 16554 | 1835 | 09/04/2021 |
| 24 | EE/ OFC/pole/202 2-23/1835/W- 196/90 | I0943,W1120 | KEMBATHAL LI | 12.858801469 667643- 77.575514316 55884 | 1835 | 09/04/2021 |
| 25 | EE/ OFC/pole/202 2-23/1835/W- 196/91 | W0941 | KEMBATHAL LI | 12.858461526 827151- 77.575197815 8951 | 1835 | 09/04/2021 |
| 26 | EE/ OFC/pole/202 2-23/1835/W- 196/92 | W0939,W112 8 | KEMBATHAL LI | 12.857917617 32472- 77.574784755 7068 | 1835 | 09/04/2021 |
| 27 | EE/ OFC/pole/202 2-23/1835/W- 196/93 | W0939 | KEMBATHAL LI | 12.858665492 586704- 77.574961781 50178 | 1835 | 09/04/2021 |
| 28 | EE/ OFC/pole/202 2-23/1835/W- 196/94 | W0935,W112 0 | KEMBATHAL LI | 12.859026354 678326- 77.574623823 16591 | 1835 | 09/04/2021 |
| 29 | EE/ OFC/pole/202 2-23/1835/W- 196/95 | W0935 | KEMBATHAL LI | 12.858461526 827151- 77.574532628 0594 | 1835 | 09/04/2021 |
| 30 | EE/ OFC/pole/202 2-23/1835/W- 196/96 | W0935,W112 8 | KEMBATHAL LI | 12.858079744 318928- 77.574457526 20698 | 1835 | 09/04/2021 |
| 31 | EE/ OFC/pole/202 2-23/1835/W- 196/97 | W1130 | KEMBATHAL LI | 12.857713650 957464- 77.574103474 61702 | 1835 | 09/04/2021 |
| 32 | EE/ OFC/pole/202 2-23/1835/W- 196/98 | W0931 | KEMBATHAL LI | 12.858430147 464805- 77.573958635 33021 | 1835 | 09/04/2021 |



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form

of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 32

| | | | |
|---------------------------------------|------------|---|--------|
| Pole Charges @ Rs 1500/- Pole | 48,000 | Worker Welfare Cess Amount @ Rs 7.39/- Pole | 236.48 |
| Junction Box Charges @ Rs 3000/- Pole | 96,000 | Total (C) | 236.48 |
| Supervision Charge @ Rs 100/- Pole | 3,200 | | |
| Sub Total (A) | 147,200 | GST @ 18% (B) | 26,496 |
| Grand Total (A + B + C) | 173,932.48 | | |

Total Amount Payable Rs: 173,932 In words (Rupees One Lakh seventy-Three Thousand Nine Hundred and Thirty-Two Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-458

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-458

1/2

@RIL.COM

OFC/Pole/2022-23/W0137/479 10-2022-481 Pending ceofc01(ceofc01) OFC Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

Pole Details

10-2022-458

The map displays a cluster of blue location pins in the center, representing the locations of poles. Surrounding landmarks include:

- Gati Kwe Pvt. Ltd
- RN Square
- Platinum Gardenia - A Block Parking
- Fish Shop (Fish store)
- BBMP Park
- Zandig Foundation
- Furry Fairy Boarding Center
- DesignTree Service Consultants Pvt. Ltd
- BHOOMIKA SUN
- Big Banyan Tree
- Kembathalli Government School
- Kembathalli Milk producers...
- 20th A Main Rd
- SHWETHA
- Cigarette Tobacco shop
- Sri VALLABHA
- Canara Bank ATM
- Little Millennium - JP Nagar 8th phase...
- Thepawsindia.com-The pet store in jp... Pet store
- Skyline Bagmane Champagne Hill:

Streets shown include 1st St Rd, 2nd St Rd, 3rd St Rd, 4th Cross Rd, 5th Cross Rd, 5th Main Rd, and 20th A Main Rd.

OFC/Pole/2022-23/W0931/431 10-2022-440 Pending ceofc01(ceofc01) Pole Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

S. J.
EXECUTIVE ENGINEER
OFC CELL

BENGALURU