

BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building, N.R. Square, Bangalore -560002

No: EE/OFC/PR/530/2022-23

Date: 15-10-2022

Permission for Regularization for Poles

To,

M/s. Jio Digital Fibre Private Limited, RMZ ICON, No-51, Palace Road Cross, Vasanth Nagar, Bengaluru-52.

Sir,

<u>Sub</u>:- Permission for Regularization for poles.

Ref: 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.

2) M/s. Jio Digital Fibre Private Limited online application Dated: 06-05-2022

3) Fee Demand Note letter No: 10-2022-530, Date: 12-05-2022.

4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022: 15-10-2022.

5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 14-10-2022.

*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl	Name of the Road and Route	No of Poles
No		(B)
01	Permission for Regularization for poles, from Banashankari-Kankapura Road	
	via 9th 'F' Cross, 30th Main Road up to JP Nagar 100feet Road.	
02	From Banashanb Karikanaka Road via 15th Cross.	
03	From Banashanb Karikanaka Road via 14th Cross up to 30th Main Road.	
04	From Banashanb Karikanaka Road via Street ID No-W0046 up to W0042.	
05	From Street ID No-W00401 via W0042 up to W0048.	
06	From Street ID No-W0042 via W0044 up to SWD	
07	From Banashankari Main Road via 14th 'B' Cross Road up to SWD.	
08	From Banashankari Main Road via 13th Cross Road.	49 Poles
09	From 9th 'F' Cross Road via 6th Main Road.	
10	From 9th 'F' Cross Road via Street ID No-W0025.	
11	From 9th 'F' Cross Road via Street ID No-W0039.	
12	From Street ID No-W0048 via W0033 up to W0036.	
13	From Street ID No-W0035 via W0036 up to W0043.	
14	From Banashankari-Kanakapura Main Road via Street ID No-W0036, for total	
	No of 49 Poles, in Ward No-178, South Zone.	
	Ref: As per drawing enclosed & demand note GIS co-ordinates.	

Executive Engineer (OFC), BBMP

No: EE/OFC/PR/530/2022-23, Dt: 15-10-2022

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

- 1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
- 2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
- 3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
- 4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
- 5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
- 6. The minimum distance between two poles shall be 40 mtrs.
- 7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
- 8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
- 9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
- 10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
- 11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

- 12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
- 13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
- 14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
- 15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
- 16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
- 17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
- 18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
- 19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
- 20. Railways: The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
- 21.Electrical Lines: The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
- 22. Right-of-way(ROW) for Electrical lines.-

Sl No	Transmission Voltage Width of the Right-of-way(ROW) in I			
01	11kV	7.0		
02	33kV	15.0		
03	66kV	18.0		
04	110kV	22.0		
05	132kV	27.0		
06	220kV	35.0		
07	400kV	52.0		

No: EE/OFC/PR/530/2022-23, Dt: 15-10-2022

Executive Engineer (OFC), BBMP

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.		2.0
iii	Extra high voltage lines beyond 33000 v.	every additional	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

- 24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
- 25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
- 26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

- 1. Copy to the Chief Commissioner for kind information.
- 2. Copy to the Special Commissioner (Project) for kind information.
- 3. Copy to the Zonal Additional/Joint Commissioner (South Zone) for information.
- 4. Copy to Zonal Chief Engineer (South Zone) for information.
- 5. Copy to the Chief Engineer (Road Infrastructure) for information.
- 6. Copy to the Concerned Executive Engineer of (Jayanagar Division) for information.
- 7. Copy to the Concerned Assistant Executive Engineer of (J.P Nagar Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
- 8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
- 9. Office Copy.

Executive Engineer (OFC), BBMP

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/

10-2022-530

/חח

Date

3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru – 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note:-

Pole-OFC-10-2022-530

With reference to your Demand Note bearing Pole-OFC-10-2022-530 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1023

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-530	49	225762	205819 Dated 01-10-2022	40572	225762

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.





MAIL TO -

1

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

205819

01/10/2022 dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/

10-2022-530

/DD

Date:

3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru – 560 002

Dan	-		
1127	1	-	и.

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note:-

Pole-OFC-10-2022-530

With reference to your Demand Note bearing Phalow the details of Demand Draft drawn on AYIS 8

Pole-OFC-10-2022-530

,Please find mentioned

below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment

to get permission for laying Poles on

BGLR1023

Application No.	Poles	Poles Charges (Rs.)	ĐD No.	GST (through RCM) Rs	Total Amount
10-2022-530	530 49	225762	205819 Dated	40572	225762
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

205819

01/10/2022 dated

PAYMENT REFERENCE

AXIS BANK LTD IFS CODE - UTIB0000274 PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD COMMISSIONER BBMP BANGALORE ON DEMAND PAY माँगे जाने पर Two Lacs Twenty Five Thousand Seven Hundred Sixty Two Only RUPEES रुपये

205819 DD Sr. No.


Payable at par at all Branches of AXIS Bank Ltd Client

- Centralised Collection and Payment Hub (CCPH)

4200008085 2 Reference

ISSUING BRANCH

Under CMS Arrangement Centralised Collections & Payment Hub Mumbai.



225,762.00

अदा करे

Rudresha B 55. No. 26182

OR ORDER / या उनके आदेश पर

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-530

PR Number(To be Assigned by AE/JE- CE-POLE-10-2022-530 OFC, BBMP)

General Information

Segment ID

OFC/Pole/2022-23/W0050/509

Street ID

32190

Street Name

NA

Zone

South

Ward No.

178

Ward Name

Sarakki

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5 Rasta, Ambawadi, Ahmedabad, Gujarat,

Pin Code

380006

India

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax*

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

TAN

AHMJ08610A

Application Submission Date

06/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

OFC

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

Purpose

Phone No. 9845117017

Mobile No.

Attachments

9845117017


Pole Related Information

No.of Poles

No.Junction Box

49


49



Status of My Application


Approver Name	Designation	Date
ceofc01(ceofc01)	CE A	11/05/2022

Date: 12/05/2022



20220512031442

No: 10-2022-530



Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore - 560002

No.: Pole-OFC-10-2022-530

Date: 12/05/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No.: 10-2022-530, dated: 06/05/2022

Details of Poles added on BBMP GIS Mato


(Pole Id:-OFC/Pole/2022-23/W0050/509)

Sr No.	Unique Poleld.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/4374/W- 178/28	W0050	satvika	12.906705265 726842- 77.574484348 29712	4374	25/06/2020
2	EE/ OFC/pole/202 2-23/4374/W- 178/29	W0048	saraswati	12.907039914 228289- 77.573435604 57231	4374	25/06/2020
3	EE/ OFC/pole/202 2-23/4374/W- 178/30	W0048	triniti	12.906998083 190091- 77.573974728 58429		25/06/2020
4	EE/ OFC/pole/202 2-23/4374/W- 178/31	W0048	premanugrah a	12.906990239 869653- 77.574787437 91582		25/06/2020
5	EE/ OFC/pole/202 2-23/4374/W- 178/32	W0042,W004 4	srinivasa	12.907238611 564082- 77.574242949 4858		25/06/2020

6	EE/ OFC/pole/202 2-23/4374/W- 178/33	W0044	keerthi	12.907249069 314235- 77.574446797 37092	4374	25/06/2020
7	EE/ OFC/pole/202 2-23/4374/W- 178/34	W0044	rana	12.907249069 314235- 77.574680149 55522	4374	25/06/2020
8	EE/ OFC/pole/202 2-23/4374/W- 178/35	W0044	swagatha	12.907256912 626554- 77.574900090 69443	4374	25/06/2020
9	EE/ OFC/pole/202 2-23/4374/W- 178/36	W0042	sankari	12.907413778 821265- 77.574285864 83002	4374	25/06/2020
10	EE/ OFC/pole/202 2-23/4374/W- 178/37	W0042	shiva	12.907419007 692727- 77.574449479 57994	4374	25/06/2020
11	EE/ OFC/pole/202 2-23/4374/W- 178/38	W0042	sri rama	12.907421622 128421- 77.574763298 03468	4374	25/06/2020
12	EE/ OFC/pole/202 2-23/4374/W- 178/39	W0040	sri hari	12.907395477 770281- 77.574004232 88347	4374	25/06/2020
13	EE/ OFC/pole/202 2-23/4374/W- 178/40	W0036	noof mansulon	12.907743197 509818- 77.574680149 55522	4374	25/06/2020
14	EE/ OFC/pole/202 2-23/4374/W- 178/41	W0036	high tech	12.907719667 61788- 77.574460208 416	4374	25/06/2020
15	EE/ OFC/pole/202 2-23/4374/W- 178/42	W0036	ragav nilaya	12.907667378 961218- 77.574382424 35457	4374	25/06/2020
16	EE/ OFC/pole/202 2-23/4374/W- 178/43	W0036	happy trails	12.907698752 156533- 77.574033737 18263	4374	25/06/2020
17	EE/ OFC/pole/202 2-23/4374/W- 178/44	W0036	pink building	12.907745811 942101- 77.573491930 96162	4374	25/06/2020
18	EE/ OFC/pole/202 2-23/4374/W- 178/45	W0034	gsr enterprises	12.908192879 463355- 77.574728429 31749	4374	25/06/2020
19	EE/ OFC/pole/202 2-23/4374/W- 178/46	W0034	induja	12.908195493 890956- 77.574385106 56358	· ·	25/06/2020 ,
20	EE/	W0034,W001 3	orange	12.908216409 310752- 77.574071288 10884		25/06/2020
21	EE/ OFC/pole/202 2-23/4374/W- 178/48	W0034	vishals	12.908232095 874443- 77.573733329 77296	4374	25/06/2020

22	EE/ OFC/pole/202 2-23/4374/W- 178/49	W0034	sri chandana nilaya	12.908250396 864181- 77.573395371 43709	4374	25/06/202
23	EE/ OFC/pole/202 2-23/4374/W- 178/50	W0032	blue buildinhg	12.908493538 457838- 77.574731111 5265	4374	25/06/202
24	EE/ OFC/pole/202 2-23/4374/W- 178/51	W0032	number87	12.908496152 882297- 77.574476301 67009	4374	25/06/202
25	EE/ OFC/pole/202 2-23/4374/W- 178/52	W0032	sheet hiuse	12.908498767 306732- 77.574240267 27678	4374	25/06/202
26	EE/ OFC/pole/202 2-23/4374/W- 178/53	W0032	austrabha	12.908490924 033353- 77.574031054 97362	4374	25/06/202
27	EE/ OFC/pole/202 2-23/4374/W- 178/54	W0032	sree nilaya	12.908496152 882297- 77.573717236 51887	4374	25/06/202
28	EE/ OFC/pole/202 2-23/4374/W- 178/55	W0032	sv trades	12.908506610 57983- 77.573414146 90019	4374	25/06/202
29	EE/ OFC/pole/202 2-23/4374/W- 178/56	W0030,W000 3	sai sadhana	12.908804654 77582- 77:573499977 58867	4374	25/06/202
30	EE/ OFC/pole/202 2-23/4374/W- 178/57		ashwarya	12.908783739 405234- 77.573982775 21135	4374	25/06/202
31	EE/ OFC/pole/202 2-23/4374/W- 178/58	W0030	jesus christ	12.908747137 502509- 77.574717700 48143		25/06/202
32	EE/ OFC/pole/202 2-23/4374/W- 178/59	W0026	maruthi hair	12.909358911 458607- 77.573580443 85911		25/06/202
33	EE/ OFC/pole/202 2-23/4374/W- 178/60	W0026	shivamma	12.909358911 458607- 77.574001550 67445		25/06/202
34	EE/ OFC/pole/202 2-23/4374/W- 178/61	W0026	ashwini	12.909358911 458607- 77.574428021 90782	4374	25/06/202
35	EE/ OFC/pole/202 2-23/4374/W- 178/62	W0026,W002 5	shiva ganga	12.909337996 134393- 77.575074434 28041		25/06/202
36	EE/ OFC/pole/202 2-23/4374/W- 178/63	W0025	dental clinic	12.909144529 302502- 77.575071752 0714	İ	25/06/202
37	EE/ OFC/pole/202 2-23/4374/W- 178/64	W0025	little kids	12.908880472 979508- 77.575063705 44435		25/06/202

38	EE/ OFC/pole/202 2-23/4374/W- 178/65	W0025	shree nivas	12.908629488 49316- 77.575063705 44435	4374	25/06/2020
39	EE/ OFC/pole/202 2-23/4374/W- 178/66	W0025	amara nilaya	12.908323600 809727- 77.575055658 8173	4374	25/06/2020
40	EE/ OFC/pole/202 2-23/4374/W- 178/67	W0035	srisai	12.907717053 185303- 77.575369477 27203	4374	25/06/2020
41	EE/ OFC/pole/202 2-23/4374/W- 178/68	W0035	sri nilaya	12.908088302 337035- 77.575369477 27203	4374	25/06/2020
42	EE/ OFC/pole/202 2-23/4374/W- 178/69	W0035	lakshmi nilaya	12.908394190 308359- 77.575374841 69008	4374	25/06/2020
43	EE/ OFC/pole/202 2-23/4374/W- 178/70	W0035	srimathi	12.908935375 802304- 77.575350701 80894	4374	25/06/2020
44	EE/ OFC/pole/202 2-23/4374/W- 178/71	W0035	vasav	12.908864786 456492- 77.575374841 69008	4374	25/06/2020
45	EE/ OFC/pole/202 2-23/4374/W- 178/72	W0026,W003 5	patti factory	12.909322309 64009- 77.575390934 94417	4374	25/06/2020
46	EE/ OFC/pole/202 2-23/4374/W- 178/73	W0043	anadara	12.907973267 447563- 77.575889825 82092	4374	25/06/2020
47	EE/ OFC/pole/202 2-23/4374/W- 178/74	W0043	mathru nivas	12.908574585 603176- 77.575889825 82092	4374	25/06/2020
48	EE/ OFC/pole/202 2-23/4374/W- 178/75	W0043	kamakshi nilaya	12.908998121 870745- 77.575900554 65698	4374	25/06/2020
49	EE/ OFC/pole/202 2-23/4374/W- 178/76	W0026	swathi nilaya	12.909290936 648523- 77.575863003 73079		25/06/2020



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Banglore" within seven(7) days. Then only your request can be processed further.

Total No. of Poles 49

Pole Charges @ Rs 1500/- Pole	73,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	362.11
Junction Box Charges @ Rs 3000/- Pole	147,000	Total (C)	362.11
Supervision Charge @ Rs 100/- Pole	4,900		
Sub Total (A)	225,400	GST @ 18% (B)	40,572
Grand Total (A + B + C)	266,334.11		

Total Amount Payable Rs: 266,334 In words (Rupees Two Lakh Sixty-Six Thousand Three Hundred and Thirty-Four Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-530

- 1. Copy submitted to Commissioner for kind information.
- 2. Copy submitted to Special Commissioner (Project) for kind information.
- 3. Copy submitted to CAO for information.
- 4. Copy to Office file.