



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/543/2022-23
75

Date: 15-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 06-05-2022
 - 3) Fee Demand Note letter No: 10-2022-543, Date: 12-05-2022.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 14-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles, from Banashankari-Kankapura Main Road via 9 th 'F' Cross road, 10 th Cross up to 1 st Cross Road.	54 Poles
02	From Banashankari-Kankapura Main Road via 12 th Cross Road up to end.	
03	From Banashankari-Kankapura Main Road via 12 th 'A' Cross Road up to end.	
04	From 12 th 'A' Cross up to 13 th Cross Road.	
05	From 9 th 'F' Cross via Street ID No-W0003	
06	From 9 th 'F' Cross via Street ID No-W0007	
07	From 9 th 'F' Cross via Street ID No-W0015	
08	From 9 th 'F' Cross via Street ID No-W0021	
09	From 9 th 'F' Cross via Street ID No-W0017, 9 th 'E' Cross, 1 st Cross	
10	From the junction of Street ID No-W0017 via 9 th 'E' Cross Street ID No-W0005 up to W0006.	
11	From Street ID No-W0005 via 9 th 'B' Cross Road up to 1 st Cross.	
12	From Street ID No-W0005 via 9 th 'C' Cross Road	
13	From Street ID No-W0005 via 9 th 'D' Cross Road	
14	From 1 st Cross Road via 9 th 'D' Cross Road	
15	From 9 th 'F' Cross via 2 nd Cross Road up to Street ID No-W0001.	

No: EE/OFC/PR/543/2022-23, Dt: 15-10-2022

Executive Engineer (OFC), BBMP

16	From Street ID No-W0001 via W0024, for total No of 54 Poles , in Ward No-178, South Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	
----	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the

- satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
 13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
 14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
 15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
 16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
 17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
 18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
 19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
 20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
 21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
 22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0

05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**South Zone**) for information.
4. Copy to Zonal Chief Engineer (**South Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Jayanagar** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**J.P Nagar** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-543 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-543

With reference to your Demand Note bearing Pole-OFC-10-2022-543 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1023

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-543	54	248799	205926	44712	248799
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



S43

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205926

01/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-543 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-543

With reference to your Demand Note bearing Pole-OFC-10-2022-543 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1023 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-543	54	248799	205926	44712	248799
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

543

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205926

dated ^{01/10/2022}

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31122022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 01/10/2022
दिनांक 01 10 2022

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर

RUPEES Two Lacs Forty Eight Thousand Seven Hundred Ninety Nine Only

रुपये

₹ 248,799.00
अदा करे

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205926

Client Reference 4200008085_109

For Axis Bank Ltd
Authorized Signatory

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO:

Please sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-543

PR Number(To be Assigned by AE/JE- OFC, BBMP) CE-POLE-10-2022-543

General Information

Segment ID

OFC/Pole/2022-23/W0006/534

Street ID

32254

Street Name

NA

Zone

South

Ward No.

178

Ward Name

Sarakki

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

06/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

54

No.Junction Box

54




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	11/05/2022

Date : 12/05/2022

Time : 03:15:46

20220512031546





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-543

Date: 12/05/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-543, dated : 06/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0006/534)


Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/7375/W- 178/77	W0005	padmavathi	12.910896182 996614- 77.573550939 55995	7375	25/06/2020
2	EE/ OFC/pole/202 2-23/7375/W- 178/78	W0006	NARAYANI	12.910634742 926073- 77.573250532 15028	7375	25/06/2020
3	EE/ OFC/pole/202 2-23/7375/W- 178/79	W0006	VIDYA	12.910624285 317558- 77.573357820 51088	7375	25/06/2020
4	EE/ OFC/pole/202 2-23/7375/W- 178/80	W0016	RAM	12.910153692 481796- 77.573068141 93726	7375	25/06/2020
5	EE/ OFC/pole/202 2-23/7375/W- 178/81	W0020	Ivory	12.909745844 640819- 77.573304176 33058	7375	25/06/2020

6	EE/ OFC/pole/202 2-23/7375/W- 178/82	W0020	Florence	12.909714471 702403- 77.573797702 7893	7375	25/06/2020
7	EE/ OFC/pole/202 2-23/7375/W- 178/83	W0020,W001 7	TRIVENI	12.909704014 055391- 77.574312686 92018	7375	25/06/2020
8	EE/ OFC/pole/202 2-23/7375/W- 178/84	W0017	SRIHARI	12.909526233 989268- 77.574312686 92018	7375	25/06/2020
9	EE/ OFC/pole/202 2-23/7375/W- 178/85	W0020	Sannidhi	12.909683098 760057- 77.574763298 03468	7375	25/06/2020
10	EE/ OFC/pole/202 2-23/7375/W- 178/86	W0023,W001 8	jenusree	12.909965455 099412- 77.574956417 08375	7375	25/06/2020
11	EE/ OFC/pole/202 2-23/7375/W- 178/87	W0018	Dandi	12.910007285 641075- 77.574623823 16591	7375	25/06/2020
12	EE/ OFC/pole/202 2-23/7375/W- 178/88	W0018	YAMUNA	12.910007285 641075- 77.574087381 36293	7375	25/06/2020
13	EE/ OFC/pole/202 2-23/7375/W- 178/89	W0018,W000 5	jayashree	12.910049116 17574- 77.573604583 74025	7375	25/06/2020
14	EE/ OFC/pole/202 2-23/7375/W- 178/90	W0008,W000 5	GOKUL	12.910310556 85882- 77.573556303 97798	7375	25/06/2020
15	EE/ OFC/pole/202 2-23/7375/W- 178/91	W0008	SRIBASTA	12.910294870 425545- 77.573797702 7893	7375	25/06/2020
16	EE/ OFC/pole/202 2-23/7375/W- 178/92	W0008	LAKSHMI	12.910300099 236743- 77.574178576 46944	7375	25/06/2020
17	EE/ OFC/pole/202 2-23/7375/W- 178/93	W0008	RARevathi	12.910310556 85882- 77.574554085 73152	7375	25/06/2020
18	EE/ OFC/pole/202 2-23/7375/W- 178/94	W0010,W000 8,W0023	Yallamma	12.910310556 85882- 77.574929594 9936	7375	25/06/2020
19	EE/ OFC/pole/202 2-23/7375/W- 178/95	W0006	Shanthi	12.910608598 903979- 77.573652863 50252	7375	25/06/2020
20	EE/ OFC/pole/202 2-23/7375/W- 178/96	W0009,W000 6	SIDDHI	12.910619056 513141- 77.573996186 25642	7375	25/06/2020
21	EE/ OFC/pole/202 2-23/7375/W- 178/97	W0006	VENKATADRI	12.910634742 926073- 77.574436068 53487	7375	25/06/2020

22	EE/ OFC/pole/202 2-23/7375/W- 178/98	W0023,W000 6	Laxmi	12.910624285 317558- 77.574897408 48543	7375	25/06/2020
23	EE/ OFC/pole/202 2-23/7375/W- 178/99	W0009	AKIL	12.910990301 355069- 77.574006915 09248	7375	25/06/2020
24	EE/ OFC/pole/202 2-23/7375/W- 178/100	W0023,W000 4	CC5724	12.910922326 98862- 77.574929594 9936	7375	25/06/2020
25	EE/ OFC/pole/202 2-23/7375/W- 178/101	RI-S219	Saras	12.911230825 887868- 77.574859857 55922	7375	25/06/2020
26	EE/ OFC/pole/202 2-23/7375/W- 178/102	RI- S219,W0027	bhairaveshwa ra	12.911178537 965647- 77.575224637 98524	7375	25/06/2020
27	EE/ OFC/pole/202 2-23/7375/W- 178/103	RI- S219,W0029, W0119	HAHADESH WARA	12.911152394 000434- 77.575423121 45235	7375	25/06/2020
28	EE/ OFC/pole/202 2-23/7375/W- 178/104	RI-S219	SHANKER	12.911105334 856154- 77.575702071 18988	7375	25/06/2020
29	EE/ OFC/pole/202 2-23/7375/W- 178/105	RI- S219,W0041	Med	12.911073962 088382- 77.575975656 50941	7375	25/06/2020
30	EE/ OFC/pole/202 2-23/7375/W- 178/106	W0041	ANUGRAHA	12.910755005 392485- 77.575911283 49306	7375	25/06/2020
31	EE/ OFC/pole/202 2-23/7375/W- 178/107	W0041	Balaji	12.910713174 975932- 77.575879096 98486	7375	25/06/2020
32	EE/ OFC/pole/202 2-23/7375/W- 178/108	W0041	Mathrusree	12.910409904 246682- 77.575841546 05867	7375	25/06/2020
33	EE/ OFC/pole/202 2-23/7375/W- 178/109	W0010,W004 1	Anuragha	12.910258268 744085- 77.575863003 73079	7375	25/06/2020
34	EE/ OFC/pole/202 2-23/7375/W- 178/110	W0014,W004 1	Residency	12.910106633 149482- 77.575814723 96852	7375	25/06/2020
35	EE/ OFC/pole/202 2-23/7375/W- 178/111	W0041	KERANA	12.909970683 917505- 77.575814723 96852	7375	25/06/2020
36	EE/ OFC/pole/202 2-23/7375/W- 178/112	W0041	International inc	12.909798132 862736- 77.575803995 13246	7375	25/06/2020
37	EE/ OFC/pole/202 2-23/7375/W- 178/113	W0037,W001 4	Pushpanjali	12.910117090 77965- 77.575605511 66536	7375	25/06/2020

38	EE/ OFC/pole/202 2-23/7375/W- 178/114	W0010,W003 1	YAMINI	12.910315785 669699- 77.575396299 3622	7375	25/06/2020
39	EE/ OFC/pole/202 2-23/7375/W- 178/115	W0047	BHAIRAVES HWARA	12.910284412 802808- 77.576147317 88637	7375	25/06/2020
40	EE/ OFC/pole/202 2-23/7375/W- 178/116	W0047	WIX and WA	12.910796835 802014- 77.576222419 73877	7375	25/06/2020
41	EE/ OFC/pole/202 2-23/7375/W- 178/117	W0010,W004 7,W0045	VENKATESW ARA	12.910185065 365072- 77.576131224 63228	7375	25/06/2020
42	EE/ OFC/pole/202 2-23/7375/W- 178/118	W0045	Gurukrupa	12.909965455 099412- 77.576088309 28804	7375	25/06/2020
43	EE/ OFC/pole/202 2-23/7375/W- 178/119	W0010,W005 7	ayush	12.910143234 853154- 77.576887607 57448	7375	25/06/2020
44	EE/ OFC/pole/202 2-23/7375/W- 178/120	W0022	SRIMATHI	12.909897480 454271- 77.576361894 60756	7375	25/06/2020
45	EE/ OFC/pole/202 2-23/7375/W- 178/121	W0022	RAJENDHRA	12.909866107 534901- 77.576715946 19752	7375	25/06/2020
46	EE/ OFC/pole/202 2-23/7375/W- 178/122	W0022	Shakthi	12.909829505 790643- 77.577000260 3531	7375	25/06/2020
47	EE/ OFC/pole/202 2-23/7375/W- 178/123	W0022	MOORTHI	12.909494861 023296- 77.576270699 50105	7375	25/06/2020
48	EE/ OFC/pole/202 2-23/7375/W- 178/124	W0024	Ashirvad	12.909568064 60444- 77.576592564 58284	7375	25/06/2020
49	EE/ OFC/pole/202 2-23/7375/W- 178/125	W0024	srinivasa	12.909557606 951308- 77.576887607 57448	7375	25/06/2020
50	EE/ OFC/pole/202 2-23/7375/W- 178/126	W0026	GOLDEN	12.909134071 63166- 77.576866149 90236	7375	25/06/2020
51	EE/ OFC/pole/202 2-23/7375/W- 178/127	W0026	DC5103	12.909222961 819966- 77.576399445 53375	7375	25/06/2020
52	EE/ OFC/pole/202 2-23/7375/W- 178/128	W0045	Pooja	12.909374597 95062- 77.576007843 01759	7375	25/06/2022
53	EE/ OFC/pole/202 2-23/7375/W- 178/129	W0045	POOJA	12.909630810 514068- 77.576007843 01759	7375	25/06/2020

54	EE/ OFC/pole/202 2-23/7375/W- 178/130	W0026,W004 5	Sangam	12.909296165 480724- 77.575964927 67335	7375	25/06/2020
----	------------------------------------------------	-----------------	--------	--------------------------------------------------	------	------------



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 54

Pole Charges @ Rs 1500/- Pole	81,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	399.06
Junction Box Charges @ Rs 3000/- Pole	162,000	Total (C)	399.06
Supervision Charge @ Rs 100/- Pole	5,400		
Sub Total (A)	248,400	GST @ 18% (B)	44,712
Grand Total (A + B + C)	293,511.06		

Total Amount Payable Rs: 293,511 In words (Rupees Two Lakh Ninety-Three Thousand Five Hundred and Eleven Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-543

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-543

1/2

@RIL.COM

OFC/Pole/2022-23/W0084/589 10-2022-601 Pending ceofc01(ceofc01) OFC Work Created Demand Notice Permission Letter View/Submit

Pole Details

10-2022-543

The map displays a grid of roads with numerous blue location pins indicating road cutting sites. Key landmarks and businesses labeled include:

- Landmarks:** Karnataka Bank, Aaryavartha, SNN Raj Spiritua, Sreevari ganga homes, Sreevari Park, Sreevari International, Sangam Trading, Sri Raghavendra Davanagere Benne, Sri Prasanna Anjaneya Swamy Kalyana Mantap, Chats K, Jeeva Pet Hospit, The Oxford Seni Secondary Scho, Chitradrurga Mandakki C.
- Businesses:** Banashankari Donne Biryani Mamsahari, Octave Hotel & Spa JP Nagar, DTDC Couriers, Rajshekar Multi Speciality Hospital, A 1 Beef Stall Butcher shop, Sri Raghavendra Davanagere Benne, Sangam Trading Shopping mall, Sri Prasanna Anjaneya Swamy Kalyana Mantap.
- Roads:** Tagwa Masjid Rd, Outer Ring Rd, 1st Cross Rd, 2nd Cross Rd, 3rd Cross Rd, 4th Cross Rd, 9th Cross Rd, 10th Cross Rd, 14th A Cross Rd, Sarakki Gate Rd, Sarakki Main Rd, Ayodhya Rd, 12th Main Rd, 13th Main Rd, 4th Main Rd, 3rd Main Rd, 6th Main Rd, 5th Main Rd, 36th Main Rd.

OFC/Pole/2022-23/W0066/444 10-2022-454 Pending ceofc01(ceofc01) OFC Work Created Demand Notice Permission Letter View/Submit

EXECUTIVE ENGINEER
OFC CELL
BRUHAT BENGALURU MAHANAGARA PALIKE