



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/554/2022-23

Date: 15-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 06-05-2022
 - 3) Fee Demand Note letter No: 10-2022-554, Date: **13-05-2022**.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **14-10-2022**.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from Puttenahalli Main Road via 3rd Main Road up to 1st Main Road.	47 Poles
02	From Puttenahalli Main Road via 4th Main Road up to 1st Main Road.	
03	From Puttenahalli Main Road via 5th Main Road up to 1st Main Road.	
04	From Puttenahalli Main Road via 6th Main Road up to 1st Main Road.	
05	From Puttenahalli Main Road via 9th Main Road up to 1st Main Road.	
06	From Puttenahalli Main Road via 10th Main Road	
07	From Puttenahalli Main Road via 12th Main Road	
08	From Puttenahalli Main Road via 13th Main Road	
09	From Puttenahalli Main Road via 14th Main Road	
10	From Puttenahalli Main Road via 15th Main Road	
11	From Puttenahalli Main Road via 16th Main Road	
12	From 1st Main Road via 4th Main Road, Street ID No-W0233, 5th Main Road back to 1st Main Road.	

No: EE/OFC/PR/554/2022-23, Dt: 15-10-2022

Executive Engineer (OFC), BBMP

13	From 24th Main Road via 4th Main Road, 6th Main Road up to 4th Cross Road.	47 Poles
14	From 4th Main Road via Street ID No-W0228	
15	From Street ID No-W0263 via W0275	
16	From Street ID No-W0275 via W0248, W0277, for total No of 47 Poles , in Ward No-187, Bommanahalli Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed

- by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
 12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
 13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
 14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
 15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
 16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
 17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
 18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
 19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
 20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
 21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:

22. Right-of-way(ROW) for Electrical lines.-

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Bommanahalli** Zone) for information.
4. Copy to Zonal Chief Engineer (**Bommanahalli** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Bommanahalli** Division) for information.

7. Copy to the Concerned Assistant Executive Engineer of (**Arekere** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-554 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-554

With reference to your Demand Note bearing Pole-OFC-10-2022-554, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1062

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-554	47	216547	205846	38916	216547
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



8r



554

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205846

01/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-554 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru – 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-554

With reference to your Demand Note bearing Pole-OFC-10-2022-554, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1062

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-554	47	216547	205846	38916	216547
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLTHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **205846**
as per details mentioned below.

01/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31122022

DATE (D | D | M | M | Y | Y | Y | Y)
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मांगे जाने पर
RUPEES Two Lacs Sixteen Thousand Five Hundred Forty Seven Only
रुपये

अदा करें ₹ 216,547.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205846

Client Reference 4200008085_29

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

(Signature)
554024004
Authorised Signatory

(Signature)
Authorised Signatory

Please sign above
Rudresh B
SS. No. 26182



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-554

PR Number(To be Assigned by AE/JE- CE-POLE-10-2022-554
OFC, BBMP)

General Information

Segment ID

OFC/Pole/2022-23/W0256/544

Street ID

82761

Street Name

NA

Zone

Bommanahalli

Ward No.

187

Ward Name

Puttenahalli

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

06/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

47

No.Junction Box

47




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	11/05/2022

Date : 13/05/2022

Time : 01:53:36

20220513015336





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-554

Date: 13/05/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-554, dated : 06/05/2022

Details of Poles added on BBMP GIS Map


(Pole Id:-OFC/Pole/2022-23/W0256/544)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/4188/W- 187/232	W0256,W026 2	deepa	12.893661468 652631- 77.582750916 48103	4188	21/12/2021
2	EE/ OFC/pole/202 2-23/4188/W- 187/233	RI-A61	ROY DRIVING SCH	12.893849718 305187- 77.581720948 21931	4188	21/12/2021
3	EE/ OFC/pole/202 2-23/4188/W- 187/234	W0262	Sankarana	12.893718989 39482- 77.582037448 88307	4188	21/12/2021
4	EE/ OFC/pole/202 2-23/4188/W- 187/235	W0262	Residency	12.893692843 604553- 77.582305669 78456	4188	21/12/2021
5	EE/ OFC/pole/202 2-23/4188/W- 187/236	W0254	MESH SCOO	12.894372633 263854- 77.581742405 89143	4188	21/12/2021

6	EE/ OFC/pole/202 2-23/4188/W- 187/237	W0254	Davalagiri	12.894362174 975374- 77.582042813 3011	4188	21/12/2021
7	EE/ OFC/pole/202 2-23/4188/W- 187/238	W0254	Rama krishna Nilaya	12.894330800 107367- 77.582648992 53847	4188	21/12/2021
8	EE/ OFC/pole/202 2-23/4188/W- 187/239	W0252	building	12.894754360 493769- 77.581737041 4734	4188	21/12/2021
9	EE/ OFC/pole/202 2-23/4188/W- 187/240	W0252	Samsung	12.894717756 538059- 77.581774592 39961	4188	21/12/2021
10	EE/ OFC/pole/202 2-23/4188/W- 187/241	W0252	CC5814	12.894728214 811666- 77.582069635 39125	4188	21/12/2021
11	EE/ OFC/pole/202 2-23/4188/W- 187/242	W0252	Guru kru	12.894707298 26402- 77.582305669 78456	4188	21/12/2021
12	EE/ OFC/pole/202 2-23/4188/W- 187/243	W0252	shivakamala	12.894712527 401097- 77.582563161 84999	4188	21/12/2021
13	EE/ OFC/pole/202 2-23/4188/W- 187/244	W0252	VEENA	12.894712527 401097- 77.582960128 7842	4188	21/12/2021
14	EE/ OFC/pole/202 2-23/4188/W- 187/245	W0251	VASUNDHAR A	12.894864172 328797- 77.583142518 9972	4188	21/12/2021
15	EE/ OFC/pole/202 2-23/4188/W- 187/246	W0251	HIVA Ra	12.894383091 551875- 77.583056688 30873	4188	21/12/2021
16	EE/ OFC/pole/202 2-23/4188/W- 187/247	W0250	Sameera	12.895026275 425769- 77.581747770 30946	4188	21/12/2021
17	EE/ OFC/pole/202 2-23/4188/W- 187/248	W0250	SAMAITRIKU TIRA	12.895010588 033877- 77.582026720 04701	4188	21/12/2021
18	EE/ OFC/pole/202 2-23/4188/W- 187/249	W0250	Lakshmi	12.895005358 903033- 77.582434415 81727	4188	21/12/2021
19	EE/ OFC/pole/202 2-23/4188/W- 187/250	W0250	ranganath	12.894984442 378542- 77.582815289 49739	4188	21/12/2021
20	EE/ OFC/pole/202 2-23/4188/W- 187/251	RI- A61,W0246	Dolphin	12.895345252 180967- 77.581726312 63734	4188	21/12/2021
21	EE/ OFC/pole/202 2-23/4188/W- 187/252	W0246	SANDEEP	12.895350481 304723- 77.582064270 97322	4188	21/12/2021

22	EE/ OFC/pole/202 2-23/4188/W- 187/253	W0246	VERABHADR APPA	12.895334793 933149- 77.582391500 47304	4188	21/12/2021
23	EE/ OFC/pole/202 2-23/4188/W- 187/254	W0246	VEGNE SWA RA	12.895308648 31168- 77.582750916 48103	4188	21/12/2021
24	EE/ OFC/pole/202 2-23/4188/W- 187/255	W0240	ANITHA	12.895653770 295114- 77.582708001 13678	4188	21/12/2021
25	EE/ OFC/pole/202 2-23/4188/W- 187/256	W0240	JAYALAKSH MI	12.895167461 908558- 77.582949399 94813	4188	21/12/2021
26	EE/ OFC/pole/202 2-23/4188/W- 187/257	W0251,W024 4	NARASHIMH A	12.895340023 05711- 77.583169341 08736	4188	21/12/2021
27	EE/ OFC/pole/202 2-23/4188/W- 187/258	W0251	JAYALAKSH MI	12.895089024 983507- 77.583163976 66933	4188	21/12/2021
28	EE/ OFC/pole/202 2-23/4188/W- 187/259	W0243	SUPRITHA	12.895821101 994551- 77.582748234 272	4188	21/12/2021
29	EE/ OFC/pole/202 2-23/4188/W- 187/260	W0243	sreela	12.895889080 465492- 77.582399547 10008	4188	21/12/2021
30	EE/ OFC/pole/202 2-23/4188/W- 187/261	W0243	Mathru	12.895896924 134023- 77.582292258 73949	4188	21/12/2021
31	EE/ OFC/pole/202 2-23/4188/W- 187/262	W0243	MANJUNATH A	12.895954444 362438- 77.582010626 79291	4188	21/12/2021
32	EE/ OFC/pole/202 2-23/4188/W- 187/263	RI-S220	VASAVI	12.896077328 442468- 77.582858204 84163	4188	21/12/2021
33	EE/ OFC/pole/202 2-23/4188/W- 187/264	RI-S220	ENCLAVE	12.896174066 931106- 77.582445144 65333	4188	21/12/2021
34	EE/ OFC/pole/202 2-23/4188/W- 187/265	RI-S220	Regal	12.896270805 382368- 77.582026720 04701	4188	21/12/2021
35	EE/ OFC/pole/202 2-23/4188/W- 187/266	W0230	GOKUL	12.896393689 307049- 77.582807242 87035	4188	21/12/2021
36	EE/ OFC/pole/202 2-23/4188/W- 187/267	W0230	SATHYA	12.896532260 46888- 77.582074999 80928	4188	21/12/2021
37	EE/ OFC/pole/202 2-23/4188/W- 187/268	W0222	KANTESWAR A	12.896783257 094935- 77.582134008 4076	4188	21/12/2021

38	EE/ OFC/pole/202 2-23/4188/W- 187/269	W0222	DANALAKSH MI	12.896699591 580893- 77.582622170 44832	4188	21/12/221
39	EE/ OFC/pole/202 2-23/4188/W- 187/270	W0232,W025 3	NANDU	12.896129619 522064- 77.583552896 97649	4188	21/12/2021
40	EE/ OFC/pole/202 2-23/4188/W- 187/271	W0234,W025 9	UMASREE	12.896098244 875615- 77.583839893 34108	4188	21/12/2021
41	EE/ OFC/pole/202 2-23/4188/W- 187/272	W0259	NILLAYA	12.895666843 088165- 77.583869397 64024	4188	21/12/2021
42	EE/ OFC/pole/202 2-23/4188/W- 187/273	W0275	JAYA SREE NILLAY	12.895078566 724976- 77.584480941 29564	4188	21/12/2021
43	EE/ OFC/pole/202 2-23/4188/W- 187/274	W0275	RAJU	12.894529507 538394- 77.584497034 54971	4188	21/12/2021
44	EE/ OFC/pole/202 2-23/4188/W- 187/275	W0277	lakshmi	12.894615788 34749- 77.584751844 40614	4188	21/12/2021
45	EE/ OFC/pole/202 2-23/4188/W- 187/276	W0275,W024 2	CHANDHRU	12.895402772 536185- 77.584510445 5948	4188	21/12/2021
46	EE/ OFC/pole/202 2-23/4188/W- 187/277	W0275	LAKSHMI	12.895946600 695702- 77.584435343 74237	4188	21/12/2021
47	EE/ OFC/pole/202 2-23/4188/W- 187/278	W0265,W027 5	UMASREE	12.896252503 51608- 77.584389746 18913	4188	21/12/2021



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 47


Pole Charges @ Rs 1500/- Pole	70,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	347.33
Junction Box Charges @ Rs 3000/- Pole	141,000	Total (C)	347.33
Supervision Charge @ Rs 100/- Pole	4,700		
Sub Total (A)	216,200	GST @ 18% (B)	38,916
Grand Total (A + B + C)	255,463.33		

Total Amount Payable Rs: 255,463 In words (Rupees Two Lakh Fifty-Five Thousand Four Hundred and Sixty-Three Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-554

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-554

1/2

@RIL.COM

OFC/Pole/2022-23/W0522/572 10-2022-585 Pending ceofc01(ceofc01) OFC Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

Pole Details

The map displays the Sarakki Lake area in Bengaluru. Key landmarks include Temple Trees Apartments, Jain Public School, B4, Elita Promenade Apartment, Shubh Convention, Elita Promenade, Indian Music Experience Museum, and Brahma Brews. Road cutting markers are shown as blue pins clustered around the lake and along roads like 1st Main Rd, 2nd Main Rd, and 3rd Main Rd. Other nearby locations include Mahaveer Jonquil Apartment, Himagiri Green Forest Apartments, and Shyamji's Chole Bhature.

10-2022-554

OFC/Pole/2022-23/W0050/509 10-2022-530 Pending ceofc01(ceofc01) OFC Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

EXECUTIVE ENGINEER
OFC CELL

BENGALURU