



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell), 3<sup>rd</sup>Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/583/2022-23

Date: 15-10-2022

**Permission for Regularization for Poles**

To,  
M/s. Jio Digital Fibre Private Limited,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
  - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 06-05-2022
  - 3) Fee Demand Note letter No: 10-2022-583, Date: 14-05-2022.
  - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
  - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 12-10-2022.

\*\_\*\_\*\_\*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles, from Street ID No-W0222 via W0281, 8th Cross, W0309, 2nd Main, 6th Cross, 27th Main, 1st Cross up to 20th Main.	26 Poles
02	From 1st Cross via 27th Main up to Outer Ring Road.	
03	From 6th Cross via Street ID No-W0305	
04	From 6th Cross via Street ID No-W0299	
05	From 6th Cross via Street ID No-W0291	
06	From 6th Cross via 3rd Main up to 8th Cross.	
07	From 6th Cross via 4th Main up to 8th Cross.	
08	From 6th Cross via 5th Main up to 8th Cross.	
09	From 6th Cross via 6th Main up to 8th Cross.	
10	From 8th Cross via 7th Main, 6th Cross up to 20th Main.	
11	From 8th Cross via Street ID No-W0285, W0222 up to 20th Main.	
12	From 8th Cross via Street ID No-W0283, for total No of 26 Poles, in Ward No-172, South Zone.	
<b>Ref: As per drawing enclosed &amp; demand note GIS co-ordinates.</b>		

No: EE/OFC/PR/583/2022-23, Dt: 15-10-2022

Executive Engineer (OFC), BBMP



**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

**Conditions for Regularization of Poles**

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.



12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

**Copy to:-**

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**South Zone**) for information.
4. Copy to Zonal Chief Engineer (**South Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**BTM Layout** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**BTM Layout** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

583

केनरा बँक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा/ Branch BCC Executive

दिनांक/ Date 

1	2	1	0	2	0	2	2
---	---	---	---	---	---	---	---

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

वचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

8	4	0	1	1	3	2	0	0	0	1	0
---	---	---	---	---	---	---	---	---	---	---	---

नाम/Name Commissioner BBMP

टेलिफोन / मोबाइल नं  
Tel No./Mobile No.

राशि / Amount 1,19,792/- पै/P.

राशि शब्दों में  
Rupees in words One Lakh Ninety thousand

Seven hundred and two only

चेक नं. / दिनांक तथा बैंक व शाखा का नाम Cheque No./Date / Name of Bank & Branch	₹	पै/P.
<u>205875 1/10/08</u>	<u>1,19,792/-</u>	
<b>EXECUTIVE ENGINEER</b>		

कुल Total 1,19,792/-

SIGNATURE BENGALURU MAHARAJGATA PAVILE

एस डब्ल्यू ओ BENGALURU  
Officer/Cashier/SWO 1800 425 0018



# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-583 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to lay the OFC by HDD method.**

**Ref: Demand Note :-** Pole-OFC-10-2022-583

With reference to your Demand Note bearing Pole-OFC-10-2022-583 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1154

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-583	26	119792	205871	21528	119792
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



583

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**205871**

01/10/2022  
dated

**PAYMENT REFERENCE**

---

**JIO DIGITAL FIBRE PRIVATE LIMITED**

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-583 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru – 560 002

Dear Sir,

**Sub: Permission to lay the OFC by HDD method.**

**Ref: Demand Note :-** Pole-OFC-10-2022-583

With reference to your Demand Note bearing Pole-OFC-10-2022-583 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1154 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-583	26	119792	205871	21528	119792
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



583

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**205871**

01/10/2022  
dated

**PAYMENT REFERENCE**

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31/12/2022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 01/10/2022  
दिनांक 01/10/2022

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर  
RUPEES One Lac Nineteen Thousand Seven Hundred Ninety Two Only  
रुपये

₹ 119,792.00  
अदा करे

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205871

Client Reference 4200008085 54

For Axis Bank Ltd  
Authorized Signatory  
*Rudresh B*

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

Rudresh B  
SS. No. 26182



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-583

PR Number(To be Assigned by AE/JE-  
OFC, BBMP)

CE-POLE-10-2022-583

General Information

Segment ID

OFC/Pole/2022-23/W0292/580

Street ID

35656

Street Name

NA

Zone

South

Ward No.

172

Ward Name

Madivala

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5  
Rasta, Ambawadi, Ahmedabad, Gujarat,  
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

06/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,  
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

26

No.Junction Box


26



**Status of My Application**

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	13/05/2022

Date : 14/05/2022



20220514114132





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -  
560002

No. : Pole-OFC-10-2022-583

Date: 14/05/2022

**Demand Notice**

**GST No.: 29AAALBI608FIZK**

**To**

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0



**Sub:-** Permission for Poles(Regularization)

**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private,Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-583, dated : 06/05/2022


Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0292/580)


Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/0924/W- 172/53	W0226	5th cross road	12.918535341 099917- 77.613403201 10321	0924	25/04/2022
2	EE/ OFC/pole/202 2-23/0924/W- 172/54	W0226	5th cross road	12.918545798 377336- 77.613033056 25917	0924	25/02/2022
3	EE/ OFC/pole/202 2-23/0924/W- 172/55	RI-S235	J N Enterprises	12.918205936 63693- 77.612727284 43147	0924	25/02/2022
4	EE/ OFC/pole/202 2-23/0924/W- 172/56	W0292	J N Enterprises	12.918143192 880446- 77.613038420 67719	0924	25/02/2022
5	EE/ OFC/pole/202 2-23/0924/W- 172/57	W0292	J N Enterprises	12.918137964 233367- 77.613220810 89021	0924	25/02/2022

6	EE/ OFC/pole/202 2-23/0924/W- 172/58	W0292	4th cross road	12.918122278 29145- 77.613542675 972	0924	25/02/2022
7	EE/ OFC/pole/202 2-23/0924/W- 172/59	RI- S235,W0284, W0294	moms cafe	12.917855617 128255- 77.612652182 57905	0924	25/02/2022
8	EE/ OFC/pole/202 2-23/0924/W- 172/60	W0294	moms cafe	12.917855617 128255- 77.612818479 53798	0924	25/02/2022
9	EE/ OFC/pole/202 2-23/0924/W- 172/61	W0294	moms cafe	12.917845159 821931- 77.613124251 36568	0924	25/02/2022
10	EE/ OFC/pole/202 2-23/0924/W- 172/62	W0294	moms cafe	12.917813787 900354- 77.613907456 39802	0924	25/02/2022
11	EE/ OFC/pole/202 2-23/0924/W- 172/63	W0296	2nd cross road	12.917552355 067302- 77.612738013 26753	0924	25/02/2022
12	EE/ OFC/pole/202 2-23/0924/W- 172/64	W0296	Leos inn	12.917515754 448836- 77.613580226 8982	0924	25/02/2022
13	EE/ OFC/pole/202 2-23/0924/W- 172/65	W0296	2nd cross road	12.917468696 502938- 77.614899873 73353	0924	25/02/2022
14	EE/ OFC/pole/202 2-23/0924/W- 172/66	W0375	2nd A cross road	12.918054305 865114- 77.614996433 25807	0924	25/02/2022
15	EE/ OFC/pole/202 2-23/0924/W- 172/67	W0298	vishnu restaurant	12.917055631 930765- 77.614819407 463097	0924	25/02/2022
16	EE/ OFC/pole/202 2-23/0924/W- 172/68	W0298	Sri-vishnu restaurant	12.917071317 939651- 77.615200281 1432	0924	25/02/2022
17	EE/ OFC/pole/202 2-23/0924/W- 172/69	W0379	Sri vishnu restaurant	12.916527535 723489- 77.615221738 81532	0924	25/02/2022
18	EE/ OFC/pole/202 2-23/0924/W- 172/70	W0298	1st cross road	12.917071317 939651- 77.614604830 7419	0924	25/02/2022
19	EE/ OFC/pole/202 2-23/0294/W- 172/71	W0296	2nd cross road	12.917484382 485897- 77.613725066 185	0294	25/02/2022
20	EE/ OFC/pole/202 2-23/0924/W- 172/72	W0296	2nd cross road	12.917468696 502938- 77.614057660 10286	0924	25/02/2022
21	EE/ OFC/pole/202 2-23/0924/W- 172/73	W0296	2nd cross road	12.917520983 108957- 77.612872123 71826	0924	25/02/2022

22	EE/ OFC/pole/202 2-23/0924/W- 172/74	W0294	3rd cross road	12.917787644 629353- 77.613719701 76698	0924	25/02/2022
23	EE/ OFC/pole/202 2-23/0924/W- 172/75	W0294	3rd cross road	12.917803330 592287- 77.613317370 41475	0924	25/02/2022
24	EE/ OFC/pole/202 2-23/0924/W- 172/76	W0294	3rd cross road	12.917819016 554228- 77.612915039 06251	0924	25/02/2022
25	EE/ OFC/pole/202 2-23/0924/W- 172/77	W0292	4th cross road	12.918101363 700698- 77.613751888 27516	0924	25/02/2022
26	EE/ OFC/pole/202 2-23/0924/W- 172/78	W0292	4th cross road	12.918122278 29145- 77.612909674 64448	0924	25/02/2022



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.



**Total No.of Poles 26**

Pole Charges @ Rs 1500/- Pole	39,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	192.14
Junction Box Charges @ Rs 3000/- Pole	78,000	Total (C)	192.14
Supervision Charge @ Rs 100/- Pole	2,600		
Sub Total (A)	119,600	GST @ 18% (B)	21,528
Grand Total (A + B + C)	141,320.14		

**Total Amount Payable Rs: 141,320 In words (Rupees One Lakh Forty-One Thousand Three Hundred and Twenty Only)**



**Note:**The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)  
Bruhat Bangalore Mahanagara Palike

**Copy to**

No.: 10-2022-583

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



# BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-583

1/2

@RIL.COM

OFC/Pole/2022-23/W0022/600    10-2022-604    Pending    ceofc01(ceofc01)    OFC Work Created    [Demand Notice](#)    [Permission Letter](#)    [View/Submit](#)

## Pole Details

10-2022-583



OFC/Pole/2022-23/W0118/516    10-2022-546    Pending    ceofc01(ceofc01)    Pole Work Created    [Demand Notice](#)    [Permission Letter](#)    [View/Submit](#)

EXECUTIVE ENGINEER

OFC CELL

BBMP BANGALURU MAHANAGARA DALUKE

BENGALURU