



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/609/2022-23

Date: 15-10-2022

59 Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 06-05-2022
 - 3) Fee Demand Note letter No: 10-2022-609, Date: **19-05-2022**.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **14-10-2022**.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 18 th Main Road via 16 th Main Road	27 Poles
02	From 18 th Main Road via 15 th Main Road	
03	From 18 th Main Road via 15 th Main Road up to Ittamadu Main Road.	
04	From 18 th Main Road via 13 th main Road	
05	From 11 th Main road junction via 18 th Main Road, 10 th Main Road, 6 th Cross Road, 9 th Main Road	
06	From 3 rd Main Road junction via Street ID No-W0084, 6 th Cross	
07	From 6 th Cross Road via Street ID No-W0078	
08	From 6 th Cross Road via Street ID No-W0080	
09	From Ittamadu Main Road via Street ID No-W0054 up to W0057.	
10	From Ittamadu Main Road via Street ID No-W0052 up to W0057.	
11	From 14 th Main Road via Street ID No-W0065 up to SWD.	
12	From 14 th Main Road via Street ID No-W0063 up to SWD.	
13	From 14 th Main Road via Street ID No-W0061 up to SWD, for total No of 27 Poles , in Ward No-184, Bommanahalli Zone . Ref: As per drawing enclosed & demand note GIS co-ordinates.	

No: EE/OFC/PR/609/2022-23, Dt: 15-10-2022

Executive Engineer (OFC), BBMP


20/10/22

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Bommanahalli Zone**) for information.
4. Copy to Zonal Chief Engineer (**Bommanahalli Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Bangalore South Division**) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Uttarahalli Sub Division**) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-609 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-609

With reference to your Demand Note bearing Pole-OFC-10-2022-609 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0928

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-609	27	124400	205887	22356	124400
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



609

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

20588701/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-609 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-609

With reference to your Demand Note bearing Pole-OFC-10-2022-609, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0928.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-609	27	124400	205887	22356	124400
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **205887**
as per details mentioned below.

01/10/2022
dated

PAYMENT REFERENCE

DATE 01 10 2022
दिनांक 01 10 2022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौजूबत जाने पर
RUPEES One Lac Twenty Four Thousand Four Hundred Only
रुपये

अदा करे

₹ 124,400.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205887

Client Reference 4200008085_70

For Axis Bank Ltd
[Signature]
SS No: 24004
Authorised Signatory

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

[Signature]
Rudresha B
SS. No. 25182



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-609

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-609

General Information

Segment ID

OFC/Pole/2022-23/W0080/601

Street ID

80727

Street Name

NA

Zone

Bommanahalli

Ward No.

184

Ward Name

Uttarahalli

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ086.10A

Application Submission Date

06/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

27

No.Junction Box

27




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	11/05/2022

Date : 19/05/2022

Time : 01:16:11

20220519011611





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-609

Date: 19/05/2022

Demand Notice


GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0



Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).



2)Your request letter No. : 10-2022-609, dated : 06/05/2022

Details of Poles added on BBMP GIS Map (Pole Id:-OFC/Pole/2022-23/W0080/601)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/0662/W- 184/36	W0057,W006 5	12.91767,77.5 414	12.917667385 547547- 77.541530728 34015	0662	15/03/2021
2	EE/ OFC/pole/202 2-23/0662/W- 184/37	W0057,W005 2	12.91765,77.5 4147	12.917615098 97219- 77.541498541 83197	0662	15/03/2021
3	EE/ OFC/pole/202 2-23/0662/W- 184/38	W0057,W006 3	12.91751,77.5 410	12.917615098 97219- 77.541246414 18458	0662	15/03/2021
4	EE/ OFC/pole/202 2-23/0662/W- 184/39	W0057,W006 1	12.91741,77.5 408	12.917484382 485897- 77.540967464 44702	0662	15/03/2021
5	EE/ OFC/pole/202 2-23/0662/W- 184/40	W0057,W005 9	12.91744,77.5 408	12.917379809 247613- 77.540715336 79964	0662	15/03/2021

6	EE/ OFC/pole/202 2-23/0662/W- 184/41	W0057	12.91725,77.5 4047	12.917322293 947901- 77.540554404 25874	0662	15/03/2021
7	EE/ OFC/pole/202 2-23/0662/W- 184/42	W0057	91666,77.540 29	12.917024259 910042- 77.540280818 93921	0662	15/03/2021
8	EE/ OFC/pole/202 2-23/0662/W- 184/43	W0072,W005 7,W0067	12.91633,77.5 40	12.916422962 084685- 77.540275454 5212	0662	15/03/2021
9	EE/ OFC/pole/202 2-23/0662/W- 184/44	W0067	12.91627,77.5 4031	12.916182442 549353- 77.540259361 26709	0662	15/03/2021
10	EE/ OFC/pole/202 2-23/0662/W- 184/45	W0067	12.91565,77.5 4015	12.915779833 243725- 77.540157437 32454	0662	15/03/2021
11	EE/ OFC/pole/202 2-23/0662/W- 184/46	W0067	12.91508,77.5 3993	12.915340622 35222- 77.539991140 36561	0662	15/03/2021
12	EE/ OFC/pole/202 2-23/0662/W- 184/47	W0055	12.91631,77.5 4000	12.916192899 925255- 77.539889216 42305	0662	15/03/2021
13	EE/ OFC/pole/202 2-23/0662/W- 184/48	W0055	91613,77.539 92	12.915879178 457349- 77.539819478 98866	0662	15/03/2021
14	EE/ OFC/pole/202 2-23/0659/W- 184/49	W0055	12.91556,77.5 3970	12.915492254 771078- 77.539685368 53792	0659	15/03/2021
15	EE/ OFC/pole/202 2-23/0662/W- 184/50	W0053	12.91671,77.5 382	12.916647795 354002- 77.538274526 59608	0662	15/03/2021
16	EE/ OFC/pole/202 2-23/0662/W- 184/51	W0053,W007 6	91624,77.538 1	12.916281787 60288- 77.538177967 07153	0662	15/03/2021
17	EE/ OFC/pole/202 2-23/0662/W- 184/52	W0053,W007 8	12.91593,77.5 380	12.916009895 783512- 77.538108229 63716	0662	15/03/2021
18	EE/ OFC/pole/202 2-23/0662/W- 184/53	W0053,W008 0	12.91570,77.5 3799	12.915706631 482088- 77.537990212 44049	0662	15/03/2021
19	EE/ OFC/pole/202 2-23/0662/W- 184/54	W0053,W008 4	12.91535,77.5 3781	12.915371994 584362- 77.537791728 9734	0662	15/03/2021
20	EE/ OFC/pole/202 2-23/0662/W- 184/55	W0041,W008 2	12.91543,77.5 38	12.915466111 257148- 77.538285255 43214	0662	15/03/2021
21	EE/ OFC/pole/202 2-23/0662/W- 184/56	W0041,W008 4	12.91511,77.5 38	12.915162846 295694- 77.538092136 38307	0662	15/03/2021

22	EE/ OFC/pole/202 2-23/0662/W- 184/57	W0041	12.91610,77.5 385	12.915978523 631482- 77.538440823 555	0662	15/03/2021
23	EE/ OFC/pole/202 2-23/0662/W- 184/58	W0041	12.91649,77.5 3864	12.916417733 401602- 77.538564205 16968	0662	15/03/2021
24	EE/ OFC/pole/202 2-23/0662/W- 184/59	W0045	5393612.9164 8,77.539	12.916611194 603021- 77.538902163 50557	0662	15/03/2021
25	EE/ OFC/pole/202 2-23/0662/W- 184/60	W0045	12.91652,77.5 389	12.916381132 616918- 77.538827061 65315	0662	15/03/2021
26	EE/ OFC/pole/202 2-23/0662/W- 184/61	W0045	12.91588,77.5 3870	12.916056954 004198- 77.538725137 71059	0662	15/03/2021
27	EE/ OFC/pole/202 2-23/0662/W- 184/62	W0045	12.91580,77.5 38	12.915738003 668276- 77.538633942 60408	0662	15/03/2021



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No. of Poles 27

Pole Charges @ Rs 1500/- Pole	40,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	199.53
Junction Box Charges @ Rs 3000/- Pole	81,000	Total (C)	199.53
Supervision Charge @ Rs 100/- Pole	2,700		
Sub Total (A)	124,200	GST @ 18% (B)	22,356
Grand Total (A + B + C)	146,755.53		

Total Amount Payable Rs: 146,756 In words (Rupees One Lakh Forty-Six Thousand Seven Hundred and Fifty-Six Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

No.: 10-2022-609

Copy to

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

OFC/Pole/2022-23/W0245/617 10-2022-624 Pending ceofc01(ceofc01) Pole Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

Pole Details

10-2022-609



OFC/Pole/2022-23/W0522/572 10-2022-585 Pending ceofc01(ceofc01) OFC Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

EXECUTIVE ENGINEER
OFC CELL
BRIHAT BENGALURU MAHANAGARA PALIKA
BENGALURU