



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/612/2022-23

Date: 15-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 06-05-2022
 - 3) Fee Demand Note letter No: 10-2022-612, Date: **13-05-2022**.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **12-10-2022**.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 8th Main Road via Street ID No-W0017 up to Road end.	37 Poles
02	From 8th Main Road via Street ID No-W0019 up to Road end.	
03	From 8th Main Road via Street ID No-W0021 up to Road end.	
04	From 8th Main Road via Street ID No-W0023 up to Road end.	
05	From 8th Main Road via Street ID No-W0025 up to Road end.	
06	From 8th Main Road via Street ID No-W0027	
07	From 8th Main Road via Street ID No-W0029	
08	From 8th Main Road via Street ID No-W0031	
09	From 8th Main Road via Street ID No-W0015	
10	From 8th Main Road via Street ID No-W0013	
11	From Nanjappa Main Road via 5th Cross, 4th Main, Street ID No-W0011 up to Nanjappa Main Road.	
12	From Street ID No-W0011 via 3rd Main	
13	From Street ID No-W0011 via 2nd Main	
14	From Street ID No-W0011 via 1st Main	
15	From 3rd Cross via 1st Main for total No of 37 Poles , in Ward No-10, Yelahanka Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates	

No: EE/OFC/PR/612/2022-23, Dt: 15-10-2022

Executive Engineer (OFC), BBMP

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Yelahanka** Zone) for information.
4. Copy to Zonal Chief Engineer (**Yelahanka** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Byatarayanapura** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Vidyaranya** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasathanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-612 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-612

With reference to your Demand Note bearing Pole-OFC-10-2022-612 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0126


Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-612	37	170473	205879	30636	170473
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.





612

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205879

01/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasathanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-612 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru – 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-612

With reference to your Demand Note bearing Pole-OFC-10-2022-612 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0126 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-612	37	170473	205879	30636	170473
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

205879

01/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31/12/2022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 0 1 10 20 22
दिनांक 0 1 10 20 22 Y Y Y Y

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौजे जाने पर
RUPEES One Lac Seventy Thousand Four Hundred Seventy Three Only

रुपये

₹ 170,473.00
अदा करे

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205879

Client Reference 4200008085-62

For Axis Bank Ltd
Authorized Signatory
Authorized Signatory

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO:

Please sign above
Rudresha B
SS. No. 26182



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-612

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-612

General Information

Segment ID

OFC/Pole/2022-23/W0023/603

Street ID

64674

Street Name

NA

Zone

Yelahanka

Ward No.

10

Ward Name

Dodda Bommasandra

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

06/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

pole installation

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

37

No.Junction Box

37




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	12/05/2022

Date : 13/05/2022

Time : 12:19:49

20220513121949





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-612

Date: 13/05/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-612, dated : 06/05/2022


Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0023/603)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/6463/W- 10/269	W0003	Nanjappa Layout, Chamundesw ari Layout	13.070851239 627501- 77.556256055 83192	6463	23/02/2022
2	EE/ OFC/pole/202 2-23/6463/W- 10/270	W0003	Nanjappa Layout, Chamundesw ari Layout	13.070616095 070145- 77.556127309 79921	6463	23/02/2022
3	EE/ OFC/pole/202 2-23/6463/W- 10/271	W0008,W000 3	Nanjappa Layout, Chamundesw ari Layout	13.070328695 862466- 77.555987834 93042	6463	23/02/2022
4	EE/ OFC/pole/202 2-23/6463/W- 10/272	W0010,W000 3	Nanjappa Layout, Chamundesw ari Layout	13.069999492 722394- 77.555853724 47969	6463	23/02/2022
5	EE/ OFC/pole/202 2-23/6463/W- 10/273	W0010	Nanjappa Layout, Chamundesw ari Layout	13.069900209 149523- 77.556127309 79921	6463	23/02/2022

6	EE/ OFC/pole/202 2-23/6463/W- 10/274	W0010	Nanjappa Layout, Chamundesw ari Layout	13.069790474 627773- 77.556363344 19252	6463	23/02/2022
7	EE/ OFC/pole/202 2-23/6463/W- 10/275	W0010	Nanjappa Layout, Chamundesw ari Layout	13.069466496 231287- 77.556969523 42988	6463	23/02/2022
8	EE/ OFC/pole/202 2-23/6463/W- 10/276	W0010	Nanjappa Layout, Chamundesw ari Layout	13.069346310 588962- 77.557259202 0035	6463	23/02/2022
9	EE/ OFC/pole/202 2-23/6463/W- 10/277	W0010	Nanjappa Layout, Chamundesw ari Layout	13.069194772 08696- 77.557554244 99513	6463	23/02/2022
10	EE/ OFC/pole/202 2-23/6463/W- 10/278	W0008	Nanjappa Layout, Chamundesw ari Layout	13.069492623 537087- 77.557758092 88025	6463	23/02/2022
11	EE/ OFC/pole/202 2-23/6463/W- 10/279	W0008	Nanjappa Layout, Chamundesw ari Layout	13.069659838 22875- 77.557371854 7821	6463	23/02/2022
12	EE/ OFC/pole/202 2-23/6463/W- 10/280	W0008	Nanjappa Layout, Chamundesw ari Layout	13.070062198 11626- 77.556502819 0613	6463	23/02/2022
13	EE/ OFC/pole/202 2-23/6463/W- 10/281	W0008	Nanjappa Layout, Chamundesw ari Layout	13.069931561 861061- 77.556781768 79884	6463	23/02/2022
14	EE/ OFC/pole/202 2-23/6463/W- 10/282	W0008	Nanjappa Layout, Chamundesw ari Layout	13.069811376 445202- 77.557049989 70032	6463	23/02/2022
15	EE/ OFC/pole/202 2-23/6463/W- 10/283	W0006	Nanjappa Layout, Chamundesw ari Layout	13.069790474 627773- 77.557940483 09328	6463	23/02/2022
16	EE/ OFC/pole/202 2-23/6463/W- 10/284	W0006	Nanjappa Layout, Chamundesw ari Layout	13.069999492 722394- 77.557495236 3968	6463	23/02/2022
17	EE/ OFC/pole/202 2-23/6463/W- 10/285	W0006	Nanjappa Layout, Chamundesw ari Layout	13.070187608 856193- 77.557055354 11836	6463	23/02/2022
18	EE/ OFC/pole/202 2-23/6463/W- 10/286	W0006	Nanjappa Layout, Chamundesw ari Layout	13.070360048 519564- 77.556695938 11035	6463	23/02/2022
19	EE/ OFC/pole/202 2-23/6463/W- 10/287	W0004	Nanjappa Layout, Chamundesw ari Layout	13.070798985 30078- 77.556642293 93007	6463	23/02/2022
20	EE/ OFC/pole/202 2-23/6463/W- 10/288	W0004,W000 9	Nanjappa Layout, Chamundesw ari Layout	13.070349597 634298- 77.557704448 69997	6463	23/02/2022
21	EE/ OFC/pole/202 2-23/6463/W- 10/289	W0004	Nanjappa Layout, Chamundesw ari Layout	13.070203285 194209- 77.557994127 27357	6463	23/02/2022

22	EE/ OFC/pole/202 2-23/6463/W- 10/290	W0011	Nanjappa Layout, Chamundesw ari Layout	13.070041296 320078- 77.558122873 30629	6463	23/02/2022
23	EE/ OFC/pole/202 2-23/6463/W- 10/291	W0017	Nanjappa Layout, Chamundesw ari Layout	13.068881243 856389- 77.555081248 2834	6463	23/02/2022
24	EE/ OFC/pole/202 2-23/6463/W- 10/292	W0017	Nanjappa Layout, Chamundesw ari Layout	13.068348244 950414- 77.554818391 79994	6463	23/02/2022
25	EE/ OFC/pole/202 2-23/6463/W- 10/293	W0019	Nanjappa Layout, Chamundesw ari Layout	13.068693126 726885- 77.555290460 58655	6463	23/02/2022
26	EE/ OFC/pole/202 2-23/6463/W- 10/294	W0019	Nanjappa Layout, Chamundesw ari Layout	13.068254186 200464- 77.555091977 11945	6463	23/02/2022
27	EE/ OFC/pole/202 2-23/6463/W- 10/295	W0021	Nanjappa Layout, Chamundesw ari Layout	13.068619970 026685- 77.555596232 41426	6463	23/02/2022
28	EE/ OFC/pole/202 2-23/6463/W- 10/296	W0021	Nanjappa Layout, Chamundesw ari Layout	13.068107872 518205- 77.555328011 51277	6463	23/02/2022
29	EE/ OFC/pole/202 2-23/6463/W- 10/297	W0023	Nanjappa Layout, Chamundesw ari Layout	13.068578166 18827- 77.555848360 06166	6463	23/02/2022
30	EE/ OFC/pole/202 2-23/6463/W- 10/298	W0023	Nanjappa Layout, Chamundesw ari Layout	13.068233284 251171- 77.555751800 53712	6463	23/02/2022
31	EE/ OFC/pole/202 2-23/6463/W- 10/299	W0025	Nanjappa Layout, Chamundesw ari Layout	13.068562489 747041- 77.556159496 30739	6463	23/02/2022
32	EE/ OFC/pole/202 2-23/6463/W- 10/300	W0025	Nanjappa Layout, Chamundesw ari Layout	13.068144450 946908- 77.556030750 27467	6463	23/02/2022
33	EE/ OFC/pole/202 2-23/6463/W- 10/301	W0027	Nanjappa Layout, Chamundesw ari Layout	13.068311666 551912- 77.556379437 44661	6463	23/02/2022
34	EE/ OFC/pole/202 2-23/6463/W- 10/302	W0027	Nanjappa Layout, Chamundesw ari Layout	13.068102647 02795- 77.556331157 68433	6463	23/02/2022
35	EE/ OFC/pole/202 2-23/6463/W- 10/303	W0029	Nanjappa Layout, Chamundesw ari Layout	13.068363921 405258- 77.556706666 94641	6463	23/02/2022
36	EE/ OFC/pole/202 2-23/6463/W- 10/304	W0031	Nanjappa Layout, Chamundesw ari Layout	13.068290764 607491- 77.556996345 52003	6463	23/02/2022
37	EE/ OFC/pole/202 2-23/6463/W- 10/305	W0029	Nanjappa Layout, Chamundesw ari Layout	13.068133999 967827- 77.556626200 67598	6463	23/02/2022



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No. of Poles 37

Pole Charges @ Rs 1500/- Pole	55,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	273.43
Junction Box Charges @ Rs 3000/- Pole	111,000	Total (C)	273.43
Supervision Charge @ Rs 100/- Pole	3,700		
Sub Total (A)	170,200	GST @ 18% (B)	30,636
Grand Total (A + B + C)	201,109.43		

Total Amount Payable Rs: 201,109 In words (Rupees Two Lakh One Thousand One Hundred and Nine Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-612

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-612 1/2 X

OFC/Pole/2022-23/W0277/615 10-2022-625 Pending ceofc01(ceofc01) OFC Work Created Demand Notice Permission Letter View/Submit

Pole Details

10-2022-612



OFC/Pole/2022-23/W0377/572 10-2022-589 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

S. H. H.
EXECUTIVE ENGINEER

JRUHAT BENGALURU MAHANAGARA PALIKE
BENGALURU