



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/620/2022-23

Date: 15-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 06-05-2022
 - 3) Fee Demand Note letter No: 10-2022-620, Date: **13-05-2022**.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **12-10-2022**.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles, from Ittamadu Main Road via Street ID No-W0090, W0102, W0094	32 Poles
02	From Street ID No-W0090 via Street ID No-W0090, W0082, 16 th Main Road up to W0090.	
03	From Street ID No-W0090 via Street ID No-W0091	
04	From Street ID No-W0090 via Street ID No-W0089	
05	From Street ID No-W0090 via Street ID No-W0087	
06	From Street ID No-W0090 via Street ID No-W0081	
07	From the junction of Street ID No-W0103 via W0090, 3 rd Main Road, 18 th Main Road, Street ID No-W0083	
08	From 18 th Main Road via Street ID No-W0092, for total No of 32 Poles , in Ward No-184, Bommanahalli Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/620/2022-23, Dt: 15-10-2022


Executive Engineer (OFC), BBMP

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent

- authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
 15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
 16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
 17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
 18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
 19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
 20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
 21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
 22. **Right-of-way (ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way (ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Bommanahalli** Zone) for information.
4. Copy to Zonal Chief Engineer (**Bommanahalli** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Bangalore South** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Uttarahalli** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

10-2022-620 9.0
 केनरा बैंक **Canara Bank** जमा पर्ची / DEPOSIT / PAY IN SLIP
 शाखा / Branch **REC EXT 100**

दिनांक / Date **13/10/2022**
 SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.
 बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.
8401132000010

नाम / Name **COMMISSIONER BRMP**
 टेलिफोन / मोबाइल नं.
 Tel No. / Mobile No.

राशि / Amount **₹ 1,47,436.00** पै/P.
 राशि शब्दों में **One Lakh Fourty Seven Thousand Rupees**
 Rupees in words **One Lakh Fourty Seven Thousand Rupees**

चेक नं. / दिनांक / बैंक नाम / शाखा का नाम Cheque No. / Date / Name of Bank & Branch	₹	पै/P.
20585 / 13/10/2022 / Canara Bank REC EXT 100	1,47,436.00	
Total	1,47,436.00	

अधिकारी **EXECUTIVE ENGINEER**
 एस. डी. ऑ. **DEC CELL**
 Office/Casualty/SWO
BRUHAT BENGALURU MAHANAGARA PALIKE
RENGAI HILL
 केनरा बैंक टोल फ्री 24 घंटे कॉल सेंटर
 Canara Bank Toll Free No. 1800 425 0018

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-620 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-620

With reference to your Demand Note bearing Pole-OFC-10-2022-620, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0928.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-620	32	147436	205851	26496	147436
			Dated		
			01-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



620

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205851

01/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-620 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-620

With reference to your Demand Note bearing Pole-OFC-10-2022-620 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0928


Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-620	32	147436	205851	26496	147436
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

205851

01/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31/12/2022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE (D1 D2 M1 M2 Y1 Y2 Y3 Y4)
दिनांक

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौगे जाने पर
RUPEES One Lac Forty Seven Thousand Four Hundred Thirty Six Only

रुपये

अदा करें ₹ 147,436.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205851

Client Reference 4200008085_34

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

Authorized Signatory
Authorized Signatory

Please sign above
Rudresha B
SS.No. 26182



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-620

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-620

General Information

Segment ID

OFC/Pole/2022-23/W0083/614

Street ID

80819

Street Name

NA

Zone

Bommanahalli

Ward No.

184

Ward Name

Uttarahalli

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

06/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

32

No.Junction Box

32




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	11/05/2022

Date : 13/05/2022

Time : 01:15:40

20220513011540





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-620

Date: 13/05/2022

Demand Notice**GST No.: 29AAALBI608FIZK****To**

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-620, dated : 06/05/2022


Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0083/614)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/0658/W- 184/63	W0090,W009 9	12.91320,77.5 3987	12.913259588 823845- 77.539894580 84108	0658	15/03/2021
2	EE/ OFC/pole/202 2-23/0658/W- 184/64	W0090,W009 7	12.91332,77.5 3951	12.913338020 049991- 77.539460062 98067	0658	15/03/2021
3	EE/ OFC/pole/202 2-23/0658/W- 184/65	W0090,W009 1	2.91335,77.53 919	12.913369392 533575- 77.539175748 82509	0658	15/03/2021
4	EE/ OFC/pole/202 2-23/0658/W- 184/66	W0090,W008 9	12.91338,77.5 38	12.913447823 725257- 77.538827061 65315	0658	15/03/2021
5	EE/ OFC/pole/202 2-23/0659/W- 184/67	W0090,W008 7	12.91372,77.5 37	12.913489653 684088- 77.538435459 13698	0659	15/03/2021

6	EE/ OFC/pole/202 2-23/0658/W- 184/68	W0094,W010 3	12.91347,77.5 3770	12.913369392 533575- 77.537662982 94069	0658	15/03/2021
7	EE/ OFC/pole/202 2-23/0658/W- 184/69	W0094	12.91320,77.5 3806	12.913128870 058902- 77.538210153 57971	0658	15/03/2021
8	EE/ OFC/pole/202 2-23/0658/W- 184/70	W0081	12.91320,77.5 3806	12.914592916 320553- 77.538258433 342	0658	15/03/2021
9	EE/ OFC/pole/202 2-23/0658/W- 184/71	W0081	12.91434,77.5 3806	12.914117102 226365- 77.538113594 05519	0658	15/03/2021
10	EE/ OFC/pole/202 2-23/0658/W- 184/72	W0081	12.91388,77.5 3804	12.913787691 938117- 77.537995576 85853	0658	15/03/2021
11	EE/ OFC/pole/202 2-23/0658/W- 184/73	W0087	12.91403,77.5 385	12.914247820 474381- 77.538617849 34999	0658	15/03/2021
12	EE/ OFC/pole/202 2-23/0658/W- 184/74	W0087	12.91377,77.5 38	12.913913181 622942- 77.538553476 33362	0658	15/03/2021
13	EE/ OFC/pole/202 2-23/0658/W- 184/75	W0089	2.91376,77.53	12.913834750 5773- 77.538918256 75966	0658	15/03/2021
14	EE/ OFC/pole/202 2-23/0658/W- 184/76	W0089	12.91396,77.5 38	12.914284421 57156- 77.539073824 88251	0658	15/03/2021
15	EE/ OFC/pole/202 2-23/0658/W- 184/77	W0089	2.91425,77.53 905	12.914676575 84785- 77.539186477 66115	0658	15/03/2021
16	EE/ OFC/pole/202 2-23/0658/W- 184/78	W0089	12.91483,77.5 3922	12.915026899 814185- 77.539266943 9316	0658	15/03/2021
17	EE/ OFC/pole/202 2-23/0658/W- 184/79	W0093	12.91476,77.5 3956	12.914692262 006094- 77.539535164 83308	0658	15/03/2021
18	EE/ OFC/pole/202 2-23/0658/W- 184/80	W0093,W009 5	12.91447,77.5 3944	12.914592916 320553- 77.539824843 40669	0658	15/03/2021
19	EE/ OFC/pole/202 2-23/0658/W- 184/81	W0095	12.91456,77.5 39	12.914885724 54355- 77.539883852 00502	0658	15/03/2021
20	EE/ OFC/pole/202 2-23/0658/W- 184/82	W0097,W009 5	12.91380,77.5 3	12.914310565 209126- 77.539722919 46413	0658	15/03/2021
21	EE/ OFC/pole/202 2-23/0658/W- 184/83	W0097	12.91385,77.5 3960	12.913991612 643954- 77.539637088 77565	0658	15/03/2021

22	EE/ OFC/pole/202 2-23/0658/W- 184/84	W0097	.91376,77.539 5	12.913745862 029169- 77.539588809 01338	0658	15/03/2021
23	EE/ OFC/pole/202 2-23/0658/W- 184/85	W0103,W009 0	12.91372,77.5 378012	12.913719718 332521- 77.537759542 46522	0658	15/03/2021
24	EE/ OFC/pole/202 2-23/0658/W- 184/86	W0094,W009 9	12.91289,77.5 3977	12.912710569 551573- 77.539749741 55426	0658	15/03/2021
25	EE/ OFC/pole/202 2-23/0658/W- 184/87	W0097	12.91304,77.5 394	12.912930177 405215- 77.539384961 12825	0658	15/03/2021
26	EE/ OFC/pole/202 2-23/0658/W- 184/88	W0091	12.91310,77.5 3912	12.913008608 734755- 77.539079189 30055	0658	15/03/2021
27	EE/ OFC/pole/202 2-23/0658/W- 184/89	W0041,W008 1	.91511,77.538 01	12.914974612 686212- 77.537958025 93233	0658	15/03/2021
28	EE/ OFC/pole/202 2-23/0658/W- 184/90	W0041	12.91449,77.5 3761	12.914634746 0877- 77.537738084 7931	0658	15/03/2021
29	EE/ OFC/pole/202 2-23/0658/W- 184/91	W0041	12.91416,77.5 3739	12.914305336 481831- 77.537528872 48994	0658	15/03/2021
30	EE/ OFC/pole/202 2-23/0658/W- 184/92	W0087	12.91525,77.5 3901	12.915079186 931203- 77.538987994 19404	0658	15/03/2021
31	EE/ OFC/pole/202 2-23/0658/W- 184/93	W0085,W008 7	12.91510,77.5 3902	12.914833437 386037- 77.538912892 34163	0658	15/03/2021
32	EE/ OFC/pole/202 2-23/0658/W- 184/94	W0087	12.91468,77.5 388	12.914504028 042106- 77.538821697 23512	0658	15/03/2021



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form

of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 32

Pole Charges @ Rs 1500/- Pole	48,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	236.48
Junction Box Charges @ Rs 3000/- Pole	96,000	Total (C)	236.48
Supervision Charge @ Rs 100/- Pole	3,200		
Sub Total (A)	147,200	GST @ 18% (B)	26,496
Grand Total (A + B + C)	173,932.48		

Total Amount Payable Rs: 173,932 In words (Rupees One Lakh seventy-Three Thousand Nine Hundred and Thirty-Two Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-620

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-620

1/3

OFC/Pole/2022-23/W0328/621

10-2022-630

Pending

ceofc01(ceofc01)

OFC Work Created

[Demand Notice](#)

[Permission Letter](#)

[View/Submit](#)

Pole Details

10-2022-620



OFC/Pole/2022-23/W0435/590

10-2022-600

Pending


ceofc01(ceofc01)

OFC Work Created

[Demand Notice](#)

[Permission Letter](#)

[View/Submit](#)


 EXECUTIVE ENGINEER
 OFC CELL

S. Y. RAJU

BENGALURU