



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rd Floor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/622/2022-23

Date: 15-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

Ref :- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
2) M/s. Jio Digital Fibre Private Limited online application Dated: 06-05-2022
3) Fee Demand Note letter No: 10-2022-622, Date: 13-05-2022.
4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 14-10-2022.

*_*_*_*


With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from Vidyanapura Main Road via 6th Main	31 Poles
02	From Vidyanapura Main Road via 7th Main, W0057	
03	From 7th Main via Street ID No-W0055	
04	From 7th Main via Street ID No-W0053	
05	From 8th Main via Street ID No-W0049, 7th Main	
06	From Street ID No-W0028 via W0121, 7th Main, W0045, W0024	
07	From Street ID No-W0117 via W0080	
08	From Street ID No-W0028 via W0117	
09	From Street ID No-W0107 via W0078 for total No of 31 Poles, in Ward No-10, Yelahanka Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/622/2022-23, Dt: 15-10-2022


Executive Engineer (OFC), BBMP

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.

13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Yelahanka** Zone) for information.
4. Copy to Zonal Chief Engineer (**Yelahanka** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Byatarayanapura** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Vidyaranyapura** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasathanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-622 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note:- Pole-OFC-10-2022-622

With reference to your Demand Note bearing Pole-OFC-10-2022-622 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0126

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-622	31	142829	205867	25668	142829
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.





622

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205867

01/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RM2 Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-622 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru – 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-622

With reference to your Demand Note bearing Pole-OFC-10-2022-622 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0126

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-622	31	142829	205867	25668	142829
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **205867**
as per details mentioned below.

01/10/2022
dated

PAYMENT REFERENCE



AXIS BANK LTD
IFS CODE - UTIB000274

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31/12/2022

DATE 01/10/2022
दिनांक 01/10/2022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या वनके आदेश पर

मौजे जाने पर
RUPEES One Lac Forty Two Thousand Eight Hundred Twenty Nine Only
रुपये

अदा करे

₹ 142,829.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205867

Client Reference 4200008085_50

For Axis Bank Ltd
Authorized Signatory
Authorized Signatory

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Please sign above

Rudresha B
SS. No. 26182



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-622

PR Number(To be Assigned by AE/JE- OFC, BBMP) CE-POLE-10-2022-622

General Information

Segment ID

OFC/Pole/2022-23/W0078/615

Street ID

65020

Street Name

NA

Zone

Yelahanka

Ward No.

10

Ward Name

Dodda Bommasandra

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

06/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

pole installation

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

31

No.Junction Box

31




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	12/05/2022

Date : 13/05/2022

Time : 01:29:34

20220513012934





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-622

Date: 13/05/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-622, dated : 06/05/2022

Details of Poles added on BBMP GIS Map


(Pole Id:-OFC/Pole/2022-23/W0078/615)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/6462/W- 10/306	W0057	Nanjappa Layout Chamundesw ari Layout, Jalahalli	13.067465136 386705- 77.559887766 83809	6462	23/02/2022
2	EE/ OFC/pole/202 2-23/6462/W- 10/307	W0057	Nanjappa Layout Chamundesw ari Layout, Jalahalli	13.067229988 603362- 77.559828758 23975	6462	23/02/2022
3	EE/ OFC/pole/202 2-23/6462/W- 10/308	W0026,W005 7	Nanjappa Layout Chamundesw ari Layout, Jalahalli	13.066989615 082232- 77.559759020 80537	6462	23/02/2022
4	EE/ OFC/pole/202 2-23/6462/W- 10/309	W0026,W005 5	Nanjappa Layout Chamundesw ari Layout, Jalahalli	13.067109801 872052- 77.559388875 96132	6462	23/02/2022

5	EE/ OFC/pole/202 2-23/6462/W- 10/310	W0055	Nanjappa Layout Chamundesw ari Layout, Jalahalli	13.067329273 25032- 77.559431791 30556	6462	23/02/2022
6	EE/ OFC/pole/202 2-23/6462/W- 10/311	W0055	Nanjappa Layout Chamundesw ari Layout, Jalahalli	13.067533067 926844- 77.559517621 99403	6462	23/02/2022
7	EE/ OFC/pole/202 2-23/6462/W- 10/312	W0053	Nanjappa Layout Chamundesw ari Layout, Jalahalli	13.067627126 951567- 77.559190392 49422	6462	23/02/2022
8	EE/ OFC/pole/202 2-23/6462/W- 10/313	W0049	Nanjappa Layout Chamundesw ari Layout, Jalahalli	13.067355400 782358- 77.558820247 65016	6462	23/02/2022
9	EE/ OFC/pole/202 2-23/6462/W- 10/314	W0049	Nanjappa Layout Chamundesw ari Layout, Jalahalli	13.067721185 940453- 77.558900713 92061	6462	23/02/2022
10	EE/ OFC/pole/202 2-23/6462/W- 10/315	W0049	Nanjappa Layout Chamundesw ari Layout, Jalahalli	13.067935431 281349- 77.558938264 84682	6462	23/02/2022
11	EE/ OFC/pole/202 2-23/6462/W- 10/316	W0026,W004 5	Nanjappa Layout Chamundesw ari Layout, Jalahalli	13.067444234 370592- 77.558439373 97005	6462	23/02/2022
12	EE/ OFC/pole/202 2-23/6462/W- 10/317	W0024,W004 5	Nanjappa Layout Chamundesw ari Layout, Jalahalli	13.067778666 416018- 77.558525204 65852	6462	23/02/2022
13	EE/ OFC/pole/202 2-23/6462/W- 10/318	W0024	Nanjappa Layout Chamundesw ari Layout, Jalahalli	13.067851823 365562- 77.558171153 06856	6462	23/02/2022
14	EE/ OFC/pole/202 2-23/6462/W- 10/319	W0024	Nanjappa Layout Chamundesw ari Layout, Jalahalli	13.067987686 214321- 77.557473778 72468	6462	23/02/2022
15	EE/ OFC/pole/202 2-23/6462/W- 10/320	W0026	Nanjappa Layout Chamundesw ari Layout, Jalahalli	13.067783891 913141- 77.557216286 65924	6462	23/02/2022
16	EE/ OFC/pole/202 2-23/6462/W- 10/321	W0024,W010 7	Nanjappa Layout Chamundesw ari Layout, Jalahalli	13.068029490 152744- 77.557243108 7494	6462	23/02/2022
17	EE/ OFC/pole/202 2-23/6462/W- 10/322	W0026	Nanjappa Layout Chamundesw ari Layout, Jalahalli	13.067726411 438784- 77.557414770 12636	6462	23/02/2022

18	EE/ OFC/pole/202 2-23/6462/W- 10/323	W0107	Nanjappa Layout Chamundesw ari Layout, Jalahalli	13.067454685 378857- 77.557076811 79048	6462	23/02/2022
19	EE/ OFC/pole/202 2-23/6462/W- 10/324	W0078,W010 7	Nanjappa Layout Chamundesw ari Layout, Jalahalli	13.067146380 448651- 77.556921243 66762	6462	23/02/2022
20	EE/ OFC/pole/202 2-23/6462/W- 10/325	W0107	Nanjappa Layout Chamundesw ari Layout, Jalahalli	13.066979164 05426- 77.556899785 9955	6462	23/02/2022
21	EE/ OFC/pole/202 2-23/6462/W- 10/326	W0078	Nanjappa Layout Chamundesw ari Layout, Jalahalli	13.067026193 67663- 77.557296752 9297	6462	23/02/2022
22	EE/ OFC/pole/202 2-23/6462/W- 10/327	W0117	Nanjappa Layout Chamundesw ari Layout, Jalahalli	13.067115027 383322- 77.557870745 65889	6462	23/02/2022
23	EE/ OFC/pole/202 2-23/6462/W- 10/328	W0117	Nanjappa Layout Chamundesw ari Layout, Jalahalli	13.066744015 808007- 77.557747364 04419	6462	23/02/2022
24	EE/ OFC/pole/202 2-23/6462/W- 10/329	W0028,W012 3	Nanjappa Layout Chamundesw ari Layout, Jalahalli	13.066848526 167334- 77.558557391 1667	6462	23/02/2022
25	EE/ OFC/pole/202 2-23/6462/W- 10/330	W0028	Nanjappa Layout Chamundesw ari Layout, Jalahalli	13.066806722 02892- 77.558873891 83046	6462	23/02/2022
26	EE/ OFC/pole/202 2-23/6462/W- 10/331	W0028,W012 9	Nanjappa Layout Chamundesw ari Layout, Jalahalli	13.066764917 883418- 77.559158205 98604	6462	23/02/2022
27	EE/ OFC/pole/202 2-23/6462/W- 10/332	W0028	Nanjappa Layout Chamundesw ari Layout, Jalahalli	13.066691760 61176- 77.559517621 99403	6462	23/02/2022
28	EE/ OFC/pole/202 2-23/6462/W- 10/333	W0082,W012 3	Nanjappa Layout Chamundesw ari Layout, Jalahalli	13.066566348 095627- 77.558466196 0602	6462	23/02/2022
29	EE/ OFC/pole/202 2-23/6462/W- 10/334	W0082	Nanjappa Layout Chamundesw ari Layout, Jalahalli	13.066498416 289452- 77.558825612 06819	6462	23/02/2022
30	EE/ OFC/pole/202 2-23/6462/W- 10/335	W0082	Nanjappa Layout Chamundesw ari Layout, Jalahalli	13.066409582 36086- 77.559195756 91225	6462	23/02/2022

31	EE/ OFC/pole/202 2-23/6462/W- 10/336	W0082	Nanjappa Layout Chamundesw ari Layout, Jalahalli	13.066331199 456144- 77.559512257 576	6462	23/02/2022
----	---	-------	--	--	------	------------



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No. of Poles 31

Pole Charges @ Rs 1500/- Pole	46,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	229.09
Junction Box Charges @ Rs 3000/- Pole	93,000	Total (C)	229.09
Supervision Charge @ Rs 100/- Pole	3,100		
Sub Total (A)	142,600	GST @ 18% (B)	25,668
Grand Total (A + B + C)	168,497.09		

Total Amount Payable Rs: 168,497 In words (Rupees One Lakh Sixty-Eight Thousand Four Hundred and Ninety-Seven Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-622

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-622

1/2

@RIL.COM

OFC/Pole/2022-23/W0042/621 10-2022-634 Pending ceofc01(ceofc01) OFC Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

Pole Details

10-2022-622

OFC/Pole/2022-23/W0022/600 10-2022-604 Pending ceofc01(ceofc01) OFC Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

Handwritten signature