



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/629/2022-23

Date: 15-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 06-05-2022
 - 3) Fee Demand Note letter No: 10-2022-629, Date: **12-05-2022**.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **14-10-2022**.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 80feet Road via 14th Main Road for a length of 50.48 Mtr.	46 Poles
02	From 30th Main Road via 2nd Cross Road, 14th Main Road up to 3rd Cross Road.	
03	From 17th Main Road via 80feet Road, 13th Main Road, 6th Cross Road, 5th Main Road, 4th Cross Road, 12th Main Road up to 80feet Road.	
04	From 6th Cross Road via 12th Main Road up to 4th Cross Road.	
05	From 6th Cross Road via 4th Main Road	
06	From 6th Cross Road via 3rd Main Road	
07	From 12th Main Road via 5th Cross Road	
08	From 12th Main Road via 3rd Cross Road up to 4th Cross Road.	
09	In 8th Cross Road via 5th Main Road, 7th Cross Road, for total No of 46 Poles, in Ward No-163, South Zone Ref: As per drawing enclosed & demand note GIS co-ordinates.	

No: EE/OFC/PR/629/2022-23, Dt: 15-10-2022

Executive Engineer (OFC), BBMP

AB

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlined in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be undertaken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exist, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way (ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way (ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.


25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**South Zone**) for information.
4. Copy to Zonal Chief Engineer (**South Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Basavanagudi** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Giri Nagar** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

10.2022 - 629 jio

केन्द्रीय बैंक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा/ Branch RECEPTION

दिनांक/ Date

1	3	1	0	2	0	2	2
---	---	---	---	---	---	---	---

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

वचत / चाल खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

8401132000010

नाम/Name Comm:SP:over Bbmp

टेलिफोन / मोबाइल नं
Tel No./Mobile No.

राशि /Amount 2,11,940.00/-

राशि शब्दों में
Rupees in words two lakh eleven thousand

and nine hundred and forty only

चेक नं. / दिनांक तथा बैंक व शाखा का नाम Cheque No./Date / Name of Bank & Branch	राशि / Amount	वै/प
<u>206012 dt. 11/10/22</u>	<u>2,11,940.00/-</u>	

EXECUTIVE ENGINEER 2,11,940.00/-

अधिकारी / गैर कर्मचारी / OFC GEL कोल फ्री 24 घंटे कॉल सेंटर

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-629 /DD

Date: 12-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-629

With reference to your Demand Note bearing Pole-OFC-10-2022-629 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0908 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-629	46	211940	206012	38088	211940
			Dated		
			11-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.





629

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206012

11/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-629 /DD

Date: 12-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru – 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-629

With reference to your Demand Note bearing Pole-OFC-10-2022-629 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0908 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-629	46	211940	206012 Dated 11-10-2022	38088	211940

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206012**
as per details mentioned below.

11/10/2022
dated

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 10012023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE | D | D | M | M | Y | Y | Y | Y |
दिनांक | 1 | 1 | 1 | 0 | 2 | 0 | 2 | 2 |

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौजे जाने पर
RUPEES Two Lacs Eleven Thousand Nine Hundred Forty Only
रुपये

अदा करें

₹ 211,940.00

Payable at par at all Branches of AXIS Bank Ltd

DD Sr. No. 206012

Client Reference 4200008447_1

For Axis Bank Ltd
Authorized Signatory
Rudresha B
No. 26182

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Please sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-629

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-629

General Information

Segment ID

OFC/Pole/2022-23/10013/614

Street ID

31314

Street Name

NA

Zone

South

Ward No.

163

Ward Name

Katriguppe

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

06/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

46

No.Junction Box

46




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	11/05/2022

Date : 12/05/2022

Time : 03:34:37

20220512033437





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-629

Date: 12/05/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-629, dated : 06/05/2022

Details of Poles added on BBMP GIS Map


(Pole Id:-OFC/Pole/2022-23/10013/614)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/1795/W- 163/39	I0013	12.93875,77.5 5252	12.938688838 84322- 77.552493875 47032	1795	25/08/2021
2	EE/ OFC/pole/202 2-23/1795/W- 163/40	W0194,I0013	12.93806,77.5 5244	12.938397365 594552- 77.552454989 06517	1795	25/08/2021
3	EE/ OFC/pole/202 2-23/1795/W- 163/41	W0198,W001 4,I0013	12.93765,77.5 5229	12.937634828 147006- 77.552321040 66042	1795	25/08/2021
4	EE/ OFC/pole/202 2-23/1795/W- 163/42	I0013	12.93723,77.5 5220	12.937279307 658846- 77.552216162 54282	1795	25/08/2021
5	EE/ OFC/pole/202 2-23/1795/W- 163/43	W0015	12.93834,77.5 5280	12.938399718 318722- 77.552796836 28343	1795	25/08/2021

6	EE/ OFC/pole/202 2-23/1795/W- 163/44	W0015	12.93821,77.5 5278	12.938120008 24675- 77.552756608 96775	1795	25/08/2021
7	EE/ OFC/pole/202 2-23/1795/W- 163/45	W0015	12.93779,77.5 5270	12.937872190 04125- 77.552707809 41356	1795	25/08/2021
8	EE/ OFC/pole/202 2-23/1795/W- 163/46	W0015	12.93729,77.5 5252	12.937320087 912044- 77.552565922 66386	1795	25/08/2021
9	EE/ OFC/pole/202 2-23/1795/W- 163/47	W0015	12.93686,77.5 5237	12.936781578 060257- 77.552392113 83685	1795	25/08/2021
10	EE/ OFC/pole/202 2-23/1795/W- 163/48	W0046,W001 5	12.93679,77.5 5235	12.936399915 034114- 77.552209750 00569	1795	25/08/2021
11	EE/ OFC/pole/202 2-23/1795/W- 163/49	W0044	12.935646,77. 55213	12.936561991 264826- 77.552109613 17641	1795	25/08/2021
12	EE/ OFC/pole/202 2-23/1795/W- 163/50	I0013	12.93669,77.5 5201	12.936794648 781278- 77.552061340 39756	1795	25/08/2021
13	EE/ OFC/pole/202 2-23/1795/W- 163/51	W0046	12.935632,77. 55238	12.936368545 524132- 77.552404632 8899	1795	25/08/2021
14	EE/ OFC/pole/202 2-23/1795/W- 163/52	W0015	12.93634,77.5 5222	12.936328810 83241- 77.552215073 95389	1795	25/08/2021
15	EE/ OFC/pole/202 2-23/1795/W- 163/53	W0015	12.93598,77.5 5192	12.936072625 660854- 77.552054164 69109	1795	25/08/2021
16	EE/ OFC/pole/202 2-23/1795/W- 163/54	I0042,W0015, W0047	12.93568,77.5 5190	12.935706646 387947- 77.551855709 93368	1795	25/08/2021
17	EE/ OFC/pole/202 2-23/1795/W- 163/55	I0042	12.93572,77.5 5164	12.935796572 677612- 77.551592906 9899	1795	25/08/2021
18	EE/ OFC/pole/202 2-23/1795/W- 163/56	I0042,W0017	12.93544,77.5 5215	12.935498560 694763- 77.552150725 76749	1795	25/08/2021
19	EE/ OFC/pole/202 2-23/1795/W- 163/57	W0017	12.93560,77.5 5219	12.935874996 824454- 77.552322362 31447	1795	25/08/2021
20	EE/ OFC/pole/202 2-23/1795/W- 163/58	W0015	12.93567,77.5 5190	12.935953420 946628- 77.552021998 35729	1795	25/08/2021
21	EE/ OFC/pole/202 2-23/1795/W- 163/59	W0017	12.93616,77.5 5247	12.936188693 16524- 77.552483271 57723	1795	25/08/2021

22	EE/ OFC/pole/202 2-23/1795/W- 163/60	W0052	12.935618,77. 55300	12.936167780 08814- 77.552858726 52374	1795	25/08/2021
23	EE/ OFC/pole/202 2-23/1795/W- 163/61	W0049	12.93599,77.5 5270	12.936005703 681058- 77.552692453 61885	1795	25/08/2021
24	EE/ OFC/pole/202 2-23/1795/W- 163/62	W0049	12.935597,77. 55282	12.935916823 026021- 77.552880181 09208	1795	25/08/2021
25	EE/ OFC/pole/202 2-23/1795/W- 163/63	W0049,W005 1	12.93590,77.5 5298	12.935854083 721031- 77.553030363 0707	1795	25/08/2021
26	EE/ OFC/pole/202 2-23/1795/W- 163/64	I0042	12.935523,77. 55247	12.935294657 553996- 77.552563726 20863	1795	25/08/2021
27	EE/ OFC/pole/202 2-23/1795/W- 163/65	I0042,W0051	12.93518,77.5 5268	12.935247602 959386- 77.552670999 05049	1795	25/08/2021
28	EE/ OFC/pole/202 2-23/1795/W- 163/66	W0051	12.93576,77.5 5301	12.935528884 753316- 77.552847999 23956	1795	25/08/2021
29	EE/ OFC/pole/202 2-23/1795/W- 163/67	I0042	12.93517,77.5 5279	12.935105393 479898- 77.552885544 73418	1795	25/08/2021
30	EE/ OFC/pole/202 2-23/1795/W- 163/68	W0054,W002 5	12.93537,77.5 5326	12.935168132 973176- 77.553105454 05996	1795	25/08/2021
31	EE/ OFC/pole/202 2-23/1795/W- 163/69	W0025	12.93562,77.5 5334	12.935481830 202876- 77.553287817 89113	1795	25/08/2021
32	EE/ OFC/pole/202 2-23/1795/W- 163/70	W0049,W002 5	12.93558,77.5 5330	12.935696189 74963- 77.553411181 65924	1795	25/08/2021
33	EE/ OFC/pole/202 2-23/1795/W- 163/71	W0049	12.93558,77.5 5330	12.935805983 59249- 77.553191272 33346	1795	25/08/2021
34	EE/ OFC/pole/202 2-23/1795/W- 163/72	W0050,W002 5	12.93621,77.5 5369	12.936196012 70991- 77.553676184 81682	1795	25/08/2021
35	EE/ OFC/pole/202 2-23/1795/W- 163/73	W0050,W001 7	12.93651,77.5 5262	12.936520165 171435- 77.552630274 60879	1795	25/08/2021
36	EE/ OFC/pole/202 2-23/1795/W- 163/74	W0017	12.93656,77.5 5258	12.936650871 689984- 77.552694638 3139	1795	25/08/2021
37	EE/ OFC/pole/202 2-23/1795/W- 163/75	I0200,W0017	12.93692,77.5 5274	12.936924832 418368- 77.552757932 9496	1795	25/08/2021

38	EE/ OFC/pole/202 2-23/1795/W- 163/76	W0017	12.93725,77.5 5291	12.937235390 458714- 77.552929562 51311	1795	25/08/2021
39	EE/ OFC/pole/202 2-23/1795/W- 163/77	W0017	12.93756,77.5 5302	12.937664106 354068- 77.553101199 0601	1795	25/08/2021
40	EE/ OFC/pole/202 2-23/1795/W- 163/78	W0017	12.93782,77.5 5307	12.937998713 370128- 77.553149471 8389	1795	25/08/2021
41	EE/ OFC/pole/202 2-23/1795/W- 163/79	W0017	12.93731,77.5 5292	12.937204020 974026- 77.552881289 73432	1795	25/08/2021
42	EE/ OFC/pole/202 2-23/1795/W- 163/80	W0017	12.93821,77.5 5315	12.937611823 967272- 77.553036835 35497	1795	25/08/2021
43	EE/ OFC/pole/202 2-23/1795/W- 163/81	W0017	12.93828,77.5 5316	12.938343776 385278- 77.553149471 8389	1795	25/08/2021
44	EE/ OFC/pole/202 2-23/1795/W- 163/82	W0048	12.93662,77.5 5331	12.936597543 494534- 77.553321140 19932	1795	25/08/2021
45	EE/ OFC/pole/202 2-23/1795/W- 163/83	W0048	12.93656,77.5 5353	12.936529576 098907- 77.553541049 52511	1795	25/08/2021
46	EE/ OFC/pole/202 2-23/1795/W- 163/84	W0022	12.93677,77.5 5367	12.936857910 746985- 77.553541049 52511	1795	25/08/2021



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 46

Pole Charges @ Rs 1500/- Pole	69,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	339.94
----------------------------------	--------	--	--------

Junction Box Charges @ Rs 3000/- Pole	138,000	Total (C)	339.94
Supervision Charge @ Rs 100/- Pole	4,600		
Sub Total (A)	211,600	GST @ 18% (B)	38,088
Grand Total (A + B + C)	250,027.94		

Total Amount Payable Rs: 250,028 In words (Rupees Two Lakh Fifty Thousand and Twenty-Eight Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-629

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-629 1/2 ^ v x @RIL.COM

OFC/Pole/2022-23/W0156/665 10-2022-670 Pending ceofc01(ceofc01) OFC Work Created Demand Notice Permission Letter View/Submit

Pole Details

10-2022-629



OFC/Pole/2022-23/W0170/579 10-2022-591 Pending ceofc01(ceofc01) OFC Work Created Demand Notice Permission Letter View/Submit

EXECUTIVE ENGINEER
OFC CELL

BENGALURU